2/7/84 S2250-2(u) A

IDAHO

VITAL STATISTICS 1982

1982
ANNUAL SUMMARY
OF
VITAL STATISTICS

IDAHO DEPARTMENT OF HEALTH AND WELFARE

Rose Bowman
Director
Department of Health and Welfare

Ralph W. Carpenter
Administrator
Division of Health

Bee Biggs, R.N.
State Registrar
Bureau of Vital Statistics, Standards and
Local Health Services

TABLE OF CONTENTS

Page

DEFINITIONS AND FORMULAS iv

POPULATION 1

July 1, 1981-82 estimates of population of States 2
July 1, 1981 estimates of population of Idaho districts and counties 3
Percent change, 1970-1980, Idaho counties *(map)* 4
April 1, 1980 Census of population of Idaho cities 5
April 1, 1980 Census of population by age and sex *(Idaho districts, counties)* 8
April 1, 1980 Census of population of Idaho, by age and sex 12

TRENDS AND SUMMARY 13

Trends of Idaho vital events 13
Vital statistics, 1973-1982 15
Summary of 1982 vital statistics *(districts, counties)* 17
Summary of 1982 infant, fetal, perinatal mortality *(districts, counties)* 18

NATALITY 19

Live births and rates, 1978-1982 *(districts, counties)* 21
1982 live births: sex and race *(districts, counties)* 22
1982 Live births: age of mother *(districts, counties)* 23
1982 Live births: attendant at and place of birth *(districts, counties)* 24
1982 Live births: birth and fertility rates *(U.S., Idaho, districts, counties)* 25
1982 Live births: live birth order by age of mother 26
1982 Live births: age-specific fertility rates *(U.S., Idaho)* 26
1982 Live births: trimester prenatal care began *(districts, counties)* 28
1982 Live births: educational attainment of mother *(districts, counties)* 29
1982 Live births: prenatal care by education of mother 30
1982 Live births: complications and malformations 30
1982 Live births: complications and malformations by prenatal care 31
1982 Live births: APGAR scores 31
1982 Immature live births: race of mother *(districts, counties)* 32
1982 Immature live births: age of mother *(districts, counties)* 33
1982 Immature live births: live birth order by age of mother 34
1982 Immature live births: age-specific immaturity rates 34
1982 Immature live births by weight categories *(districts, counties)* 35
Out-of-wedlock live births 36
1982 Out-of-wedlock live births: race of mother *(districts, counties)* 37
1982 Out-of-wedlock live births: age of mother *(districts, counties)* 38
1982 Out-of-wedlock live births: live birth order by age of mother 39
1982 Out-of-wedlock live births: age-specific ratios 39

MORTALITY 41

Deaths and rates, 1978-1982 *(districts, counties)* 43
1982 Deaths: sex and race *(districts, counties)* 44
1982 Deaths: age at death *(districts, counties)* 45
1982 Deaths: ten leading causes, by sex *(U.S., Idaho)* 46
1982 Deaths: ten leading causes by age group 47
1982 Deaths: malignant neoplasms by site 51
1982 Deaths: selected causes *(U.S., Idaho, districts, counties)* 52
Age/sex adjusted death rates, 1970-1981 *(Idaho)* 54
1982 Accidental deaths occurring in Idaho: category by age 57
Reported morbidity from selected diseases, 1978-1982 59

1982 Reported morbidity from selected diseases *(districts, counties)* 60
Infant, fetal, maternal mortality 62
Infant deaths and rates, 1978-1982 *(districts, counties)* 64
1982 Infant deaths: sex and race *(districts, counties)* 65
1982 Infant deaths: neonatal, postneonatal *(districts, counties)* 66
1982 Infant deaths: causes of death, neonatal and postneonatal 67
1982 Infant deaths: causes of death *(U.S., Idaho, districts)* 68
Stillbirths and ratios, 1978-1982 *(districts, counties)* 69
Perinatal deaths and ratios, 1978-1982 *(districts, counties)* 70

INDUCED ABORTION 71

Induced abortions, 1981-1982 *(districts, counties)* 72
1982 Induced abortions: age of patient by marital status 73
1982 Induced abortions: previous abortions, living children 73
1982 Induced abortions: procedure by gestation 74
1982 Induced abortions: complications by procedure 74
1982 Induced abortions: age of patient *(districts, counties)* 75
1982 Induced abortions: race of patient *(districts, counties)* 76

MARRIAGE AND DIVORCE 77

Marriages, 1973-1982, *(districts, counties)* 78
1982 Marriages: age of bride by age of groom 79
1982 Marriages: race of bride by race of groom 79
1982 Marriages: age of bride by marital status 80
1982 Marriages: age of groom by marital status 81
Divorces: 1973-1982 *(districts, counties)* 82
1982 Divorces: number of children affected 83
1982 Divorces: legal grounds 84
Divorces, 1980-1982: duration of marriage 85

APPENDIX 87

Appendix A: Vital statistics profile of Idaho by district and county 87
Appendix B: Detailed causes of death by age 94
Appendix C: Comparison of ICDA-8 and ICD-9 110

Printed by
State of Idaho, Department of Administration
Bureau of Printing Services

DEFINITIONS AND FORMULAS

RESIDENCE DATA — data allocated by place of residence of the decedent (deaths), or by place of residence of the child's mother (births, fetal deaths).

OCCURRENCE DATA — data allocated by place where event occurred, regardless of the person's place of residence (marriages, divorces).

LIVE BIRTH — a birth that shows any sign of life after delivery.

(CRUDE) BIRTH RATE — number of live births per 1,000 population.

$$\left(\frac{\text{live births}}{\text{population}} \times 1{,}000\right)$$

FERTILITY RATE — number of live births per 1,000 women 15-44 years of age.

$$\left(\frac{\text{live births}}{\text{females 15-44}} \times 1{,}000\right)$$

OUT-OF-WEDLOCK RATIO — number of out-of-wedlock live births per 1,000 live births.

$$\left(\frac{\text{out-of-wedlock live births}}{\text{live births}} \times 1{,}000\right)$$

IMMATURE BIRTH — a live birth weighing 2500 grams (5½ pounds) or less.

IMMATURE BIRTH RATE — number of immature live births per 1,000 live births.

$$\left(\frac{\text{immature live births}}{\text{live births}} \times 1{,}000\right)$$

STILLBIRTH — any birth after 20 weeks gestation which is not a live birth (does not include any induced abortions).

STILLBIRTH RATIO — number of stillbirths per 1,000 live births.

$$\left(\frac{\text{stillbirths}}{\text{live births}} \times 1{,}000\right)$$

INFANT DEATH — death of an infant under one year of age.

INFANT DEATH RATE — number of infant deaths per 1,000 live births.

$$\left(\frac{\text{infant deaths}}{\text{live births}} \times 1{,}000\right)$$

NEONATAL DEATH — death of an infant within the first 27 days of life.

NEONATAL DEATH RATE — number of neonatal deaths per 1,000 live births.

$$\left(\frac{\text{neonatal deaths}}{\text{live births}} \times 1{,}000\right)$$

PERINATAL DEATH — includes stillbirths and deaths to infants within the first six days of life.

PERINATAL DEATH RATIO — number of perinatal deaths per 1,000 live births.

$$\left(\frac{\text{perinatal deaths}}{\text{live births}} \times 1{,}000\right)$$

MATERNAL DEATH — death attributable to complications of pregnancy, childbirth, or the puerperium.

MATERNAL DEATH RATE — number of maternal deaths per 10,000 live births.

$$\left(\frac{\text{maternal deaths}}{\text{live births}} \times 10{,}000\right)$$

(CRUDE) DEATH RATE — number of deaths per 1,000 population.

$$\left(\frac{\text{deaths}}{\text{population}} \times 1{,}000\right)$$

CAUSE-SPECIFIC DEATH RATE — number of deaths from a specific cause per 100,000 population.

$$\left(\frac{\text{deaths from specific cause}}{\text{population}} \times 100{,}000\right)$$

CREDITS

Vital Statistics annual reports have always included data which reflected the health and family patterns of Idaho's contemporary Indian residents. Very little reliable information from the past is available to us today for comparison.

The pictures in this book (several taken at the turn of the century) provide a glimpse of the way life was for hundreds of Idaho's Kootenai, Kalispel, Coeur d'Alene, Nez Perce, Shoshone-Bannock, and North Paiute Indians. Even these earliest observations inadequately describe Idaho's rich Native American heritage, which by 1900 had already been drastically transformed by disease, treaties, reservations, Euro-American education, and loss of native language.

Only the most extraordinary individuals could resist the changes introduced by the white man. These few photographs represent those who have contributed to what is known and is yet to be learned about Idaho's Native American history.

The general accounts of life accompanying each photograph are applicable in most respects to all the tribes in Idaho. However, these descriptions predate the photographs by 50 to 100 years. Their brevity has been determined by the scope of this report and is in contrast to the growing public and professional interest in the native peoples of this area.

With the 1982 annual report, the Bureau of Vital Statistics, Standards, and Local Health Services welcomes Idaho's most recently organized Vital Statistics reporting district—the Duck Valley Indian Reservation.

COVER
"Peo Peo Tolickt and Wife
Last of Old Nez Perce Tribal Chieftains,
Died July 13, 1935"
Photograph Courtesy Idaho Historical Society
Biographical Group, Number 635

POPULATION
"Chief Washakie and Head Man in Front of
Chief's Tent, Encampment in
Wind River, Wyoming"
By W. H. Jackson, 1870
Idaho Historical Society, Shoshone, Number 2901
Photograph Courtesy Smithsonian Institute,
Bureau of American Ethnology
Negative Number 1666

TRENDS AND SUMMARIES
Nettie Morris Johnson (mother)
Sam Johnson (father)
Gilbert Johnson
Moffett Johnson (youngest child)
"Taken in Lapwai Area, Circa 1910"
Photograph Courtesy Idaho Historical Society
Nez Perce Indians, Number 77-60.6

NATALITY
"Indian Mother and Baby in Cradle Board"
Photograph Courtesy Idaho Historical Society
Nez Perce Indians—Children, Number 454-B

"Nez Perce Babies in Cradle Boards"
Photograph Courtesy Idaho Historical Society
Nez Perce, Number 670-671

MORTALITY
"Indian Burial in a Tree"
Photograph Courtesy Idaho Historical Society
Indians of North America— Mortuary Customs
Number 78.88.19

INDUCED ABORTION
"Nez Perce Burial Ground"
Photograph Courtesy Idaho Historical Society
Number 63.221.92

MARRIAGE AND DIVORCE
"Peo Peo Tolickt (TAHLIKET) and Wife in
Front of Tepee"
Photograph Courtesy Idaho Historical Society
Nez Perce Indians—Biographical Group Number 639

APPENDIX
"Recreation Hall"
Reservation, Duck Valley
Photograph Courtesy Idaho Historical Society
Shoshone—Paiute Indians, Number 8-3.172/a

BIBLIOGRAPHY

Walker, Deward E., Jr. *Indians of Idaho*. Moscow, Idaho: University Press of Idaho, 1978. An ethnological survey of aboriginal American Indian cultures of Idaho, written for the general public.

Ruby, Robert H., and John A. Brown, *Indians of the Pacific Northwest*. The Civilization of the American Indian Series; volume 158. Norman: University of Oklahoma Press, 1981. A synthesis of the history of Indian-White relations throughout the entire northwest.

POPULATION



Photograph Courtesy Smithsonian Institute, Bureau of American Ethnology

Shoshonis gathered yearly in the area where the Boise, Payette and Weiser Rivers empty into the Snake. These gatherings were held early in the summer to celebrate the opening of the fishing season and to trade with other tribes.

IDAHO POPULATION

The July 1, 1982 estimates of Idaho's population have not yet been released by the Federal-State Cooperative Program for Local Population Estimates. Therefore, all vital rates in this publication which are based on population must of necessity be based on the 1981 estimates, and thus are provisional only. Any comparison utilizing 1982 rates should be done with that knowledge.

Idaho's population grew by 32.4% in the 1970's, an average of 3.2% per year. The chart on the following page shows that Idaho was the sixth-fastest growing state during this time period. (Part of the reason for this is Idaho's high rate of natural increase.) It is interesting to note that with the exception of Florida, all states showing a rapid rate of growth were in the western part of the nation. The Middle Atlantic Region actually showed a decrease in population.

The chart on page 3 shows the variation among the areas in Idaho. Districts 4 and 1 recorded the highest rates of increase from 1970 to 1980--50.4% and 44.2% respectively. The north central counties showed the smallest growth by a considerable margin--a relatively low 10.1%. Blaine, Boise and Kootenai Counties outpaced other counties with substantial growth rates of 71.2%, 70.1% and 69.2% respectively. Numerically, Ada, Kootenai and Canyon gained the most people (60,806, 24,438 and 22,468 respectively) and together accounted for nearly half the State's increase. At the other end of the scale, Clearwater and Shoshone Counties actually lost population (-4.4% and -2.5% respectively). The percentage of nonwhites in Idaho increased in the past decade, as did the number of persons of Spanish origin.

From 1980 to 1981, estimates show a 1.6% increase in Idaho--half that of the 1970's. It is too early to know whether this represents the start of a slower growth during the 1980's. It is interesting to note the changes from 1980 to 1981 on a county basis. Whereas between 1970 and 1980 only two counties declined in population, a total of 13 Idaho counties showed a 1981 estimated population that was lower than the 1980 Census. Even though the 1981 figures are estimates only, the change is noteworthy. Between 1980 and 1981, Ada County gained the most numerically (+6,412), with Bannock (+1,221) and Twin Falls (+1,069) Counties a distant second and third. Custer (+12.2%), Owyhee (+7.8%) and Teton (+5.1%) Counties, all small counties, showed the largest percentage increases.

JULY 1, 1981 AND JULY 1, 1982 POPULATION ESTIMATES

APRIL 1, 1980 CENSUS

U.S. Regions and States

Region, Division and State	July 1, 1982 Estimate	July 1, 1981 Estimate	April 1, 1980 Census
UNITED STATES, TOTAL	231,534,000	229,307,000	226,504,928
REGIONS:			
Northeastern States	49,456,000	49,320,000	49,136,667
North Central States	58,928,000	58,895,000	58,853,804
The South	78,136,000	76,944,000	75,349,155
The West	45,015,000	44,150,000	43,165,302
NORTHEAST:			
New England	12,493,000	12,445,000	12,348,493
Middle Atlantic	36,963,000	36,877,000	36,788,174
NORTH CENTRAL:			
East North Central	41,963,000	41,657,000	41,669,738
West North Central	17,342,000	17,238,000	17,184,066
SOUTH:			
South Atlantic	38,213,000	37,751,000	36,943,139
East South Central	14,812,000	14,723,000	14,662,882
West South Central	25,111,000	24,470,000	23,743,134
WEST:			
Mountain	11,967,000	11,694,000	11,368,433
Pacific	33,049,000	32,456,000	31,796,869
NEW ENGLAND:			
Maine	1,133,000	1,133,000	1,124,660
New Hampshire	951,000	936,000	920,610
Vermont	516,000	516,000	11,456
Massachusetts	5,781,000	5,773,000	5,737,037
Rhode Island	958,000	953,000	947,154
Connecticut	3,153,000	3,134,000	3,107,576
MIDDLE ATLANTIC:			
New York	17,659,000	17,602,000	17,557,288
New Jersey	7,438,000	7,404,000	7,36,158
Pennsylvania	11,865,000	11,871,000	11,866,728
EAST NORTH CENTRAL:			
Ohio	10,791,000	10,781,000	10,797,419
Indiana	5,471,000	5,468,000	5,490,179
Illinois	11,448,000	11,462,000	11,418,461
Michigan	9,109,000	9,204,000	9,258,344
Wisconsin	4,765,000	4,742,000	4,705,335
WEST NORTH CENTRAL:			
Minnesota	4,133,000	4,094,000	4,077,148
Iowa	2,905,000	2,899,000	2,913,387
Missouri	4,951,000	4,941,000	4,917,444
North Dakota	670,000	658,000	652,695
South Dakota	691,000	686,000	690,178
Nebraska	1,586,000	1,577,000	1,570,000
Kansas	2,408,000	2,383,000	2,363,208
SOUTH ATLANTIC:			
Delaware	602,000	598,000	595,225
Maryland	4,265,000	4,263,000	4,216,446
District of Columbia	631,000	631,000	637,651
Virginia	5,491,000	5,430,000	5,346,279
West Virginia	1,948,000	1,952,000	1,949,644
North Carolina	6,019,000	5,953,000	5,874,429
South Carolina	3,203,000	3,167,000	3,119,208
Georgia	5,639,000	5,574,000	5,464,265
Florida	10,416,000	10,183,000	9,739,992
EAST SOUTH CENTRAL:			
Kentucky	3,667,000	3,662,000	3,661,433
Tennessee	4,651,000	4,612,000	4,590,750
Alabama	3,943,000	3,917,000	3,890,061
Mississippi	2,551,000	2,531,000	2,520,638
WEST SOUTH CENTRAL:			
Arkansas	2,291,000	2,296,000	2,285,513
Louisiana	4,362,000	4,308,000	4,203,972
Oklahoma	3,177,000	3,100,000	3,025,266
Texas	15,280,000	14,766,000	14,228,383
MOUNTAIN:			
Montana	801,000	793,000	786,690
Idaho	965,000	959,000	944,038
Wyoming	502,000	492,000	470,816
Colorado	3,045,000	2,965,000	2,888,834
New Mexico	1,359,000	1,328,000	1,299,968
Arizona	2,860,000	2,794,000	2,717,866
Utah	1,554,000	1,518,000	1,461,037
Nevada	881,000	845,000	799,184
PACIFIC:			
Washington	4,245,000	4,217,000	4,130,163
Oregon	2,649,000	2,651,000	2,632,663
California	24,724,000	24,196,000	23,668,562
Alaska	438,000	412,000	400,481
Hawaii	994,000	981,000	965,000

U.S. Bureau of the Census

JULY 1, 1981 POPULATION ESTIMATES
APRIL 1, 1980 CENSUS OF POPULATION
Idaho Districts and Counties

RESIDENCE	PERSONS							
			RACE					
	July 1, 1981 Estimate	April 1, 1980 Census	White	Black	Am. Indian, Eskimo, and Aleut	Asian and Pacific Islander	Other	Spanish Origin[2]
IDAHO[1]	959,311	944,038	901,641	2,716	10,521	5,948	23,109	36,615
District 1	119,811	118,740	116,457	76	1,342	332	533	1,428
District 2	91,271	91,246	88,096	160	2,092	484	414	829
District 3[1]	132,434	131,975	122,427	199	939	1,196	7,111	10,881
District 4	210,266	203,204	195,617	1,499	1,048	1,850	3,190	5,770
District 5	134,774	132,881	125,298	73	674	491	6,345	8,879
District 6	142,225	139,875	131,259	499	3,732	823	3,562	5,550
District 7	128,530	126,117	122,487	210	694	772	1,954	3,278
Ada	179,448	173,036	168,076	684	895	1,492	1,889	3,842
Adams	3,128	3,347	3,328	-	12	1	6	29
Bannock	66,642	65,421	61,643	486	1,225	557	1,510	2,254
Bear Lake	7,204	6,931	6,831	2	31	16	51	98
Benewah	8,324	8,292	7,778	4	442	22	46	73
Bingham	36,847	36,489	32,621	6	2,153	204	1,505	2,264
Blaine	10,121	9,841	9,737	5	28	29	42	189
Boise	3,148	2,999	2,954	1	13	4	27	67
Bonner	24,878	24,163	23,881	24	130	55	73	222
Bonneville	66,838	65,980	64,087	199	275	592	827	1,665
Boundary	7,276	7,289	7,140	3	90	29	27	83
Butte	3,357	3,342	3,245	1	31	5	60	102
Camas	790	818	809	-	1	6	2	10
Canyon	83,862	83,756	76,938	143	466	764	5,445	8,135
Caribou	8,844	8,695	8,581	3	37	7	67	151
Cassia	19,481	19,427	17,786	3	109	60	1,469	1,783
Clark	795	798	771	-	3	-	24	30
Clearwater	10,297	10,390	10,187	2	156	18	27	71
Custer	3,799	3,385	3,344	-	23	5	13	55
Elmore	21,840	21,565	19,063	808	115	328	1,251	1,776
Franklin	9,293	8,895	8,788	-	23	10	74	140
Fremont	10,932	10,813	10,500	2	116	25	170	295
Gem	11,910	11,972	11,621	-	61	31	259	381
Gooding	12,241	11,874	11,231	5	76	22	540	775
Idaho	14,656	14,769	14,515	9	200	20	25	95
Jefferson	15,588	15,304	14,577	1	125	26	575	688
Jerome	14,929	14,840	14,353	2	70	53	362	566
Kootenai	60,177	59,770	58,760	39	467	197	307	753
Latah	29,209	28,749	28,001	93	133	322	200	340
Lemhi	7,709	7,460	7,374	2	46	7	31	98
Lewis	3,976	4,118	3,880	3	209	13	13	46
Lincoln	3,607	3,436	3,269	-	15	24	128	236
Madison	19,823	19,480	18,990	5	96	113	276	393
Minidoka	19,609	19,718	17,367	14	131	106	2,100	2,989
Nez Perce	33,133	33,220	31,513	53	1,394	111	149	277
Oneida	3,268	3,258	3,225	-	8	4	21	35
Owyhee	8,919	8,272	7,186	50	272	80	684	1,041
Payette[1]	15,833	15,825	15,050	4	96	186	386	679
Power	6,770	6,844	6,325	1	224	20	274	506
Shoshone	19,156	19,226	18,898	6	213	29	80	297
Teton	3,046	2,897	2,844	1	10	4	38	53
Twin Falls	53,996	52,927	50,746	44	244	191	1,702	2,331
Valley	5,830	5,604	5,524	6	25	26	23	85
Washington	8,782	8,803	8,304	2	32	134	331	616

[1]Demographic detail developed prior to census revisions; therefore, data in Payette county, District 3 and State of Idaho will not total to the official census counts.

[2]Included in white totals.

IDAHO

Census of Population

Percent Change, 1970 - 1980

(Indicating Health Districts)



BUREAU OF THE CENSUS

APRIL 1, 1980 CENSUS OF POPULATION

Idaho Cities

AREA		PERSONS		
INCORPORATED PLACE	COUNTY	April 1, 1980	April 1, 1970	Percent change, 1970 to 1980
Aberdeen	Bingham	1,528	1,542	-0.9
Acequia	Minidoka	100	107	-6.5
Albion	Cassia	286	229	24.9
American Falls	Power	3,626	2,769	30.9
Ammon	Bonneville	4,669	2,545	83.5
Arco	Butte	1,241	1,244	-0.2
Arimo	Bannock	338	252	34.1
Ashton	Fremont	1,219	1,187	2.7
Athol	Kootenai	312	190	64.2
Atomic City	Bingham	34	24	41.7
Bancroft	Caribou	505	366	38.0
Basalt	Bingham	414	349	18.6
Bellevue	Blaine	1,016	537	89.2
Blackfoot	Bingham	10,065	8,716	15.5
Bliss	Gooding	208	114	82.5
Bloomington	Bear Lake	212	186	14.0
Boise City	Ada	102,160	74,990	36.2
Bonners Ferry	Boundary	1,906	1,909	-0.2
Bovill	Latah	289	350	-17.4
Buhl	Twin Falls	3,629	2,975	22.0
Burley	Cassia, Minidoka	8,761	8,279	5.8
Butte City	Butte	93	42	121.4
Caldwell	Canyon	17,699	14,219	24.5
Cambridge	Washington	428	383	11.7
Cascade	Valley	945	833	13.4
Castleford	Twin Falls	191	174	9.8
Challis	Custer	758	784	-3.3
Chatcolet	Benewah	181	95	90.5
Chubbuck	Bannock	7,052	2,924	141.2
Clark Fork	Bonner	449	367	22.3
Clayton	Custer	43	36	19.4
Clifton	Franklin	208	137	51.8
Coeur d'Alene	Kootenai	20,054	16,228	23.6
Cottonwood	Idaho	941	867	8.5
Council	Adams	917	899	2.0
Craigmont	Lewis	617	554	11.4
Crouch	Boise	69	71	-2.8
Culdesac	Nez Perce	261	211	23.7
Dalton Gardens	Kootenai	1,795	1,559	15.1
Dayton	Franklin	368	198	85.9
Deary	Latah	539	411	31.1
Declo	Cassia	276	251	10.0
Dietrich	Lincoln	101	84	20.2
Donnelly	Valley	139	114	21.9
Downey	Bannock	645	586	10.1
Driggs	Teton	727	727	-
Drummond	Fremont	25	13	92.3
Dubois	Clark	413	400	3.3
Eagle	Ada	2,620	359	629.8
East Hope	Bonner	258	175	47.4
Eden	Jerome	355	343	3.5
Elk River	Clearwater	265	383	-30.8
Emmett	Gem	4,605	3,945	16.7
Fairfield	Camas	404	336	20.2
Ferdinand	Idaho	144	157	-8.3
Fernan Lake	Kootenai	178	179	-0.6
Filer	Twin Falls	1,645	1,173	40.2
Firth	Bingham	460	362	27.1
Franklin	Franklin	423	402	5.2
Fruitland	Payette	2,559	1,576	62.4
Garden City	Ada	4,571	2,368	93.0
Genesee	Latah	791	619	27.8
Georgetown	Bear Lake	544	421	29.2
Glenns Ferry	Elmore	1,374	1,386	-0.9
Gooding	Gooding	2,949	2,599	13.5
Grace	Caribou	1,216	826	47.2
Grand View	Owyhee	366	260	40.7
Grangeville	Idaho	3,666	3,636	0.8
Greenleaf	Canyon	663	323	105.2

APRIL 1, 1980 CENSUS OF POPULATION

Idaho Cities, continued

AREA		PERSONS		
INCORPORATED PLACE	COUNTY	April 1, 1980	April 1, 1970	Percent Change, 1970 to 1980
Hagerman	Gooding	602	436	38.1
Hailey	Blaine	2,109	1,425	48.0
Hamer	Jefferson	93	81	14.8
Hansen	Twin Falls	1,078	415	159.8
Harrison	Kootenai	260	249	4.4
Hauser	Kootenai	305	349	-12.6
Hayden	Kootenai	2,586	1,285	101.2
Hayden Lake	Kootenai	273	260	5.0
Hazelton	Jerome	496	396	25.3
Heyburn	Minidoka	2,889	1,637	76.5
Hollister	Twin Falls	167	57	193.0
Homedale	Owyhee	2,078	1,411	47.3
Hope	Bonner	106	63	68.3
Horseshoe Bend	Boise	700	511	37.0
Huetter	Kootenai	65	49	32.7
Idaho City	Boise	300	164	82.9
Idaho Falls	Bonneville	39,590	35,776	10.7
Inkom	Bannock	830	522	59.0
Iona	Bonneville	1,072	890	20.4
Irwin	Bonneville	113	228	-50.4
Island Park	Fremont	154	136	13.2
Jerome	Jerome	6,891	4,183	64.7
Juliaetta	Latah	522	423	23.4
Kamiah	Lewis	1,478	1,307	13.1
Kellogg	Shoshone	3,417	3,811	-10.3
Kendrick	Latah	395	426	-7.3
Ketchum	Blaine	2,200	1,454	51.3
Kimberly	Twin Falls	2,307	1,557	48.2
Kooskia	Idaho	784	809	-3.1
Kootenai	Bonner	280	168	66.7
Kuna	Ada	1,767	593	198.0
Lapwai	Nez Perce	1,043	400	160.8
Lava Hot Springs	Bannock	467	516	-9.5
Leadore	Lemhi	114	111	2.7
Lewiston	Nez Perce	27,986	26,068	7.4
Lewisville	Jefferson	502	468	7.3
Lost River	Custer	28	40	-30.0
McCall	Valley	2,188	1,758	24.5
McCammon	Bannock	770	623	23.6
Mackay	Custer	541	539	0.4
Malad City	Oneida	1,915	1,848	3.6
Malta	Cassia	196	196	-
Marsing	Owyhee	786	610	28.9
Melba	Canyon	276	197	40.1
Menan	Jefferson	605	545	11.0
Meridian	Ada	6,658	2,616	154.5
Middleton	Canyon	1,901	739	157.2
Midvale	Washington	205	176	16.5
Minidoka	Minidoka	101	131	-22.9
Montpelier	Bear Lake	3,107	2,604	19.3
Moore	Butte	210	156	34.6
Moscow	Latah	16,513	14,146	16.7
Mountain Home	Elmore	7,540	6,451	16.9
Moyie Springs	Boundary	386	203	90.1
Mud Lake	Jefferson	243	194	25.3
Mullan	Shoshone	1,269	1,279	-0.8
Murtaugh	Twin Falls	114	124	-8.1
Nampa	Canyon	25,112	20,768	20.9
Newdale	Fremont	329	267	23.2
New Meadows	Adams	576	605	-4.8
New Plymouth	Payette	1,186	986	20.3
Nezperce	Lewis	517	555	-6.8
Notus	Canyon	437	304	43.8
Oakley	Cassia	663	656	1.1
Oldtown	Bonner	257	161	59.6
Onaway	Latah	254	166	53.0
Orofino	Clearwater	3,711	3,883	-4.4
Osburn	Shoshone	2,220	2,248	-1.2
Oxford	Franklin	66	75	-12.0

APRIL 1, 1980 CENSUS OF POPULATION

Idaho Cities, continued

AREA		PERSONS		
INCORPORATED PLACE	COUNTY	April 1, 1980	April 1, 1970	Percent Change, 1970 to 1980
Paris	Bear Lake	707	615	15.0
Parker	Fremont	262	266	-1.5
Parma	Canyon	1,820	1,228	48.2
Paul	Minidoka	940	911	3.2
Payette	Payette	5,448	4,521	20.5
Peck	Nez Perce	209	238	-12.2
Pierce	Clearwater	1,060	1,218	-13.0
Pinehurst	Shoshone	2,183	1,996	9.3
Placerville	Boise	20	14	42.9
Plummer	Benewah	634	443	43.1
Pocatello	Bannock	46,340	40,036	15.7
Ponderay	Bonner	399	275	45.1
Post Falls	Kootenai	5,736	2,371	141.9
Potlatch	Latah	819	871	-6.0
Preston	Franklin	3,759	3,310	13.6
Priest River	Bonner	1,639	1,493	9.8
Rathdrum	Kootenai	1,369	741	84.8
Reubens	Lewis	87	81	7.4
Rexburg	Madison	11,559	8,272	39.7
Richfield	Lincoln	357	290	23.1
Rigby	Jefferson	2,624	2,324	12.9
Riggins	Idaho	527	533	-1.1
Ririe	Bonneville, Jefferson	555	575	-3.5
Roberts	Jefferson	466	393	18.6
Rockland	Power	283	209	35.4
Rupert	Minidoka	5,476	4,563	20.0
St. Anthony	Fremont	3,212	2,877	11.6
St. Charles	Bear Lake	211	200	5.5
St. Maries	Benewah	2,794	2,571	8.7
Salmon	Lemhi	3,308	2,910	13.7
Sandpoint	Bonner	4,460	4,144	7.6
Shelley	Bingham	3,300	2,614	26.2
Shoshone	Lincoln	1,242	1,233	0.7
Smelterville	Shoshone	776	967	-19.8
Soda Springs	Caribou	4,051	2,977	36.1
Spencer	Clark	29	45	-35.6
Spirit Lake	Kootenai	834	622	34.1
Stanley	Custer	99	47	110.6
State Line	Kootenai	26	22	18.2
Stites	Idaho	253	263	-3.8
Sugar City	Madison	1,022	617	65.6
Sun Valley	Blaine	545	180	202.8
Swan Valley	Bonneville	135	235	-42.6
Tensed	Benewah	113	151	-25.2
Teton	Fremont	559	390	43.3
Tetonia	Teton	191	176	8.5
Troy	Latah	820	541	51.6
Twin Falls	Twin Falls	26,209	21,914	19.6
Ucon	Bonneville	833	664	25.5
Victor	Teton	323	241	34.0
Wallace	Shoshone	1,736	2,206	-21.3
Wardner	Shoshone	423	492	-14.0
Warm River	Fremont	2	10	-80.0
Weippe	Clearwater	828	713	16.1
Weiser	Washington	4,771	4,108	16.1
Wendell	Gooding	1,974	1,122	75.9
Weston	Franklin	310	230	34.8
White Bird	Idaho	154	185	-16.8
Wilder	Canyon	1,260	564	123.4
Winchester	Lewis	343	274	25.2
Worley	Kootenai	206	235	-12.3

Source: "Idaho Final Population and Housing Counts," **1980 Census of Population and Housing**, Advance Reports, Bureau of the Census, PHC80-V-14, February, 1981.

APRIL 1, 1980 CENSUS OF POPULATION

Idaho Districts and Counties

By Age and Sex

	ALL AGES			<5		5 - 9		10 - 14	
	Total	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	943,935*	471,155	472,780	48,073	45,458	42,392	40,342	40,501	38,717
District 1	118,740	59,126	59,614	5,170	5,075	5,063	4,828	5,204	4,989
District 2	91,246	46,320	44,926	3,596	3,336	3,409	3,189	3,604	3,434
District 3	131,872	65,075	66,797	6,238	5,946	6,000	5,595	5,713	5,521
District 4	203,204	101,246	101,958	9,315	8,874	8,554	8,210	8,336	8,061
District 5	132,881	66,418	66,463	7,055	6,650	5,978	5,696	5,726	5,288
District 6	139,875	70,049	69,826	8,805	8,229	6,988	6,768	6,256	5,970
District 7	126,117	62,921	63,196	7,894	7,348	6,400	6,056	5,662	5,454
Ada	173,036	85,148	87,888	7,834	7,413	7,153	6,915	7,116	6,878
Adams	3,347	1,693	1,654	127	142	139	137	162	143
Bannock	65,421	32,615	32,806	3,775	3,455	2,960	2,896	2,662	2,547
Bear Lake	6,931	3,443	3,488	464	478	370	320	306	296
Benewah	8,292	4,236	4,056	353	387	382	372	364	333
Bingham	36,489	18,333	18,156	2,504	2,319	2,047	1,947	1,809	1,791
Blaine	9,841	5,052	4,789	330	377	339	308	375	297
Boise	2,999	1,556	1,443	143	126	133	121	153	119
Bonner	24,163	12,039	12,124	1,070	1,086	952	950	951	939
Bonneville	65,980	33,367	32,613	4,028	3,736	3,459	3,266	3,091	2,883
Boundary	7,289	3,623	3,666	376	344	348	330	313	317
Butte	3,342	1,724	1,618	198	194	172	168	139	137
Camas	819	430	388	36	27	42	39	36	31
Canyon	83,756	41,035	42,721	4,032	3,838	3,821	3,619	3,595	3,442
Caribou	8,695	4,403	4,292	648	639	426	424	394	369
Cassia	19,427	9,733	9,694	1,296	1,195	1,042	963	951	884
Clark	798	426	372	41	39	37	24	35	43
Clearwater	10,390	5,363	5,027	469	423	444	451	472	427
Custer	3,385	1,730	1,655	157	164	137	137	155	127
Elmore	21,565	11,654	9,911	1,111	1,110	1,037	951	832	852
Franklin	8,895	4,499	4,396	664	567	499	491	444	395
Fremont	10,813	5,504	5,309	732	671	536	549	541	521
Gem	11,972	5,943	6,029	562	502	530	490	487	509
Gooding	11,874	6,037	5,837	550	517	506	480	503	484
Idaho	14,769	7,542	7,227	634	641	601	542	678	612
Jefferson	15,304	7,796	7,508	1,091	1,062	859	794	740	748
Jerome	14,840	7,423	7,417	814	801	692	639	662	580
Kootenai	59,770	29,432	30,338	2,505	2,454	2,478	2,372	2,656	2,566
Latah	28,749	14,900	13,849	1,033	945	884	872	851	885
Lemhi	7,460	3,744	3,716	353	320	328	322	294	338
Lewis	4,118	2,107	2,011	187	192	172	144	165	151
Lincoln	3,436	1,772	1,664	200	185	155	131	140	124
Madison	19,480	8,867	10,613	1,330	1,174	872	832	682	673
Minidoka	19,718	9,905	9,813	1,198	1,175	905	953	908	887
Nez Perce	33,220	16,408	16,812	1,273	1,135	1,308	1,180	1,438	1,359
Oneida	3,258	1,632	1,626	183	183	165	143	159	122
Owyhee	8,272	4,369	3,903	436	411	404	349	396	355
Payette	15,722	7,730	7,992	693	666	708	641	728	702
Power	6,844	3,400	3,444	369	394	349	379	343	313
Shoshone	19,226	9,796	9,430	866	804	903	804	920	834
Teton	2,897	1,487	1,410	162	182	172	132	124	121
Twin Falls	52,927	26,068	26,861	2,571	2,373	2,297	2,183	2,151	2,001
Valley	5,604	2,888	2,716	227	225	231	223	235	212
Washington	8,803	4,305	4,498	388	387	398	359	345	370

*Demographic detail developed prior to census revisions; therefore, age/sex data in Payette county, District 3 and State of Idaho will not total to the official census counts.

APRIL 1, 1980 CENSUS OF POPULATION

Idaho Districts and Counties

By Age and Sex (Continued)

	15 - 19		20 - 24		25 - 29		30 - 34		35 - 39	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	44,000	43,982	43,487	42,747	41,803	40,658	37,079	35,862	29,156	28,488
District 1	5,378	5,060	4,080	4,432	5,049	5,189	4,989	4,914	3,868	3,833
District 2	4,623	4,286	5,443	4,850	4,338	3,885	3,500	3,216	2,661	2,734
District 3	6,281	6,041	5,153	5,240	4,830	5,026	4,637	4,689	3,826	3,882
District 4	9,094	9,012	10,753	10,501	10,444	10,105	9,367	8,874	7,120	6,880
District 5	5,839	5,693	5,557	5,230	5,487	5,428	4,921	4,824	4,008	3,749
District 6	6,325	6,227	6,431	6,669	6,362	6,023	5,309	5,023	4,016	3,844
District 7	6,460	7,663	6,070	5,825	5,293	5,002	4,356	4,322	3,657	3,566
Ada	7,505	7,832	8,309	8,924	8,777	8,665	8,008	7,683	6,032	5,937
Adams	153	158	118	97	114	126	134	117	128	120
Bannock	2,911	3,016	3,654	3,914	3,373	3,121	2,766	2,578	1,927	1,849
Bear Lake	280	286	256	258	262	248	212	216	205	181
Benewah	400	355	296	298	367	331	336	323	275	267
Bingham	1,715	1,656	1,367	1,381	1,473	1,45	1,241	1,241	1,024	989
Blaine	348	355	542	513	692	686	672	586	431	388
Boise	94	113	114	125	151	137	143	121	113	99
Bonner	1,048	948	730	837	1,067	1,135	1,134	1,000	760	803
Bonneville	3,184	2,896	3,105	2,777	2,909	2,895	2,514	2,486	2,059	2,076
Boundary	323	320	204	242	293	338	304	277	224	204
Butte	153	120	116	116	141	141	123	88	82	75
Camas	40	35	31	27	29	25	32	38	25	22
Canyon	3,966	4,041	3,461	3,676	3,223	3,376	3,071	3,071	2,449	2,481
Caribou	408	368	373	376	398	366	332	284	275	238
Cassia	892	845	765	769	719	753	651	650	552	499
Clark	44	37	38	22	30	31	27	21	24	31
Clearwater	524	464	391	364	458	432	384	369	366	366
Custer	128	128	96	97	137	130	137	127	116	109
Elmore	1,254	870	2,142	1,249	1,177	980	929	829	766	656
Franklin	409	378	332	287	295	294	253	240	216	221
Fremont	633	475	391	356	402	410	322	333	310	294
Gem	550	510	430	387	399	414	394	425	337	356
Gooding	535	446	464	342	391	418	392	380	361	330
Idaho	713	652	536	524	611	573	545	499	451	430
Jefferson	727	649	627	602	624	557	530	501	443	388
Jerome	624	598	589	568	576	614	519	535	436	381
Kootenai	2,738	3,619	2,080	2,295	2,451	2,582	2,470	2,599	2,030	2,026
Latah	1,677	1,555	3,042	2,362	1,718	1,378	1,178	985	781	782
Lemhi	303	285	234	257	299	290	276	291	281	245
Lewis	200	166	140	140	171	145	136	130	119	110
Lincoln	140	140	124	101	136	142	144	119	97	76
Madison	1,311	3,074	1,459	1,604	759	584	434	446	348	351
Minidoka	96.	934	863	758	802	733	644	637	527	511
Nez Perce	1,509	1,449	1,334	1,460	1,380	1,357	1,257	1,233	944	1,046
Oneida	157	116	97	86	102	96	85	103	93	82
Owyhee	568	342	327	275	312	280	267	270	218	211
Payette	669	654	556	551	506	533	479	537	471	487
Power	292	287	234	251	318	304	297	273	194	209
Shoshone	869	818	770	760	871	803	745	715	579	533
Teton	130	119	120	110	133	105	116	117	76	72
Twin Falls	2,299	2,340	2,179	2,152	2,142	2,055	1,867	1,879	1,579	1,542
Valley	241	197	188	203	339	323	287	241	209	188
Washington	375	336	261	254	276	297	292	269	223	227

APRIL 1, 1980 CENSUS OF POPULATION

Idaho Districts and Counties

By Age and Sex (Continued)

	40 - 44		45 - 49		50 - 54		55 - 59		60 - 64	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	23,720	22,962	20,467	20,506	20,061	20,415	19,934	21,248	18,444	19,753
District 1	3,366	3,052	2,748	2,779	2,900	2,802	2,[illegible]	2,911	2,613	2,806
District 2	2,396	2,196	2,052	2,065	2,076	2,038	2,[illegible]	[illegible]	1,851	1,960
District 3	3,206	3,243	2,830	2,908	2,783	2,999	2,965	3,291	[illegible]	3,259
District 4	5,327	5,190	4,459	4,330	3,983	4,157	3,986	4,343	3,[illegible]	3,799
District 5	3,176	3,167	2,893	3,002	2,919	3,069	3,068	3,309	3,021	3,174
District 6	3,229	3,219	2,915	2,866	2,808	2,725	2,669	2,814	2,474	2,624
District 7	3,020	2,895	2,570	2,556	2,592	2,625	2,455	2,502	2,107	2,131
Ada	4,560	4,481	3,802	3,791	3,498	3,590	3,416	3,815	2,962	3,322
Adams	95	95	78	67	85	90	67	68	87	85
Bannock	1,486	1,489	1,370	1,294	1,248	1,234	1,184	1,258	1,077	1,156
Bear Lake	124	153	129	130	148	133	149	168	153	171
Benewah	256	189	201	209	193	175	175	186	192	174
Bingham	885	886	770	791	767	756	691	718	648	647
Blaine	272	247	207	176	174	200	195	148	161	173
Boise	83	71	61	62	81	67	87	85	70	60
Bonner	646	617	566	564	627	596	623	613	550	622
Bonneville	1,690	1,631	1,473	1,428	1,447	1,497	1,319	1,363	1,057	1,069
Boundary	186	172	182	194	188	187	160	159	147	133
Butte	93	91	83	82	90	69	83	66	71	80
Camas	37	30	23	16	20	12	16	18	13	19
Canyon	1,997	1,985	1,743	1,840	1,730	1900	1,796	2,017	1,755	1,965
Caribou	190	199	185	198	172	147	171	166	148	141
Cassia	387	439	419	422	404	426	403	458	405	382
Clark	31	24	22	19	15	14	21	17	20	13
Clearwater	351	303	260	250	231	227	273	231	226	232
Custer	105	101	86	72	85	88	109	101	89	83
Elmore	524	490	453	354	290	357	325	297	302	295
Franklin	189	180	174	160	170	164	181	192	161	202
Fremont	249	246	230	216	247	248	235	214	204	205
Gem	325	316	265	273	259	268	288	342	282	354
Gooding	303	263	272	262	285	324	295	309	311	347
Idaho	426	361	352	376	394	363	365	366	343	340
Jefferson	368	325	273	324	328	302	279	294	273	293
Jerome	345	360	339	364	332	363	341	406	399	358
Kootenai	1,755	1,597	1,382	1,377	1,403	1,396	1,264	1,485	1,246	1,411
Latah	630	555	547	509	509	494	498	501	441	460
Lemhi	207	187	160	165	168	177	196	187	205	195
Lewis	119	120	91	109	117	108	111	103	99	107
Lincoln	82	83	78	82	96	88	92	79	75	89
Madison	309	325	262	272	248	232	221	255	198	210
Minidoka	460	462	378	429	469	472	506	521	478	463
Nez Perce	870	857	802	821	825	846	863	877	742	821
Oneida	73	66	52	62	64	66	82	100	87	92
Owyhee	193	197	194	165	183	191	204	201	176	168
Payette	398	442	347	341	335	335	391	419	403	433
Power	189	155	152	149	149	156	128	146	129	135
Shoshone	523	477	417	435	489	448	459	468	478	466
Teton	61	56	64	60	54	67	75	71	61	63
Twin Falls	1,290	1,283	1,177	1,251	1,139	1,184	1,220	1,370	1,179	1,343
Valley	160	148	143	123	114	143	158	146	119	122
Washington	198	208	203	222	191	215	219	244	222	254

APRIL 1, 1980 CENSUS OF POPULATION

Idaho Districts and Counties

By Age and Sex (Continued)

	65 - 69		70 - 74		75 - 79		80 - 84		85+	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
IDAHO	16,118	16,922	11,819	13,433	7,271	9,393	3,930	6,318	2,900	5,576
District 1	2,383	2,418	1,737	1,830	1,020	1,210	499	787	378	689
District 2	1,658	1,718	1,342	1,458	828	1,080	468	756	365	647
District 3	2,915	2,865	2,027	2,381	1,383	1,692	784	1,150	579	1,069
District 4	2,793	3,175	1,939	2,482	1,204	1,684	635	1,238	484	1,043
District 5	2,640	2,701	1,902	2,109	1,160	1,518	617	967	431	889
District 6	2,049	2,273	1,584	1,821	930	1,239	511	822	388	670
District 7	1,680	1,772	1,288	1,352	726	970	416	598	275	559
Ada	2,424	2,851	1,687	2,208	1,081	1,515	551	1,112	433	956
Adams	78	62	58	56	39	36	21	33	10	22
Bannock	821	980	645	812	376	534	220	381	160	292
Bear Lake	120	131	102	116	76	94	51	57	36	52
Benewah	170	161	119	134	83	74	43	43	31	45
Bingham	537	588	412	419	247	270	109	163	87	141
Blaine	119	113	72	97	34	61	16	30	13	32
Boise	51	54	35	30	22	29	13	18	9	6
Bonner	541	500	379	374	200	242	122	159	73	139
Bonneville	767	833	591	677	339	496	192	311	143	293
Boundary	132	149	111	107	64	79	38	63	30	51
Butte	74	60	56	60	28	36	9	17	11	18
Camas	22	28	14	10	8	6	2	4	4	1
Canyon	1,689	1,688	1,133	1,419	807	1,011	439	710	328	542
Caribou	110	133	95	96	36	65	22	47	20	36
Cassia	340	337	235	250	154	193	72	124	46	105
Clark	15	17	14	7	6	7	4	3	2	3
Clearwater	205	194	137	135	89	60	46	56	37	43
Custer	81	63	66	52	29	34	10	22	7	20
Elmore	208	195	148	180	74	105	53	81	29	60
Franklin	186	192	143	173	88	116	59	77	36	67
Fremont	179	224	143	137	76	109	48	62	26	39
Gem	327	280	226	233	135	169	72	104	75	97
Gooding	331	328	246	245	174	166	78	93	40	103
Idaho	337	296	264	256	153	168	88	137	51	91
Jefferson	247	240	179	186	98	114	63	61	47	68
Jerome	290	293	218	214	126	160	76	100	45	83
Kootenai	1,181	1,181	844	923	513	654	242	431	194	370
Latah	354	418	328	388	182	306	128	214	119	240
Lemhi	174	151	124	121	79	73	46	53	17	59
Lewis	112	90	73	67	41	71	39	33	15	25
Lincoln	84	75	63	58	32	39	20	28	14	25
Madison	160	201	130	131	75	114	40	71	29	64
Minidoka	341	296	215	240	126	149	73	100	51	93
Nez Perce	650	720	540	612	363	475	167	316	143	248
Oneida	90	79	58	76	42	77	25	45	18	32
Owyhee	172	175	140	131	100	80	47	49	32	53
Payette	390	404	263	308	190	230	124	158	79	151
Power	111	110	73	69	37	47	16	35	20	32
Shoshone	359	427	284	292	160	161	54	91	50	94
Teton	57	43	41	41	24	23	13	15	4	13
Twin Falls	1,113	1,231	839	995	526	744	280	488	218	447
Valley	110	75	69	64	27	35	18	27	13	21
Washington	259	256	207	234	112	166	81	96	55	104

APRIL 1, 1980 CENSUS OF POPULATION

Idaho

Age by Sex

AGE	TOTAL	Male	Female
TOTAL	944,038*	471,155	472,780
<5	93,531	48,073	45,458
5-9	82,734	42,392	40,342
10-14	79,218	40,501	38,717
15-19	87,982	44,000	43,982
20-24	86,234	43,487	42,747
25-29	82,461	41,803	40,658
30-34	72,941	37,079	35,862
35-39	57,644	29,156	28,488
40-44	46,682	23,720	22,962
45-49	40,973	20,467	20,506
50-54	40,476	20,061	20,415
55-59	41,182	19,934	21,248
60-64	38,197	18,444	19,753
65-69	33,040	16,118	16,922
70-74	25,252	11,819	13,433
75-79	16,664	7,271	9,393
80-84	10,248	3,930	6,318
85+	8,476	2,900	5,576
<15	255,483	130,966	124,517
15-64	594,772	298,151	296,621
65+	93,680	42,038	51,642

*The official census total for Idaho was changed from 943,935 to 943,038; however, the age/sex data have not been changed to reflect this correction.

TRENDS & SUMMARY

Photograph Courtesy Idaho Historical Society

The Johnson Family, Lapwai, 1910. The Indian family was traditionally quite large. But with growing "white man" influence, the typical family decreased to 4-5 members.

TRENDS IN IDAHO

BIRTHS ..... After several years of increasing numbers and rates of live births, Idaho's births seem to be leveling off. Although 1982 (19,581) showed a very slight numerical increase of 93 births, the final birth rate (based on 1982 population estimates not yet available) should show a small decrease from the revised 1981 birth rate of 20.3.

OUT-OF-WEDLOCK BIRTHS ... Out-of-wedlock births increased for the eighth consecutive year, up 5.2% (from 1,638 to 1,723) in the last year alone. Since 1974, the number of out-of-wedlock births has risen 82%, and the rate has increased from 61.0 to 88.0 per 1,000 live births during the same period. Again, Districts 1 and 3 experienced the highest rates, with District 2 a close third.

DEATHS ..... Idaho deaths rose very slightly in 1982, recording an insignificant increase of 22 deaths (from 6,902 to 6,924). The rate of deaths has remained relatively constant for the past several years, with the 1982 provisional rate of 7.2 being unchanged from the 1981 revised rate of 7.2.

STILLBIRTHS ..... The number and rate of stillbirths changes little from year to year, although a general decline can be seen in the past several years. In 1982, 139 stillbirths occurred, for a rate of 7.1 per 1,000 live births.

INFANT DEATHS ..... Although infant deaths increased in both number and rate in 1982, this is not unexpected in a small data base, particularly considering the large decrease which occurred in 1981. Trends must be considered over a period of time, and the general trend for infant deaths in Idaho is down. A total of 195 infant deaths occurred in 1982, with a resultant rate of 10.0 per 1,000 live births.

MATERNAL DEATHS ..... No maternal deaths occurred to Idaho residents in 1983; only two have occurred since 1977.

MARRIAGES ..... Since 1978, the rate of Idaho marriages has remained at a generally constant rate which is lower than those experienced in the sixties and early- to mid-seventies. A total of 14,066 marriages occurred in Idaho in 1982, for a provisional rate of 14.7 per 1,000 population.

DIVORCES ..... For the first time in seventeen years, the number of divorces in Idaho declined. A total of 6,238 divorces occurred in 1982, which is a decrease of 8% from the 6,770 divorces in 1981. The divorce rate also declined in 1982 to 6.5 (provisional) from 7.1 (1981 revised).

IDAHO VITAL EVENTS

Each day in Idaho, there are approximately:



IDAHO VITAL STATISTICS

1973 - 1982

	1982	1981	1980	1979	1978	1977	1976	1975	1974	1973
LIVE BIRTHS	19581	19488	20140	19919	19355	18813	17322	16242	15570	14507
Birth Rate	20.4	20.3	21.3	22.0	21.9	22.0	20.8	20.0	19.5	18.7
Males	10019	9906	10373	10155	9793	9739	8950	8456	7980	7485
Females	9562	9582	9767	9764	9562	9074	8372	7786	7590	7022
OUT-OF-WEDLOCK LIVE BIRTHS	1723	1638	1592	1397	1386	1415	1147	1031	949	963
Rate	88.0	84.1	79.0	70.1	71.6	75.2	66.2	63.5	61.0	66.4
IMMATURE LIVE BIRTHS	1045	987	1073	1027	1078	1034	986	984	953	967
Rate	53.4	50.6	53.3	51.6	55.7	55.0	56.9	60.6	61.2	66.7
DEATHS	6924	6902	6753	6386	6487	6448	6635	6505	6452	6465
Death Rate	7.2	7.2	7.2	7.1	7.4	7.5	8.0	8.0	8.1	8.3
Males	3939	3951	3871	3711	3713	3774	3914	3835	3826	3782
Females	2985	2951	2882	2675	2774	2674	2721	2670	2626	2683
STILLBIRTHS	139	143	148	133	146	152	119	142	148	128
Ratio	7.1	7.3	7.3	6.7	7.5	8.1	6.9	8.7	9.5	8.8
INFANT DEATHS	195	180	220	202	225	219	227	214	236	247
Rate	10.0	9.2	10.9	10.1	11.6	11.6	13.1	13.2	15.2	17.0
<1 Month	123	102	124	131	140	130	144	153	172	180
1-11 Months	72	78	96	71	85	89	83	61	64	67
MATERNAL DEATHS	-	-	1	1	-	2	1	4	-	-
Rate	0.0	0.0	0.5	0.5	0.0	1.1	0.6	2.5	0.0	0.0
MARRIAGES	14066	14175	13428	13429	13570	13691	13104	12688	12489	12236
Rate	14.7	14.8	14.2	14.8	15.4	16.0	15.7	15.6	15.7	15.8
DIVORCES	6238	6770	6596	6449	6356	6013	5699	5203	4808	4341
Rate	6.5	7.1	7.0	7.1	7.2	7.0	6.8	6.4	6.0	5.6

IDAHO VITAL STATISTICS

Births, Marriages, Deaths, Divorces

1971 - 1982



SUMMARY OF IDAHO VITAL STATISTICS

Births, Deaths, Marriages, Divorces

1982

COUNTY	Estimated Population	LIVE BIRTHS		DEATHS		MARRIAGES		DIVORCES	
	July 1, 1981	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates (Provisional)	-	-	16.0	-	8.6	-	10.8	-	5.1
IDAHO	959,311	19581	20.4	6924	7.2	14066*	14.7	6238	6.5
District 1	119,811	2079	17.4	947	7.9	4585	38.3	944	7.9
District 2	91,271	1436	15.7	767	8.4	976	10.7	602	6.6
District 3	132,434	2506	18.9	1109	8.4	1482	11.2	801	6.0
District 4	210,266	4062	19.3	1270	6.0	2342	11.1	1741	8.3
District 5	134,774	2891	21.5	1069	7.9	1372	10.2	895	6.6
District 6	142,225	3376	23.7	967	6.8	1209	8.5	545	3.8
District 7	128,530	3231	25.1	795	6.2	2097	16.3	710	5.5
Ada	179,448	3304	18.4	1104	6.2	1962	10.9	1457	8.1
Adams	3,128	61	19.5	29	9.3	38	12.1	19	6.1
Bannock	66,642	1477	22.2	439	6.6	650	9.8	290	4.4
Bear Lake	7,204	186	25.8	61	8.5	67	9.3	15	2.1
Benewah	8,324	164	19.7	67	8.0	73	8.8	58	7.0
Bingham	36,847	939	25.5	223	6.1	260	7.1	138	3.7
Blaine	10,121	218	21.5	63	6.2	208	20.6	90	8.9
Boise	3,148	43	13.7	15	4.8	56	17.8	35	11.1
Bonner	24,878	453	18.2	201	8.1	345	13.9	188	7.6
Bonneville	66,838	1660	24.8	383	5.7	1530	22.9	467	7.0
Boundary	7,276	160	22.0	47	6.5	112	15.4	45	6.2
Butte	3,357	71	21.1	32	9.5	19	5.7	5	1.5
Camas	790	22	27.8	7	8.9	11	13.9	2	2.5
Canyon	83,862	1634	19.5	672	8.0	881	10.5	509	6.1
Caribou	8,844	212	24.0	46	5.2	60	6.8	42	4.7
Cassia	19,481	507	26.0	139	7.1	171	8.8	114	5.9
Clark	795	14	17.6	6	7.5	2	2.5	-	0.0
Clearwater	10,297	175	17.0	72	7.0	86	8.4	79	7.7
Custer	3,799	110	29.0	31	8.2	77	20.3	23	6.1
Elmore	21,840	596	27.3	122	5.6	203	9.3	212	9.7
Franklin	9,293	268	28.8	79	8.5	66	7.1	12	1.3
Fremont	10,932	254	23.2	74	6.8	118	10.8	32	2.9
Gem	11,910	203	17.0	97	8.1	126	10.6	69	5.8
Gooding	12,241	233	19.0	130	10.6	84	6.9	58	4.7
Idaho	14,656	231	15.8	134	9.1	104	7.1	73	5.0
Jefferson	15,588	400	25.7	109	7.0	111	7.1	39	2.5
Jerome	14,929	305	20.4	104	7.0	144	9.6	84	5.6
Kootenai	60,177	1015	16.9	471	7.8	3896	64.7	557	9.3
Latah	29,209	491	16.8	202	6.9	266	9.1	152	5.2
Lemhi	7,709	148	19.2	72	9.3	123	16.0	60	7.8
Lewis	3,976	80	20.1	43	10.8	55	13.8	23	5.8
Lincoln	3,607	64	17.7	30	8.3	37	10.3	15	4.2
Madison	19,823	553	27.9	97	4.9	108	5.4	82	4.1
Minidoka	19,609	469	23.9	142	7.2	173	8.8	120	6.1
Nez Perce	33,133	459	13.9	316	9.5	465	14.0	275	8.3
Oneida	3,268	81	24.8	39	11.9	32	9.8	8	2.4
Owyhee	8,919	172	19.3	67	7.5	67	7.5	17	1.9
Payette	15,833	286	18.1	156	9.9	246	15.5	125	7.9
Power	6,770	142	21.0	48	7.1	55	8.1	35	5.2
Shoshone	19,156	287	15.0	161	8.4	159	8.3	96	5.0
Teton	3,046	92	30.2	23	7.6	28	9.2	7	2.3
Twin Falls	53,996	1073	19.9	454	8.4	544	10.1	412	7.6
Valley	5,830	119	20.4	29	5.0	121	20.8	37	6.3
Washington	8,782	150	17.1	88	10.0	124	14.1	62	7.1

*Includes three (3) marriages for which licenses were obtained in Idaho, but ceremony performed in another state.

NOTE: All rates based on population are provisional.

SUMMARY OF IDAHO VITAL STATISTICS

Infant, Fetal, Perinatal Mortality

1982

RESIDENCE	LIVE BIRTHS	INFANT DEATHS		STILLBIRTHS		PERINATAL DEATHS	
		Number	Rate	Number	Rate	Number	Rate
IDAHO	19,581	195	10.0	139	7.1	244	12.5
District 1	2,079	23	11.1	25	12.0	42	20.2
District 2	1,436	16	11.1	7	4.9	17	11.8
District 3	2,506	29	11.6	14	5.6	29	11.6
District 4	4,062	42	10.3	23	5.7	41	10.1
District 5	2,891	27	9.3	28	9.7	39	13.5
District 6	3,376	27	8.0	23	6.8	40	11.8
District 7	3,231	31	9.6	19	5.9	36	11.1
Ada	3,304	32	9.7	21	6.4	35	10.6
Adams	61	-	-	-	-	-	-
Bannock	1,477	12	8.1	10	6.8	19	12.9
Bear Lake	186	-	-	2	10.8	2	10.8
Benewah	164	4	24.4	5	30.5	8	48.8
Bingham	939	7	7.5	5	5.3	6	6.4
Blaine	218	1	4.6	1	4.6	1	4.6
Boise	43	-	-	-	-	-	-
Bonner	453	7	15.5	9	19.9	15	33.1
Bonneville	1,660	18	10.8	9	5.4	19	11.4
Boundary	160	1	6.3	3	18.8	3	18.8
Butte	71	2	28.2	2	28.2	4	56.3
Camas	22	-	-	-	-	-	-
Canyon	1,634	24	14.7	7	4.3	19	11.6
Caribou	212	3	14.2	1	4.7	4	18.9
Cassia	507	11	21.7	7	13.8	12	23.7
Clark	14	-	-	-	-	-	-
Clearwater	175	2	11.4	2	11.4	3	17.1
Custer	110	-	-	-	-	-	-
Elmore	596	10	16.8	-	-	4	6.7
Franklin	268	1	3.7	1	3.7	2	7.5
Fremont	254	3	11.8	7	27.6	8	31.5
Gem	203	2	9.9	2	9.9	3	14.8
Gooding	233	1	4.3	4	17.2	4	17.2
Idaho	231	1	4.3	1	4.3	1	4.3
Jefferson	400	5	12.5	1	2.5	4	10.0
Jerome	305	4	13.1	1	3.3	2	6.6
Kootenai	1,015	9	8.9	6	5.9	13	12.8
Latah	491	5	10.2	3	6.1	7	14.3
Lemhi	148	-	-	-	-	-	-
Lewis	80	2	25.0	-	-	2	25.0
Lincoln	64	-	-	3	46.9	3	46.9
Madison	553	5	9.0	1	1.8	4	7.2
Minidoka	469	3	6.4	5	10.7	7	14.9
Nez Perce	459	6	13.1	1	2.2	4	8.7
Oneida	81	2	24.7	2	24.7	3	37.0
Owyhee	172	-	-	2	11.6	2	11.6
Payette	286	3	10.5	1	3.5	3	10.5
Power	142	-	-	-	-	-	-
Shoshone	287	2	7.0	2	7.0	3	10.5
Teton	92	-	-	1	10.9	1	10.9
Twin Falls	1,073	7	6.5	7	6.5	10	9.3
Valley	119	-	-	2	16.8	2	16.8
Washington	150	-	-	2	13.3	2	13.3

NATALITY

Photograph Courtesy Idaho Historical Society

Mothers were assisted at delivery by midwives with herbs and special rituals. The infant's face was then gently shaped into desired proportions; the infant kept in a furlined cradleboard until the baby was ready to walk.

NATALITY

Nearly two percent more babies were born in the United States in 1982 than in 1981. The birth rate of 16.0 was less than 1% higher than the provisional 1981 rate of 15.9. The fertility rate inceased slightly from 67.6 to 67.8 live births per 1,000 women aged 15-44 years.

The increase in U.S. births is mainly the result of continuing growth in the number of women 15-44 years of age, although this group increased only 1.4% from 1981 to 1982, compared to 2% in the previous years. According to the U.S. Bureau of the Census projections, the number of women in the childbearing ages will increase at about one percent annually until 1985. The number of 15-24 year-olds has already begun to decline. If the age-specific birth rates do not increase greatly, there will continue to be only small increases in the number of births.

Idaho, too, experienced just a small increase in the number of births in 1982; at 0.5%, it was even smaller than the national increase. Since the provisional birth rate of 20.4 is based on the 1981 population estimates, the change from the 1981 rate is unknown at this time. Idaho's 1982 estimated fertility rate is 91.2 live births per 1,000 women 15-44 years of age, up from 90.8 in 1981. The 1982 national rate is 67.8. Idaho's fertility rate has always been substantially higher than the U.S. rate, but the difference is diminishing: in 1979, Idaho's fertility rate was 43% higher than the U.S. rate; in 1982 the difference was 35%.

The birth rates in Idaho range from 15.7 in District 2 to 25.1 in District 7. The birth rates in the districts do not vary widely from year to year; areas in the northern and southwestern parts of Idaho have much lower birth rates than the south central and southeastern areas.

IDAHO RESIDENT LIVE BIRTHS

1971 - 1982



U.S., IDAHO BIRTH RATES

1971 - 1982



IDAHO RESIDENT LIVE BIRTHS AND RATES

By District and County of Residence

1978 - 1982

RESIDENCE	1982		1981		1980		1979		1978	
	Number	Rate[1]	Number	Rate[2]	Number	Rate	Number	Rate	Number	Rate
U.S. Rates	-	16.0	-	15.9	-	15.8	-	15.9	-	15.3
IDAHO	19581	20.4	19488	20.3	20140	21.3	19919	22.0	19355	21.9
District 1	2079	17.4	2128	17.8	2241	18.9	2012	17.8	1992	18.4
District 2	1436	15.7	1421	15.6	1545	16.9	1428	16.5	1508	17.5
District 3	2506	18.5	2429	18.3	2493	18.9	2599	20.6	2523	20.3
District 4	4062	19.3	3920	18.6	3965	19.5	3924	21.1	3844	20.2
District 5	2891	21.5	2858	21.2	2966	22.3	2917	22.8	2782	22.2
District 6	3376	23.7	3555	25.0	3635	26.0	3609	25.9	3636	26.7
District 7	3231	25.1	3177	24.7	3295	26.1	3430	27.3	3270	26.8
Ada	3304	18.4	3206	17.9	3220	18.6	3214	20.6	2933	19.4
Adams	61	19.5	43	13.7	53	15.8	62	17.7	59	17.4
Bannock	1477	22.2	1548	23.2	1644	25.1	1605	25.0	1625	26.0
Bear Lake	186	25.8	210	29.2	188	27.1	198	27.5	168	24.0
Benewah	164	19.7	164	19.7	174	21.0	158	20.3	152	20.0
Bingham	939	25.5	999	27.1	1002	27.5	1011	27.2	1054	29.0
Blaine	218	21.5	200	19.8	175	17.8	180	18.8	158	17.2
Boise	43	13.7	56	17.8	51	17.0	63	21.7	49	18.1
Bonner	453	18.2	444	17.8	486	20.1	399	17.0	415	18.4
Bonneville	1660	24.8	1536	23.0	1651	25.0	1753	27.2	1654	26.2
Boundary	160	22.0	141	19.4	143	19.6	146	20.9	161	24.0
Butte	71	21.1	89	26.5	86	25.7	97	27.7	87	25.6
Camas	22	27.8	22	27.8	15	18.3	16	17.8	20	25.0
Canyon	1634	19.5	1612	19.2	1597	19.1	1692	21.6	1680	21.7
Caribou	212	24.0	254	28.7	266	30.6	249	28.6	239	28.1
Cassia	507	26.0	521	26.7	515	26.5	560	28.3	523	27.1
Clark	14	17.6	22	27.7	23	28.8	19	21.1	20	22.2
Clearwater	175	17.0	154	15.0	183	17.6	180	18.9	188	19.4
Custer	110	29.0	84	22.1	66	19.5	58	17.6	55	16.7
Elmore	596	27.3	545	25.0	559	25.9	557	25.7	562	26.3
Franklin	268	28.8	240	25.8	241	27.1	254	27.0	250	28.4
Fremont	254	23.2	289	26.4	277	25.6	306	26.8	306	27.8
Gem	203	17.0	213	17.9	228	19.0	238	20.2	213	18.2
Gooding	233	19.0	232	19.0	226	19.0	227	20.5	196	17.8
Idaho	231	15.8	261	17.8	260	17.6	254	18.1	272	18.9
Jefferson	400	25.7	412	26.4	477	31.2	458	29.2	420	28.2
Jerome	305	20.4	328	22.0	319	21.5	341	22.1	309	21.3
Kootenai	1015	16.8	1028	17.1	1079	18.1	978	17.4	957	18.0
Latah	491	16.8	463	15.9	497	17.3	446	16.0	451	16.4
Lemhi	148	19.2	151	19.6	137	18.4	153	21.0	145	20.7
Lewis	80	20.1	57	14.3	84	20.4	72	15.3	108	23.5
Lincoln	84	17.7	87	18.6	70	20.4	64	19.4	63	18.5
Madison	553	27.9	584	29.5	584	30.0	602	30.6	587	31.2
Minidoka	469	23.9	488	24.9	539	27.3	490	25.3	530	27.0
Nez Perce	459	13.9	486	14.7	521	15.7	476	15.5	489	16.0
Oneida	81	24.8	60	18.4	74	22.7	65	20.3	65	19.1
Owyhee	172	19.3	172	19.3	165	18.9	178	22.0	164	20.5
Payette	286	18.1	224	14.1	308	19.6	282	18.3	257	17.0
Power	142	21.0	155	22.9	134	19.8	130	21.0	148	23.5
Shoshone	287	15.0	351	18.3	359	18.7	330	17.8	307	17.0
Teton	92	30.2	98	32.5	80	27.6	81	27.9	83	29.6
Twin Falls	1073	18.9	1000	18.5	1107	20.9	1039	21.6	983	20.6
Valley	119	20.4	113	19.4	135	24.1	90	17.6	100	21.3
Washington	150	17.1	165	18.9	142	16.1	147	16.5	150	16.7

[1]Provisional (based on 1981 population estimates).

[2]Revised

NOTE: 1982 birth rates listed here supersede the rates in the 1982 mid-year report. Any differences are due to rounding techniques.

IDAHO RESIDENT LIVE BIRTHS

By Sex of Child and Race of Mother

1982

RESIDENCE	LIVE BIRTHS	SEX OF CHILD		RACE OF MOTHER						Mother, Spanish Surname*
		Male	Female	White	Black	American Indian	Japanese	Other Nonwhite	Not Stated	
IDAHO	19581	10019	9562	19072	54	214	52	145	44	951
District 1	2079	1084	995	2027	1	27	2	15	7	10
District 2	1436	727	709	1379	5	44	1	7	-	14
District 3	2506	1297	1209	2456	3	10	9	19	9	310
District 4	4062	2028	2034	3909	33	22	15	61	22	75
District 5	2891	1449	1442	2856	-	9	7	14	5	287
District 6	3376	1758	1618	3255	8	89	9	15	-	160
District 7	3231	1676	1555	3190	4	13	9	14	1	95
Ada	3304	1646	1658	3210	9	17	13	36	19	39
Adams	61	33	28	61	-	-	-	-	-	-
Bannock	1477	781	696	1425	7	35	5	5	-	49
Bear Lake	186	90	96	185	-	-	-	1	-	6
Benewah	164	82	82	153	-	10	1	-	-	1
Bingham	939	486	453	882	-	48	3	6	-	70
Blaine	218	108	110	217	-	-	-	1	-	5
Boise	43	23	20	41	-	1	-	-	1	1
Bonner	453	239	214	447	1	1	-	3	1	1
Bonneville	1660	862	798	1635	4	7	7	7	-	37
Boundary	160	82	78	149	-	4	1	-	6	-
Butte	71	39	32	71	-	-	-	-	-	1
Camas	22	13	9	21	-	1	-	-	-	-
Canyon	1634	860	774	1598	3	5	4	16	8	241
Caribou	212	109	103	209	-	-	1	2	-	4
Cassia	507	255	252	504	-	2	1	-	-	85
Clark	14	11	3	14	-	-	-	-	-	1
Clearwater	175	91	84	174	-	1	-	-	-	-
Custer	110	54	56	107	-	-	-	3	-	1
Elmore	596	302	294	541	24	3	2	24	2	35
Franklin	268	131	137	265	1	1	-	1	-	6
Fremont	254	125	129	249	-	2	1	2	-	10
Gem	203	106	97	200	-	3	-	-	-	2
Gooding	233	113	120	232	-	1	-	-	-	20
Idaho	231	125	106	225	-	5	1	-	-	4
Jefferson	400	212	188	398	-	-	-	1	1	27
Jerome	305	153	152	298	-	2	1	2	2	12
Kootenai	1015	536	479	995	-	9	-	11	-	7
Latah	491	254	237	479	5	1	-	6	-	5
Lemhi	148	78	70	148	-	-	-	-	-	1
Lewis	80	39	41	77	-	3	-	-	-	3
Lincoln	64	40	24	63	-	-	-	1	-	2
Madison	553	285	268	548	-	3	1	1	-	13
Minidoka	469	235	234	464	-	1	1	3	-	99
Nez Perce	459	218	241	424	-	34	-	1	-	2
Oneida	81	43	38	81	-	-	-	-	-	2
Owyhee	172	71	101	170	-	1	-	-	1	22
Payette	286	146	140	281	-	-	2	3	-	28
Power	142	79	63	137	-	5	-	-	-	22
Shoshone	287	145	142	283	-	3	-	1	-	1
Teton	92	49	43	91	-	1	-	-	-	5
Twin Falls	1073	532	541	1057	-	2	4	7	3	64
Valley	119	57	62	117	-	1	-	1	-	-
Washington	150	81	69	146	-	1	3	-	-	17

*Included in white totals.

IDAHO RESIDENT LIVE BIRTHS

By Age of Mother

1982

RESIDENCE	TOTAL	AGE OF MOTHER								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	Not Stated
IDAHO	19581	22	2339	6926	5921	3238	963	162	9	1
District 1	2079	2	286	721	615	352	90	12	1	-
District 2	1436	1	153	538	448	228	59	8	1	-
District 3	2506	6	413	928	657	378	102	22	-	-
District 4	4062	6	427	1364	1315	720	202	27	1	-
District 5	2891	3	385	997	856	474	147	27	1	1
District 6	3376	1	355	1226	1054	540	173	25	2	-
District 7	3231	3	320	1152	976	546	190	41	3	-
Ada	3304	5	324	1051	1084	635	179	25	1	-
Adams	61	-	7	21	15	12	5	1	-	-
Bannock	1477	-	157	555	474	226	58	6	1	-
Bear Lake	186	-	20	51	63	36	14	2	-	-
Benewah	164	-	28	62	44	27	3	-	-	-
Bingham	939	1	102	354	275	137	60	10	-	-
Blaine	218	-	10	58	70	63	16	1	-	-
Boise	43	-	4	19	11	7	2	-	-	-
Bonner	453	-	54	144	146	78	26	4	1	-
Bonneville	1660	3	187	571	509	285	88	17	-	-
Boundary	160	-	25	51	44	34	6	-	-	-
Butte	71	-	6	29	24	8	2	2	-	-
Camas	22	-	3	8	7	3	1	-	-	-
Canyon	1634	5	256	617	440	240	63	13	-	-
Caribou	212	-	21	69	71	40	9	2	-	-
Cassia	507	1	73	172	148	75	33	5	-	-
Clark	14	-	-	7	6	1	-	-	-	-
Clearwater	175	-	20	66	48	20	10	1	-	-
Custer	110	-	6	50	35	15	4	-	-	-
Elmore	596	-	82	263	174	59	16	2	-	-
Franklin	268	-	25	87	84	52	18	1	1	-
Fremont	254	-	29	79	79	38	22	7	-	-
Gem	203	-	44	78	47	29	5	-	-	-
Gooding	233	-	29	74	65	42	20	3	-	-
Idaho	231	-	27	86	71	33	11	3	-	-
Jefferson	400	-	35	121	129	84	25	5	1	-
Jerome	305	1	41	113	78	54	14	3	-	1
Kootenai	1015	1	115	357	321	169	46	6	-	-
Latah	491	-	32	174	170	86	27	2	-	-
Lemhi	148	-	17	45	51	26	9	-	-	-
Lewis	80	-	9	32	26	11	1	1	-	-
Lincoln	64	1	3	22	20	13	5	-	-	-
Madison	553	-	39	246	144	76	35	11	2	-
Minidoka	469	-	68	162	145	66	19	9	-	-
Nez Perce	459	1	65	180	133	68	10	1	1	-
Oneida	81	-	6	31	24	16	3	1	-	-
Owyhee	172	1	25	57	51	32	5	1	-	-
Payette	286	-	57	105	63	43	14	4	-	-
Power	142	-	18	50	39	25	9	1	-	-
Shoshone	287	1	64	107	60	44	9	2	-	-
Teton	92	-	7	33	23	21	7	1	-	-
Twin Falls	1073	-	158	388	323	158	39	6	1	-
Valley	119	1	17	31	46	19	5	-	-	-
Washington	150	-	24	50	41	22	10	3	-	-

IDAHO RESIDENT LIVE BIRTHS

Attendant At and Place of Birth

1982

RESIDENCE	LIVE BIRTHS	ATTENDANT AT BIRTH		PLACE OF BIRTH		
		M.D.,D.O.	Other	Hospital	Home	Other
IDAHO	19581	19078	503	18973	525	83*
District 1	2079	1934	145	1914	149	16
District 2	1436	1420	16	1399	19	18
District 3	2506	2444	62	2430	66	10
District 4	4062	3986	76	3976	81	5
District 5	2891	2835	56	2820	70	1
District 6	3376	3303	73	3283	68	25
District 7	3231	3156	75	3151	72	8
Ada	3304	3244	60	3237	62	5
Adams	61	59	2	59	2	-
Bannock	1477	1451	26	1436	19	22
Bear Lake	186	184	2	184	2	-
Benewah	164	157	7	158	6	-
Bingham	939	908	31	906	31	2
Blaine	218	215	3	214	4	-
Boise	43	42	1	42	1	-
Bonner	453	399	54	383	69	1
Bonneville	1660	1622	38	1621	39	-
Boundary	160	142	18	141	19	-
Butte	71	68	3	67	4	-
Camas	22	22	-	22	-	-
Canyon	1634	1601	33	1590	34	10
Caribou	212	211	1	211	1	-
Cassia	507	499	8	499	8	-
Clark	14	14	-	14	-	-
Clearwater	175	168	7	168	7	-
Custer	110	108	2	104	2	4
Elmore	596	589	7	588	8	-
Franklin	268	260	8	260	8	-
Fremont	254	249	5	250	4	-
Gem	203	196	7	196	7	-
Gooding	233	230	3	224	8	1
Idaho	231	229	2	225	5	1
Jefferson	400	387	13	387	10	3
Jerome	305	295	10	292	13	-
Kootenai	1015	956	59	952	49	14
Latah	491	485	6	469	6	16
Lemhi	148	145	3	145	3	-
Lewis	80	80	-	80	-	-
Lincoln	64	63	1	63	1	-
Madison	553	543	10	543	10	-
Minidoka	469	462	7	462	7	-
Nez Perce	459	458	1	457	1	1
Oneida	81	80	1	79	2	-
Owyhee	172	159	13	159	13	-
Payette	286	281	5	278	8	-
Power	142	141	1	140	1	1
Shoshone	287	280	7	280	6	1
Teton	92	88	4	87	4	1
Twin Falls	1073	1049	24	1044	29	-
Valley	119	111	8	109	10	-
Washington	150	148	2	148	2	-

*Includes one (1) not stated (Teton County).

U.S., IDAHO LIVE BIRTH, FERTILITY RATES

By District and County of Residence

1982

RESIDENCE	Live Births	BIRTH RATES		FERTILITY RATES		
		Estimated Population July 1, 1981	1982 Birth Rate	Census of Females 15-44 April 1, 1980	1982 Fertility Rate (Provisional)	1981 Fertility Rate (Provisional)
IDAHO	19,581	959,311	20.4	214,699	91.2	90.8
District 1	2,079	119,811	17.4	26,480	78.5	80.4
District 2	1,436	91,271	15.7	21,167	67.8	67.1
District 3	2,506	132,434	18.9	28,121	89.1	86.4
District 4	4,062	210,266	19.3	50,562	80.3	77.5
District 5	2,891	134,774	21.5	28,091	102.9	101.7
District 6	3,376	142,225	23.7	31,005	108.9	114.7
District 7	3,231	128,530	25.1	29,273	110.4	108.5
Ada	3,304	179,448	18.4	43,522	75.9	73.7
Adams	61	3,128	19.5	713	85.6	60.3
Bannock	1,477	66,642	22.2	15,967	92.5	96.9
Bear Lake	186	7,204	25.8	1,342	138.6	156.5
Benewah	164	8,324	19.7	1,763	93.0	93.0
Bingham	939	36,847	25.5	7,606	123.5	131.3
Blaine	218	10,121	21.5	2,777	78.5	72.0
Boise	43	3,148	13.7	666	64.6	84.1
Bonner	453	24,878	18.2	5,340	84.8	83.1
Bonneville	1,660	66,838	24.8	14,761	112.5	104.1
Boundary	160	7,276	22.0	1,553	103.0	90.8
Butte	71	3,357	21.1	631	112.5	141.0
Camas	22	790	27.8	177	124.3	124.3
Canyon	1,634	83,862	19.5	18,630	87.7	86.5
Caribou	212	8,844	24.0	1,831	115.8	138.7
Cassia	507	19,481	26.0	3,955	128.2	131.7
Clark	14	795	17.6	166	84.3	132.5
Clearwater	175	10,297	17.0	2298	76.2	67.0
Custer	110	3,799	29.0	692	159.0	121.4
Elmore	596	21,840	27.3	5,074	117.5	107.4
Franklin	268	9,293	28.8	1,600	167.5	150.0
Fremont	254	10,932	23.2	2,114	120.2	136.7
Gem	203	11,910	17.0	2,408	84.3	88.5
Gooding	233	12,241	19.0	2,179	106.9	106.5
Idaho	231	14,656	15.8	3,039	76.0	85.9
Jefferson	400	15,588	25.7	3,022	132.4	136.3
Jerome	305	14,929	20.4	3,056	99.8	107.3
Kootenai	1,015	60,177	16.9	13,718	74.0	74.9
Latah	491	29,209	16.8	7,617	64.5	60.8
Lemhi	148	7,709	19.2	1,555	95.2	97.1
Lewis	80	3,976	20.1	811	98.6	70.3
Lincoln	64	3,607	17.7	661	96.8	101.4
Madison	553	19,823	27.9	6,384	86.6	91.5
Minidoka	469	19,609	23.9	4,035	116.2	120.9
Nez Perce	459	33,133	13.9	7,402	62.0	65.7
Oneida	81	3,268	24.8	549	147.5	109.3
Owyhee	172	8,919	19.3	1,575	109.2	109.2
Payette	286	15,833	18.1	3,204	89.3	69.9
Power	142	6,770	21.0	1,479	96.0	104.8
Shoshone	287	19,156	15.0	4,106	70.0	85.5
Teton	92	3,046	30.2	579	158.9	171.0
Twin Falls	1,073	53,996	19.9	11,251	95.4	88.9
Valley	119	5,830	20.4	1,300	91.5	86.9
Washington	150	8,782	17.1	1,591	94.3	103.7

IDAHO RESIDENT LIVE BIRTHS

Live Birth Order by Age of Mother

1982

Order of Birth	TOTAL	Age of Mother								
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Age Not Stated
TOTAL	19581	22	2339	6926	5921	3238	963	162	9	1
1	6870	21	1849	3053	1359	493	90	5	-	-
2	5783	1	413	2597	1889	750	125	8	-	-
3	3263	-	51	964	1466	631	142	9	-	-
4	1679	-	10	201	784	523	144	16	-	1
5	849	-	1	43	260	403	119	22	1	-
6	477	-	-	7	94	235	119	21	1	-
7	242	-	-	-	16	96	104	23	3	-
8	111	-	-	-	2	39	52	17	1	-
9	61	-	-	-	1	17	25	17	1	-
10+	64	-	-	2	-	10	29	21	2	-
Not Stated	182	-	15	59	50	41	14	3	-	-

1982 AGE-SPECIFIC FERTILITY RATES

Age	Live Births	IDAHO		U.S. Fertility Rate 1980[3]
		Census of Females 4/1/80[1]	1982 Fertility Rate[2]	
TOTAL	19,581	214,699	91.2	68.4
10-14	22	38,717	0.6	1.1
15-19	2,339	43,982	53.2	53.0
20-24	6,926	42,747	162.0	115.1
25-29	5,921	40,658	145.6	112.9
30-34	3,238	35,862	90.3	61.9
35-39	963	28,488	33.8	19.8
40-44	162	22,962	7.1	3.9
45-49	9	20,506	0.4	0.2
Not Stated	1	-	-	-

[1] Total females 15-44, NOT including women under 15 or over 44.

[2] Number of total live births per 1,000 women 15-44 years of age.

[3] Even though the 1982 U.S. total fertility rate is available, age-specific fertility rates have not been published since 1980.

AGE-SPECIFIC FERTILITY RATES

U.S. (1980)*, Idaho (1981)



*1982 Age-specific fertility data are not yet available for the U.S.

The above graph illustrates the fact that Idaho's total fertility rate (number of live births per 1,000 women 15-44 years of age) exceeds the national rate by a substantial 33%. The only age group for which Idaho's fertility rate is lower is the 10-14 year-olds, which group is not included in the graph because the numbers are too low. In all other categories, Idaho records a higher rate. *(NOTE: The graph is based on 1980 U.S. fertility data, the latest available.)*

Idaho's fertility rate showed a slight increase from 90.8 in 1981 to 91.2, but since both rates are based on the 1980 census, the difference is not noteworthy.

IDAHO RESIDENT LIVE BIRTHS

Trimester of Pregnancy When Prenatal Care Began (Percent)

1982

RESIDENCE	TOTAL LIVE BIRTHS	TRIMESTER WHEN PRENATAL CARE BEGAN				
		First (%)	Second (%)	Third (%)	No Prenatal Care (%)	Not Stated (%)
IDAHO	19,581	73.8	18.8	3.9	0.5	3.0
District 1	2,079	75.2	18.6	3.8	0.4	2.0
District 2	1,436	76.9	18.7	2.8	0.4	1.2
District 3	2,506	67.3	21.4	5.0	1.0	5.3
District 4	4,062	82.0	14.0	2.3	0.5	1.2
District 5	2,891	65.7	23.0	5.5	0.9	4.9
District 6	3,376	76.0	17.5	4.0	0.3	2.2
District 7	3,231	71.0	20.8	3.8	0.1	4.3
Ada	3,304	83.7	12.4	2.1	0.6	1.2
Adams	61	75.4	18.0	1.6	3.3	1.6
Bannock	1,477	81.8	12.4	3.6	0.3	1.9
Bear Lake	186	65.1	29.0	4.3	0.0	1.6
Benewah	164	69.5	20.7	5.5	0.0	4.3
Bingham	939	71.8	19.8	5.2	0.6	2.6
Blaine	218	71.1	20.6	3.7	0.5	4.1
Boise	43	74.4	14.0	9.3	0.0	2.3
Bonner	453	66.4	26.3	5.3	0.7	1.3
Bonneville	1,660	79.1	12.7	1.8	0.2	6.2
Boundary	160	70.6	20.6	3.8	0.6	4.4
Butte	71	49.3	23.9	14.1	0.0	12.7
Camas	22	50.0	31.8	4.5	0.0	13.6
Canyon	1,634	69.0	20.5	5.4	0.6	4.5
Caribou	212	82.1	15.6	0.9	0.0	1.4
Cassia	507	56.4	27.0	7.1	0.2	9.3
Clark	14	78.6	21.4	0.0	0.0	0.0
Clearwater	175	72.0	22.8	2.3	0.6	2.3
Custer	110	62.7	21.8	9.1	0.0	6.4
Elmore	596	74.8	21.5	2.4	0.3	1.0
Franklin	268	72.4	23.9	2.6	0.4	0.7
Fremont	254	51.6	39.0	7.5	0.0	1.9
Gem	203	68.0	23.2	3.4	0.5	4.9
Gooding	233	59.2	30.9	5.6	0.4	3.9
Idaho	231	68.0	24.7	6.0	0.4	0.9
Jefferson	400	66.5	25.0	4.5	0.3	3.7
Jerome	305	64.6	23.6	6.5	0.7	4.6
Kootenai	1,015	82.6	14.1	2.5	0.4	0.4
Latah	491	85.7	10.4	2.5	0.2	1.2
Lemhi	148	69.6	20.9	6.8	0.7	2.0
Lewis	80	67.5	28.8	2.5	0.0	1.2
Lincoln	64	68.8	18.7	3.1	3.1	6.3
Madison	553	60.2	33.3	5.4	0.0	1.1
Minidoka	469	58.4	28.1	7.9	1.5	4.1
Nez Perce	459	75.4	21.1	1.7	0.7	1.1
Oneida	81	70.4	28.4	1.2	0.0	0.0
Owyhee	172	58.1	25.6	6.4	2.3	7.6
Payette	286	72.4	20.3	2.8	1.7	2.8
Power	142	71.8	21.1	2.8	0.7	3.5
Shoshone	287	68.6	19.2	5.2	0.4	6.6
Teton	92	72.8	20.7	6.5	0.0	0.0
Twin Falls	1,073	74.0	17.6	3.8	1.2	3.4
Valley	119	77.3	19.3	2.5	0.0	0.9
Washington	150	46.0	28.0	6.0	1.3	18.7

IDAHO RESIDENT LIVE BIRTHS

Educational Attainment of Mother

1982

RESIDENCE	LIVE BIRTHS	EDUCATION IN YEARS				
		0-8	9-12	13-16	17+	Not Stated
IDAHO	19,581	548	9365	7103	663	1902
District 1	2,079	25	1136	584	80	254
District 2	1,436	16	610	431	86	293
District 3	2,506	96	1012	416	44	938
District 4	4,062	72	1889	1656	195	250
District 5	2,891	166	1446	1115	80	84
District 6	3,376	90	1807	1368	77	34
District 7	3,231	83	1465	1533	101	49
Ada	3,304	43	1425	1410	185	241
Adams	61	3	35	16	5	2
Bannock	1,477	11	801	607	49	9
Bear Lake	186	5	108	68	3	2
Benewah	164	3	93	35	7	26
Bingham	939	54	487	369	14	15
Blaine	218	3	78	127	7	3
Boise	43	1	23	13	2	4
Bonner	453	-	226	127	23	77
Bonneville	1,660	42	790	740	61	27
Boundary	160	3	93	49	2	13
Butte	71	1	34	33	3	-
Camas	22	-	10	12	-	-
Canyon	1,634	58	511	206	22	837
Caribou	212	2	123	86	1	-
Cassia	507	39	246	196	7	19
Clark	14	-	7	6	-	1
Clearwater	175	1	105	46	6	17
Custer	110	1	69	35	5	-
Elmore	596	28	375	181	7	5
Franklin	268	6	134	122	2	4
Fremont	254	9	131	108	3	3
Gem	203	8	136	42	6	11
Gooding	233	16	119	83	11	4
Idaho	231	1	99	52	7	72
Jefferson	400	18	187	179	10	6
Jerome	305	12	156	115	13	9
Kootenai	1,015	7	538	312	39	119
Latah	491	5	134	177	49	126
Lemhi	148	3	80	57	8	-
Lewis	80	3	43	12	4	18
Lincoln	64	4	35	22	1	2
Madison	553	7	156	369	10	11
Minidoka	469	59	229	159	8	14
Nez Perce	459	6	229	144	20	60
Oneida	81	1	38	41	1	-
Owyhee	172	3	60	37	-	72
Payette	286	14	176	80	3	13
Power	142	10	82	42	4	4
Shoshone	287	12	186	61	9	19
Teton	92	3	45	39	4	1
Twin Falls	1,073	33	573	401	33	33
Valley	119	-	66	52	1	-
Washington	150	10	94	35	8	3

IDAHO RESIDENT LIVE BIRTHS

Trimester of Pregnancy When Prenatal Care Began

By Educational Attainment of Mother (Percent)

1982

EDUCATION OF MOTHER	LIVE BIRTHS	TRIMESTER WHEN PRENATAL CARE BEGAN				
		First	Second	Third	No Prenatal Care	Not Stated
U.S. TOTAL (1980)	100%	74.4%	18.0%	3.7%	1.4%	2.5%
IDAHO TOTAL	19,581	73.8	18.8	4.0	0.5	2.9
0-8 years	548	43.2	33.0	13.5	2.2	8.0
9-12 years	9,365	70.9	20.7	4.5	0.7	3.2
13-16 years	7,103	81.0	15.2	2.0	0.2	1.6
17+ years	663	88.4	9.0	1.4	0.0	1.2
Not Stated	1,902	64.5	22.4	7.0	0.6	5.3

IDAHO RESIDENT LIVE BIRTHS

Complications and Malformations

1982

CONDITION	TOTAL LIVE BIRTHS	PRESENCE OF CONDITION		
		Yes	No	Not Stated
Complications of Pregnancy	19,581	685	18,848	48
Complications of Labor and/or Delivery	19,581	1,557	17,986	38
Congenital Malformations	19,581	319	19,157	105

IDAHO RESIDENT LIVE BIRTHS

Complications and Malformations by Prenatal Care

1982

TRIMESTER PRENATAL CARE BEGAN	COMPLICATIONS OF PREGNANCY			COMPLICATIONS OF LABOR			CONGENITAL MALFORMATIONS		
	Yes	No	Not Stated	Yes	No	Not Stated	Yes	No	Not Stated
TOTAL	3.5%	96.3%	0.2%	8.0%	91.8%	0.2%	1.6%	97.8%	0.5%
First	3.6	96.2	0.2	7.9	92.0	0.1	1.7	97.9	0.4
Second	3.3	96.6	0.1	8.6	91.3	0.1	1.5	98.2	0.3
Third	2.3	97.0	0.6	7.4	92.4	0.1	1.3	98.6	0.1
No Prenatal Care	1.9	94.2	3.8	8.6	90.4	1.0	1.0	97.1	1.9
Unknown	2.8	94.3	2.8	6.2	91.5	2.3	2.5	94.2	3.3

IDAHO RESIDENT LIVE BIRTHS

APGAR Scores: One Minute, Five Minutes

1982

ONE-MINUTE APGAR SCORES	FIVE-MINUTE APGAR SCORES					
	TOTAL	0-2	3-5	6-7	8-10	Not Stated
TOTAL	19,581	80	174	848	18,126	353
0 - 2	295	63	86	94	49	3
3 - 5	1,104	8	70	432	589	5
6 - 7	4,402	3	13	287	4,082	17
8 -10	13,385	5	4	32	13,306	38
Not Stated	395	1	1	3	100	290

IDAHO IMMATURE LIVE BIRTHS

By Race of Mother

1982

RESIDENCE	IMMATURE LIVE BIRTHS		RACE OF MOTHER						Mother, Spanish Surname[2]
	Total	Rate[1]	White	Black	American Indian	Japanese	Other Nonwhite	Not Stated	
IDAHO	1045	53.4	1012	3	12	5	9	4	64
District 1	102	49.1	99	1	1	-	-	1	-
District 2	58	40.4	56	-	2	-	-	-	1
District 3	135	53.9	133	-	-	1	-	1	23
District 4	211	51.9	202	1	2	1	4	1	2
District 5	151	52.2	148	-	-	-	2	1	22
District 6	206	61.0	196	1	6	2	1	-	12
District 7	182	56.3	178	-	1	1	2	-	4
Ada	168	50.8	163	-	2	1	1	1	1
Adams	5	82.0	5	-	-	-	-	-	-
Bannock	94	63.6	87	1	3	2	1	-	2
Bear Lake	16	86.0	16	-	-	-	-	-	-
Benewah	9	54.9	8	-	1	-	-	-	-
Bingham	54	57.5	51	-	3	-	-	-	9
Blaine	10	45.9	10	-	-	-	-	-	-
Boise	1	23.3	1	-	-	-	-	-	-
Bonner	22	48.6	21	1	-	-	-	-	-
Bonneville	97	58.4	94	-	1	1	1	-	1
Boundary	9	56.3	8	-	-	-	-	1	-
Butte	5	70.4	5	-	-	-	-	-	-
Camas	1	45.5	1	-	-	-	-	-	-
Canyon	92	56.3	90	-	-	1	-	1	18
Caribou	11	51.9	11	-	-	-	-	-	-
Cassia	30	59.2	30	-	-	-	-	-	11
Clark	-	-	-	-	-	-	-	-	-
Clearwater	11	62.9	10	-	1	-	-	-	-
Custer	9	81.8	9	-	-	-	-	-	-
Elmore	36	60.4	32	1	-	-	3	-	1
Franklin	11	41.0	11	-	-	-	-	-	-
Fremont	14	55.1	13	-	-	-	1	-	2
Gem	13	64.0	13	-	-	-	-	-	-
Gooding	11	47.2	11	-	-	-	-	-	1
Idaho	6	26.0	6	-	-	-	-	-	-
Jefferson	24	60.0	24	-	-	-	-	-	-
Jerome	16	52.5	16	-	-	-	-	-	1
Kootenai	45	44.3	45	-	-	-	-	-	-
Latah	19	38.7	19	-	-	-	-	-	1
Lemhi	6	40.5	6	-	-	-	-	-	-
Lewis	4	50.0	4	-	-	-	-	-	-
Lincoln	2	31.3	2	-	-	-	-	-	-
Madison	26	47.0	26	-	-	-	-	-	1
Minidoka	23	49.0	23	-	-	-	-	-	5
Nez Perce	18	39.2	17	-	1	-	-	-	-
Oneida	8	98.8	8	-	-	-	-	-	-
Owyhee	8	46.5	8	-	-	-	-	-	1
Payette	10	35.0	10	-	-	-	-	-	2
Power	7	49.3	7	-	-	-	-	-	1
Shoshone	17	59.2	17	-	-	-	-	-	-
Teton	6	65.2	6	-	-	-	-	-	-
Twin Falls	58	54.1	55	-	-	-	2	1	4
Valley	6	50.4	6	-	-	-	-	-	-
Washington	7	46.7	7	-	-	-	-	-	2

[1]NOTE: 1982 immature live birth rates listed here supersede the rates in the 1982 mid-year report. Any differences are due to rounding techniques.

[2]Included in white totals.

IDAHO IMMATURE LIVE BIRTHS

By Age of Mother

1982

RESIDENCE	TOTAL	AGE OF MOTHER							
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+
IDAHO	1045	2	195	362	273	149	54	9	1
District 1	102	-	23	32	21	19	6	1	-
District 2	58	-	13	21	21	2	1	-	-
District 3	135	-	36	38	29	24	8	-	-
District 4	211	-	39	74	59	28	10	1	-
District 5	151	1	25	55	37	22	9	2	-
District 6	206	1	34	83	51	28	8	1	-
District 7	182	-	25	59	55	26	12	4	1
Ada	168	-	30	56	49	27	5	1	-
Adams	5	-	-	-	-	3	2	-	-
Bannock	94	-	11	36	29	14	4	-	-
Bear Lake	16	-	1	4	5	5	1	-	-
Benewah	9	-	2	4	2	1	-	-	-
Bingham	54	1	12	24	9	4	3	1	-
Blaine	10	-	2	3	3	1	1	-	-
Boise	1	-	-	-	-	-	1	-	-
Bonner	22	-	5	9	5	3	-	-	-
Bonneville	97	-	16	27	30	13	10	1	-
Boundary	9	-	2	1	3	3	-	-	-
Butte	5	-	3	2	-	-	-	-	-
Camas	1	-	-	1	-	-	-	-	-
Canyon	92	-	26	22	23	17	4	-	-
Caribou	11	-	3	3	1	4	-	-	-
Cassia	30	1	2	16	4	6	1	-	-
Clark	-	-	-	-	-	-	-	-	-
Clearwater	11	-	2	5	3	1	-	-	-
Custer	9	-	-	6	2	-	1	-	-
Elmore	36	-	9	17	8	-	2	-	-
Franklin	11	-	1	6	3	1	-	-	-
Fremont	14	-	4	1	5	2	-	2	-
Gem	13	-	3	6	2	2	-	-	-
Gooding	11	-	1	4	1	3	1	1	-
Idaho	6	-	3	1	2	-	-	-	-
Jefferson	24	-	4	7	7	5	-	-	1
Jerome	16	-	4	5	4	1	2	-	-
Kootenai	45	-	5	16	9	10	5	-	-
Latah	19	-	4	6	9	-	-	-	-
Lemhi	6	-	1	2	1	2	-	-	-
Lewis	4	-	1	-	3	-	-	-	-
Lincoln	2	-	-	2	-	-	-	-	-
Madison	26	-	-	13	8	4	1	-	-
Minidoka	23	-	7	6	7	3	-	-	-
Nez Perce	18	-	3	9	4	1	1	-	-
Oneida	8	-	-	5	3	-	-	-	-
Owyhee	8	-	2	5	-	1	-	-	-
Payette	10	-	3	5	1	1	-	-	-
Power	7	-	3	3	1	-	-	-	-
Shoshone	17	-	9	2	2	2	1	1	-
Teton	6	-	-	3	2	-	-	1	-
Twin Falls	58	-	9	18	18	8	4	1	-
Valley	6	-	-	1	2	1	2	-	-
Washington	7	-	2	-	3	-	2	-	-

IDAHO IMMATURE LIVE BIRTHS

Live Birth Order by Age of Mother

1982

Live Birth Order	TOTAL	Age of Mother							
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TOTAL	1045	2	195	362	273	149	54	9	1
1	405	1	145	152	67	34	5	1	-
2	293	1	38	128	87	30	9	-	-
3	167	-	7	55	65	26	11	3	-
4	81	-	3	14	29	25	9	1	-
5	51	-	-	8	19	16	8	-	-
6	16	-	-	2	3	7	4	-	-
7	10	-	-	-	1	4	3	1	1
8	3	-	-	-	-	2	-	1	-
9	4	-	-	-	-	-	3	1	-
10+	3	-	-	-	-	2	1	-	-
Not Stated	12	-	2	3	2	3	1	1	-

1982 AGE-SPECIFIC IMMATURITY RATES

Age	Immature Live Births	Total Live Births	Immaturity Rate
Total	1,045	19,581	53.4
10-14	2	22	90.9
15-19	195	2,339	83.4
20-24	362	6,926	52.3
25-29	273	5,921	46.1
30-34	149	3,238	46.0
35-39	54	963	56.1
40-44	9	162	55.6
45-49	1	9	11.1
Not Stated	-	1	-

IDAHO IMMATURE LIVE BIRTHS

By Weight at Birth

1982

RESIDENCE	TOTAL LIVE BIRTHS	IMMATURE LIVE BIRTHS						2501+ gr.	Weight Not Stated
		TOTAL	<500 gr.	501-1000 gr.	1001-1500 gr.	1501-2000 gr.	2001-2500 gr.		
IDAHO	19581	1045	14	50	77	200	704	18512	24
District 1	2079	102	2	5	4	22	69	1975	2
District 2	1436	58	-	3	8	11	36	1375	3
District 3	2506	135	5	7	7	37	79	2367	4
District 4	4062	211	2	10	16	32	151	3849	2
District 5	2891	151	1	5	12	39	94	2736	4
District 6	3376	206	3	8	17	31	147	3167	3
District 7	3231	182	1	12	13	28	128	3043	6
Ada	3304	168	2	7	12	26	121	3134	2
Adams	61	5	-	-	-	2	3	56	-
Bannock	1477	94	2	3	10	15	64	1383	-
Bear Lake	186	16	-	-	1	3	12	170	-
Benewah	164	9	-	2	-	1	6	155	-
Bingham	939	54	-	4	2	10	38	884	1
Blaine	218	10	-	-	-	-	10	208	-
Boise	43	1	-	-	-	-	1	42	-
Bonner	453	22	1	-	2	5	14	431	-
Bonneville	1660	97	-	7	9	14	67	1562	1
Boundary	160	9	-	-	-	-	9	150	1
Butte	71	5	-	1	-	-	4	66	-
Camas	22	1	-	-	-	-	1	21	-
Canyon	1634	92	4	6	5	25	52	1540	2
Caribou	212	11	-	-	2	-	9	201	-
Cassia	507	30	-	-	1	14	15	476	1
Clark	14	-	-	-	-	-	-	14	-
Clearwater	175	11	-	1	2	3	5	164	-
Custer	110	9	-	-	1	1	7	101	-
Elmore	596	36	-	3	4	4	25	560	-
Franklin	268	11	-	-	-	1	10	256	1
Fremont	254	14	-	-	-	3	11	238	2
Gem	203	13	-	-	2	3	8	190	-
Gooding	233	11	-	-	1	4	6	220	2
Idaho	231	6	-	-	-	1	5	225	-
Jefferson	400	24	-	3	2	3	16	375	1
Jerome	305	16	-	2	1	4	9	289	-
Kootenai	1015	45	1	2	2	14	26	969	1
Latah	491	19	-	1	1	2	15	469	3
Lemhi	148	6	-	-	-	1	5	142	-
Lewis	80	4	-	-	-	-	4	76	-
Lincoln	64	2	-	-	-	-	2	62	-
Madison	553	26	1	2	1	4	18	526	1
Minidoka	469	23	-	-	5	7	11	446	-
Nez Perce	459	18	-	1	5	5	7	441	-
Oneida	81	8	1	-	1	1	5	73	-
Owyhee	172	8	1	-	-	-	7	164	-
Payette	286	10	-	1	-	4	5	275	1
Power	14[illegible]	7	-	-	1	1	5	134	1
Shoshone	28[illegible]	17	-	1	-	2	14	270	-
Teton	92	6	-	-	-	2	4	85	1
Twin Falls	1073	58	1	3	4	10	40	1014	1
Valley	119	6	-	-	-	2	4	113	-
Washington	150	7	-	-	-	3	4	142	1

OUT-OF-WEDLOCK BIRTHS

Out-of-wedlock live births totaled 1,723 in 1982, a 5% increase over the 1,638 recorded in 1981. This is the highest number of out-of-wedlock births ever recorded in Idaho. Coupled with a much smaller increase (0.5%) in the number of live births, this higher number translates to a corresponding rise in the ratio of out-of-wedlock births to live births (88.0 in 1982). Compared to the national ratio of 184.3 in 1980 (the latest year available), Idaho's ratio appears to be "not too bad." However, one must keep in mind the impact of the higher nonwhite ratios on both the nation and Idaho. Idaho has a small nonwhite population, so their higher ratios have little effect. Additionally, the out-of-wedlock ratios for Idaho's nonwhites are significantly lower than those for the nonwhites in the rest of the country.

	Total	White	Nonwhite	
			Total	Black
U. S. (1980)	184.3	110.4	484.5	552.5
Idaho (1982)	88.0	84.0	247.3	148.1

In addition, more specific race data are available for Idaho.

IDAHO NONWHITE RATIO

	1982	1981	1980	1979	1978
Black	148.1	140.4	255.8	276.6	265.3
American Indian	415.9	364.9	373.8	311.3	335.0
Japanese	57.7	93.0	51.3	0.0	76.9
Other nonwhite	103.4	38.8	48.8	59.4	19.0
Spanish surname*.....	144.1	127.6	NA	NA	NA

The national ratio of nonwhite births occurring out-of-wedlock is 96% higher than Idaho's nonwhite ratio, and the national white out-of-wedlock birth ratio is 31% higher than the corresponding Idaho white ratio. One must keep in mind two influencing factors: (1) the U. S. ratios shown above lag two years behind Idaho's; undoubtedly the 1982 U. S. Ratios will be higher than 1980's; and (2) Idaho has a very high birth rate; since the births provide the base denominator for computing the ratio, the higher the number of live births, the lower the ratio. A true "out-of-wedlock" birth rate (the number per 1,000 unmarried females aged 15-44) would most likely show Idaho's white out-of-wedlock birth rate to be much closer to that of the U. S.

Districts 1 and 3 continue to have the highest ratios, with 121.7 and 112.5, respectively; District 2 is a close third, increasing to a rate of 109.3. All districts except District 7 showed an increased number and ratio of out-of-wedlock births in 1982.

***Included in white totals.**

IDAHO OUT-OF-WEDLOCK LIVE BIRTHS

By Race of Mother

1982

RESIDENCE	OUT-OF-WEDLOCK LIVE BIRTHS		RACE OF MOTHER						Mother, Spanish Surname[2]
	Total	Ratio[1]	White	Black	American Indian	Japanese	Other Nonwhite	Not Stated	
IDAHO	1723	88.0	1603	8	89	3	15	5	137
District 1	253	121.7	236	1	12	1	3	-	3
District 2	157	109.3	135	-	22	-	-	-	1
District 3	282	112.5	269	1	3	2	3	4	52
District 4	369	90.8	351	3	6	-	8	1	5
District 5	236	81.6	232	-	4	-	-	-	39
District 6	268	79.4	225	3	39	-	1	-	22
District 7	158	48.9	155	-	3	-	-	-	15
Ada	334	101.1	318	2	6	-	7	1	3
Adams	5	82.0	5	-	-	-	-	-	-
Bannock	149	100.9	129	3	16	-	1	-	10
Bear Lake	11	59.1	11	-	-	-	-	-	2
Benewah	21	128.0	16	-	4	1	-	-	-
Bingham	71	75.6	49	-	22	-	-	-	5
Blaine	15	68.8	15	-	-	-	-	-	1
Boise	3	69.8	3	-	-	-	-	-	1
Bonner	55	121.4	53	1	-	-	1	-	-
Bonneville	101	60.8	98	-	3	-	-	-	11
Boundary	13	81.3	11	-	2	-	-	-	-
Butte	4	56.3	4	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	193	118.1	184	1	1	1	3	3	44
Caribou	3	14.2	3	-	-	-	-	-	-
Cassia	43	84.8	41	-	2	-	-	-	11
Clark	-	-	-	-	-	-	-	-	-
Clearwater	19	108.6	18	-	1	-	-	-	-
Custer	5	45.5	5	-	-	-	-	-	-
Elmore	22	36.9	20	1	-	-	1	-	1
Franklin	8	29.9	8	-	-	-	-	-	1
Fremont	12	47.2	12	-	-	-	-	-	-
Gem	25	123.2	23	-	2	-	-	-	-
Gooding	16	68.7	16	-	-	-	-	-	-
Idaho	24	103.9	24	-	-	-	-	-	-
Jefferson	13	32.5	13	-	-	-	-	-	3
Jerome	28	91.8	27	-	1	-	-	-	2
Kootenai	125	123.2	117	-	6	-	2	-	2
Latah	27	55.0	27	-	-	-	-	-	1
Lemhi	14	94.6	14	-	-	-	-	-	-
Lewis	11	137.5	10	-	1	-	-	-	-
Lincoln	3	46.9	3	-	-	-	-	-	-
Madison	11	19.9	11	-	-	-	-	-	1
Minidoka	44	93.8	44	-	-	-	-	-	17
Nez Perce	76	165.6	56	-	20	-	-	-	-
Oneida	4	49.4	4	-	-	-	-	-	-
Owyhee	16	93.0	15	-	-	-	-	1	3
Payette	30	104.9	29	-	-	1	-	-	5
Power	18	126.8	17	-	1	-	-	-	4
Shoshone	39	135.9	39	-	-	-	-	-	1
Teton	2	21.7	2	-	-	-	-	-	-
Twin Falls	87	81.1	86	-	1	-	-	-	8
Valley	10	84.0	10	-	-	-	-	-	-
Washington	13	86.7	13	-	-	-	-	-	-

[1]NOTE: 1982 out-of-wedlock live birth ratios listed here supersede the rates in the 1982 mid-year report. Any differences are due to rounding techniques.

[2]Included in white totals.

IDAHO OUT-OF-WEDLOCK LIVE BIRTHS

By Age of Mother

1982

RESIDENCE	TOTAL	AGE OF MOTHER							
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+
IDAHO	1723	20	685	617	251	106	36	8	-
District 1	253	2	103	90	33	17	7	1	-
District 2	157	1	61	51	28	12	4	-	-
District 3	282	6	118	101	33	18	4	2	-
District 4	369	6	136	143	54	20	9	1	-
District 5	236	2	97	81	36	13	6	1	-
District 6	268	1	103	105	42	15	2	-	-
District 7	158	2	67	46	25	11	4	3	-
Ada	334	5	125	128	48	18	9	1	-
Adams	5	-	-	4	1	-	-	-	-
Bannock	149	-	59	59	24	6	1	-	-
Bear Lake	11	-	4	5	2	-	-	-	-
Benewah	21	-	10	5	4	1	1	-	-
Bingham	71	1	27	29	9	5	-	-	-
Blaine	15	-	4	3	5	2	1	-	-
Boise	3	-	-	1	1	1	-	-	-
Bonner	55	-	25	19	9	2	-	-	-
Bonneville	101	2	45	29	12	7	3	3	-
Boundary	13	-	6	3	1	3	-	-	-
Butte	4	-	2	1	-	1	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	193	5	79	67	24	14	3	1	-
Caribou	3	-	1	2	-	-	-	-	-
Cassia	43	-	17	18	4	1	3	-	-
Clark	-	-	-	-	-	-	-	-	-
Clearwater	19	-	3	8	5	2	1	-	-
Custer	5	-	1	2	1	1	-	-	-
Elmore	22	-	7	12	2	1	-	-	-
Franklin	8	-	1	3	1	2	1	-	-
Fremont	12	-	5	2	4	1	-	-	-
Gem	25	-	14	7	1	3	-	-	-
Gooding	16	-	7	3	5	1	-	-	-
Idaho	24	-	10	7	4	-	3	-	-
Jefferson	13	-	7	4	2	-	-	-	-
Jerome	28	1	7	13	4	3	-	-	-
Kootenai	125	1	42	54	14	8	5	1	-
Latah	27	-	9	11	5	2	-	-	-
Lemhi	14	-	3	6	4	-	1	-	-
Lewis	11	-	5	3	3	-	-	-	-
Lincoln	3	1	1	1	-	-	-	-	-
Madison	11	-	5	2	2	2	-	-	-
Minidoka	44	-	20	12	6	4	2	-	-
Nez Perce	76	1	34	22	11	8	-	-	-
Oneida	4	-	-	2	2	-	-	-	-
Owyhee	16	1	7	7	1	-	-	-	-
Payette	30	-	14	11	3	1	1	-	-
Power	18	-	9	4	4	1	-	-	-
Shoshone	39	1	20	9	5	3	1	-	-
Teton	2	-	1	1	-	-	-	-	-
Twin Falls	87	-	41	31	12	2	-	1	-
Valley	10	1	4	2	3	-	-	-	-
Washington	13	-	4	5	3	-	-	1	-

IDAHO OUT-OF-WEDLOCK LIVE BIRTHS

Live Birth Order by Age of Mother

1982

Order of Birth	TOTAL	Age of Mother							
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
TOTAL	1723	20	685	617	251	106	36	8	-
1	1078	19	602	342	79	28	8	-	-
2	330	1	70	176	63	17	3	-	-
3	172	-	5	72	62	27	6	-	-
4	70	-	1	15	28	15	8	3	-
5	36	-	-	6	11	13	5	1	-
6	10	-	-	2	4	1	2	1	-
7	4	-	-	-	2	1	1	-	-
8	4	-	-	-	-	-	2	2	-
9	-	-	-	-	-	-	-	-	-
10+	2	-	-	-	-	1	-	1	-
Not Stated	17	-	7	4	2	3	1	-	-

1982 AGE-SPECIFIC OUT-OF-WEDLOCK LIVE BIRTH RATIOS

Age	Out-of-Wedlock Live Births	Total Live Births	Ratio
Total	1,723	19,581	88.0
10-14	20	22	909.0
15-19	685	2,339	292.7
20-24	617	6,926	89.1
25-29	251	5,921	42.4
30-34	106	3,238	32.7
35-39	36	963	37.4
40-44	8	162	49.4
45-49	-	9	-
Not Stated	-	1	-

MORTALITY

Photograph Courtesy Idaho Historical Society

Although cremation was reported, interment of the dead on elevated platforms, trees, a rocky shelter or burial in the ground were more common. Shamans performed rituals to ensure that the ghost of the dead would not return.

MORTALITY

The number of deaths to Idahoans increased a scant 0.3% in 1982 to 6,924. Although this is the highest number of deaths ever recorded in Idaho, the rate of death remains at a relatively low level. The provisional rate of 7.2 is the same as the previous two years (the final rate will probably be slightly lower), and it appears that Idaho's rate of death is stabilizing after a long period of decline. The U.S. death rate was 8.6 in 1982, down from 8.7 in 1981. The national death rate has historically been higher than Idaho's. Age-adjusted rates* for Idaho show that even allowing for the different age structures, Idaho's adjusted rate of death is truly below that of the nation.

The five leading causes of death remain: 1) heart disease, 2) malignant neoplasms, 3) cerebrovascular disease, 4) accidents, and 5) pneumonia and influenza. Although accidents were the third-leading cause of death in Idaho in 1980, they reverted to their traditional fourth-place cause in 1981. These leading five causes are the same at both the national and state levels. The next five causes are different, as they usually are:

Causes ranked 6-10 in U.S.	Rank in Idaho
6. Diabetes mellitus (14.3)	7 (12.3)
7. Chronic liver disease and cirrhosis (11.8)	10 (9.4)
8. Suicide (11.7)	6 (14.4)
9. Atherosclerosis (11.5)	9 (9.9)
10. Homicide and legal intervention (9.6)	15 (3.4)

Of the ten leading causes of death in the U.S., all but malignant neoplasms and suicide decreased in 1982.

When comparing 1981 and 1982 Idaho cause-specific mortality rates, one should again keep in mind that the 1982 rates are based on 1981 population estimates, so are provisional. Also since these rates are per 100,000, the revisions will show more noticeable differences from the provisionals than would rates per 1,000.

When making comparisons of 1979-1982 mortality data with earlier years, one must be aware that the manner of coding the underlying cause of death changed in 1979 to the ninth revision of the **International Classification of Diseases** (ICD-9). The introduction of ICD-9 in all states has resulted in a major reclassification of several causes of death. Therefore, there are major discontinuities in the trends for certain causes of death. See Appendix C for the comparability ratios between ICDA-8 and ICD-9.

*To eliminate the bias inherent in differing age compositions (an older population usually has a higher death rate simply because the risk of dying increases as one ages), age-specific death rates can be calculated. These rates are then applied to a standard population, often the U.S. Population, and the composite or "age-adjusted," death rate is then calculated. Five-year average (1968-1972) death rates were computed for Idaho counties using the U.S. as a standard population, and has been published in several earlier publications of this report.

IDAHO RESIDENT DEATHS

1971 - 1982



U.S., IDAHO DEATH RATES

1971 - 1982



IDAHO RESIDENT DEATHS AND RATES

By District and County of Residence

1978 - 1982

RESIDENCE	1982		1981		1980		1979		1978	
	Number	Rate[1]	Number	Rate[2]	Number	Rate	Number	Rate	Number	Rate
U. S. RATES	-	8.6	-	8.7	-	8.7	-	8.7	-	8.8
IDAHO	6924	7.2	6902	7.2	6753	7.2	6386	7.1	6487	7.4
District 1	947	7.9	963	8.0	994	8.4	892	7.9	907	8.4
District 2	767	8.4	733	8.0	750	8.2	728	8.4	683	7.9
District 3	1109	8.4	1158	8.7	1110	8.4	1005	8.0	1106	8.9
District 4	1270	6.0	1344	6.4	1217	6.0	1194	6.4	1144	6.4
District 5	1069	7.9	1043	7.7	1009	7.6	976	7.6	945	7.5
District 6	967	6.8	901	6.3	924	6.6	913	6.5	966	7.1
District 7	795	6.2	760	5.9	749	5.9	678	5.4	736	6.0
Ada	1104	6.2	1181	6.6	1058	6.1	1031	6.6	1014	6.7
Adams	29	9.3	24	7.7	23	6.9	31	8.9	20	5.9
Bannock	439	6.6	412	6.2	381	5.8	413	6.4	408	6.5
Bear Lake	61	8.5	48	6.7	69	10.0	62	8.6	64	9.1
Benewah	67	8.0	59	7.1	66	8.0	56	7.2	72	9.5
Bingham	223	6.1	228	6.2	218	6.0	225	6.0	240	6.6
Blaine	63	6.2	52	5.1	42	4.3	49	5.1	43	4.7
Boise	15	4.8	16	5.1	17	5.7	17	5.9	9	3.3
Bonner	201	8.1	200	8.0	202	8.4	176	7.5	165	7.3
Bonneville	383	5.7	411	6.1	390	5.9	333	5.2	368	5.8
Boundary	47	6.5	67	9.2	55	7.5	54	7.7	48	7.2
Butte	32	9.5	22	6.6	25	7.5	20	5.7	28	8.2
Camas	7	8.9	2	2.5	6	7.3	5	5.6	5	6.3
Canyon	672	8.0	678	8.1	653	7.8	567	7.2	656	8.5
Caribou	46	5.2	40	4.5	51	5.9	47	5.4	43	5.1
Cassia	139	7.1	107	5.5	136	7.0	142	7.2	146	7.5
Clark	6	7.5	10	12.6	4	5.0	7	7.8	6	6.7
Clearwater	72	7.0	77	7.5	72	6.9	70	7.4	73	7.5
Custer	31	8.2	34	8.9	27	8.0	27	8.2	20	6.1
Elmore	122	5.6	99	4.5	94	4.4	106	4.9	87	4.1
Franklin	79	8.5	87	9.4	88	9.9	74	7.9	81	9.2
Fremont	74	6.8	71	6.5	61	5.6	69	6.1	66	6.0
Gem	97	8.1	120	10.1	116	9.7	115	9.6	111	10.0
Gooding	130	10.6	131	10.7	108	9.1	85	7.7	99	9.0
Idaho	134	9.1	113	7.7	112	7.6	137	9.8	118	8.6
Jefferson	109	7.0	84	5.4	99	6.5	78	5.0	112	7.5
Jerome	104	7.0	105	7.0	105	7.1	118	7.7	96	6.6
Kootenai	471	7.8	463	7.7	492	8.2	436	7.7	449	8.5
Latah	202	6.9	204	7.0	203	7.1	169	6.1	168	6.1
Lemhi	72	9.3	62	8.0	60	8.0	58	7.9	60	8.6
Lewis	43	10.8	39	9.8	41	10.0	51	10.9	38	8.3
Lincoln	30	8.3	34	9.4	38	11.1	28	8.5	29	8.5
Madison	97	4.9	64	3.2	78	4.1	92	4.7	82	4.4
Minidoka	142	7.2	140	7.1	122	6.2	117	6.0	116	5.9
Nez Perce	316	9.5	300	9.1	322	9.7	301	9.8	286	9.3
Oneida	39	11.9	31	9.5	43	13.2	36	11.3	42	12.4
Owyhee	67	7.5	77	8.6	58	7.0	61	7.5	66	8.3
Payette	156	9.9	154	9.7	176	11.2	152	9.9	156	10.3
Power	48	7.1	33	4.9	49	7.2	36	5.8	60	9.5
Shoshone	161	8.4	174	9.1	179	9.3	170	9.2	173	9.6
Teton	23	7.6	24	7.9	29	10.0	14	4.8	22	7.9
Twin Falls	454	8.4	472	8.7	452	8.5	432	9.0	411	8.6
Valley	29	5.0	48	8.2	48	8.6	40	7.8	34	7.2
Washington	88	10.0	105	12.0	84	9.5	79	8.9	97	10.8

[1] Provisional

[2] Revised

NOTE: 1982 death rates listed here supersede the rates in th 1982 mid-year report. Any differences are due to rounding techniques.

IDAHO RESIDENT DEATHS

By Sex and Race

1982

RESIDENCE	TOTAL DEATHS	SEX		RACE						Spanish Surname*
		Male	Female	White	Black	American Indian	Japanese	Other Nonwhite	Not Stated	
IDAHO	6924	3939	2985	6810	8	67	15	19	5	90
District 1	947	548	399	934	-	9	-	2	2	2
District 2	767	451	316	743	1	17	1	4	1	-
District 3	1109	618	491	1101	-	2	4	1	1	25
District 4	1270	697	573	1254	4	2	2	8	-	12
District 5	1069	627	442	1063	1	2	1	2	-	31
District 6	967	549	418	927	2	33	3	1	1	10
District 7	795	449	346	788	-	2	4	1	-	10
Ada	1104	599	505	1090	3	1	2	8	-	7
Adams	29	19	10	29	-	-	-	-	-	-
Bannock	439	254	185	420	2	14	1	1	1	7
Bear Lake	61	39	22	61	-	-	-	-	-	1
Benewah	67	39	28	61	-	6	-	-	-	-
Bingham	223	128	95	202	-	19	2	-	-	1
Blaine	63	40	23	62	-	-	-	1	-	2
Boise	15	11	4	15	-	-	-	-	-	-
Bonner	201	114	87	200	-	-	-	1	-	-
Bonneville	383	216	167	378	-	1	3	1	-	1
Boundary	47	23	24	47	-	-	-	-	-	-
Butte	32	21	11	32	-	-	-	-	-	-
Camas	7	5	2	7	-	-	-	-	-	1
Canyon	672	365	307	669	-	-	1	1	1	21
Caribou	46	17	29	46	-	-	-	-	-	-
Cassia	139	78	61	139	-	-	-	-	-	4
Clark	6	4	2	6	-	-	-	-	-	1
Clearwater	72	44	28	70	-	1	-	-	1	-
Custer	31	19	12	31	-	-	-	-	-	-
Elmore	122	70	52	120	1	1	-	-	-	5
Franklin	79	47	32	79	-	-	-	-	-	1
Fremont	74	40	34	74	-	-	-	-	-	1
Gem	97	59	38	95	-	2	-	-	-	-
Gooding	130	84	46	129	-	1	-	-	-	2
Idaho	134	87	47	130	-	4	-	-	-	-
Jefferson	109	64	45	107	-	1	1	-	-	4
Jerome	104	63	41	103	-	-	1	-	-	2
Kootenai	471	271	200	466	-	3	-	-	2	1
Latah	202	111	91	199	1	-	-	2	-	-
Lemhi	72	47	25	72	-	-	-	-	-	-
Lewis	43	27	16	40	-	3	-	-	-	-
Lincoln	30	20	10	30	-	-	-	-	-	2
Madison	97	46	51	97	-	-	-	-	-	3
Minidoka	142	90	52	141	-	1	-	-	-	11
Nez Perce	316	182	134	304	-	9	1	2	-	-
Oneida	39	15	24	39	-	-	-	-	-	-
Owyhee	67	44	23	67	-	-	-	-	-	1
Payette	156	80	76	155	-	-	1	-	-	1
Power	48	28	20	48	-	-	-	-	-	-
Shoshone	161	101	60	160	-	-	-	1	-	1
Teton	23	13	10	23	-	-	-	-	-	-
Twin Falls	454	247	207	452	1	-	-	1	-	7
Valley	29	17	12	29	-	-	-	-	-	-
Washington	88	51	37	86	-	-	2	-	-	2

*Included in white totals.

IDAHO RESIDENT DEATHS

Age at Death

1982

RESIDENCE	AGE AT DEATH								
	<1	1-14	15-24	25-34	35-44	45-54	55-64	65-74	75+
IDAHO*	195	117	171	161	204	368	877	1617	3213
District 1	23	15	20	29	17	52	125	232	434
District 2	16	9	16	22	15	40	106	179	364
District 3	29	16	24	13	33	41	123	265	565
District 4*	42	29	33	27	49	81	173	284	551
District 5	27	11	29	19	24	59	140	265	495
District 6	27	21	23	31	38	56	109	211	451
District 7	31	16	26	20	28	39	101	181	353
Ada*	32	26	27	26	43	66	142	241	500
Adams	-	-	-	-	2	1	2	6	18
Bannock	12	6	8	17	21	30	53	101	191
Bear Lake	-	1	4	3	-	2	4	12	35
Benewah	4	4	3	2	2	4	4	18	26
Bingham	7	7	6	8	10	10	29	49	97
Blaine	1	1	4	3	1	5	11	15	22
Boise	-	-	1	-	2	2	1	3	6
Bonner	7	3	4	11	2	15	17	39	103
Bonneville	18	8	16	8	14	16	43	85	175
Boundary	1	1	1	1	-	1	12	9	21
Butte	2	2	-	-	1	1	2	11	13
Camas	-	-	1	-	-	-	3	1	2
Canyon	24	13	21	10	22	27	77	157	321
Caribou	3	2	-	1	2	5	7	12	14
Cassia	11	1	6	2	1	5	14	30	69
Clark	-	-	-	1	1	-	1	2	1
Clearwater	2	-	2	2	3	7	9	19	28
Custer	-	1	2	2	-	2	6	8	10
Elmore	10	1	4	1	4	9	20	37	36
Franklin	1	-	1	-	3	5	6	8	55
Fremont	3	2	2	1	2	5	9	16	34
Gem	2	-	-	1	1	2	13	22	56
Gooding	1	2	4	3	2	2	15	33	68
Idaho	1	3	3	6	1	10	18	31	61
Jefferson	5	2	1	2	6	9	16	26	42
Jerome	4	1	1	-	6	7	11	30	44
Kootenai	9	5	9	11	10	20	65	119	223
Latah	5	3	6	4	2	11	25	35	111
Lemhi	-	-	-	3	2	1	11	21	34
Lewis	2	-	1	-	1	1	8	9	21
Lincoln	-	-	1	-	-	2	5	9	13
Madison	5	2	5	1	3	6	12	16	47
Minidoka	3	2	5	7	4	12	23	35	51
Nez Perce	6	3	4	10	8	11	46	85	143
Oneida	2	1	-	-	1	2	2	9	22
Owyhee	-	2	1	-	5	2	10	14	33
Payette	3	-	-	2	1	5	14	44	87
Power	-	2	4	2	-	1	6	9	24
Shoshone	2	2	3	4	3	12	27	47	61
Teton	-	1	-	2	-	-	3	7	10
Twin Falls	7	4	7	4	10	26	58	112	226
Valley	-	2	1	-	-	4	10	3	9
Washington	-	1	2	-	2	4	7	22	50

*Includes one (1) decedent whose age was not stated.

TEN LEADING CAUSES OF DEATH TO IDAHOANS

Cause-Specific Rates

1982

CAUSE OF DEATH	IDAHO				Provisional U.S. Rate
	TOTAL		SEX		
	Number	Rate	Male	Female	
ALL CAUSES	6924	721.8	3939	2985	857.8
1. Diseases of the heart	2405	250.7	1351	1054	326.9
2. Malignant neoplasms	1370	142.8	764	606	188.6
3. Cerebrovascular disease	569	59.3	245	324	68.8
4. Accidents	495	51.6	354	141	40.8
--Motor vehicle accidents	238	24.8	165	73	19.6
--All other accidents	257	26.8	189	68	21.2
5. Pneumonia and influenza	220	22.9	118	102	21.2
6. Suicide	138	14.4	109	29	11.7
7. Diabetes mellitus	118	12.3	47	71	14.3
8. Bronchitis, emphysema, and asthma	101	10.5	74	27	8.3
9. Atherosclerosis	95	9.9	48	47	11.5
10. Chronic liver disease and cirrhosis	90	9.4	57	33	11.8
All other causes	1323	-	772	551	-

LEADING CAUSES OF DEATH BY AGE GROUP

IDAHO, 1982

ALL AGES: (6,924 deaths)



Other Causes	Deaths
Suicide	*138*
Diabetes mellitus	*118*
Bronchitis, emphysema and asthma	*101*
Atherosclerosis	*95*
Chronic liver disease and cirrhosis	*90*

AGE: < 1 YEAR (195 deaths)



Other Causes	Deaths
Pneumonia and influenza	*6*
Accidents	*5*
Motor vehicle	*2*
All other	*3*
Septicemia	*5*
Diseases of heart	*3*
Cerebrovascular disease	*2*

AGE: 1-4 YEARS (44 deaths)



AGE: 5-14 YEARS (73 deaths)



Other Causes	Deaths
Cerebrovascular disease	2
Pneumonia and influenza	2
Other disorders of central nervous system	2

AGE: 15-24 YEARS (171 deaths)



Other Causes	Deaths
Diseases of heart	*3*
Diabetes mellitus	*3*
External cause, undetermined if accident, suicide or homicide	*3*
Other disorders of central nervous system	*3*
Muscular dystrophies and other myopathies	*2*
Pneumonitis due to solids and liquids	*2*

AGE: 25-44 YEARS (365 deaths)



Other Causes	Deaths
Chronic liver disease and cirrhosis	*12*
Cerebrovascular disease	*10*
Diabetes mellitus	*9*
External cause, undetermined if accident, suicide or homicide	*6*
Benign neoplasms	*4*
Bronchitis, emphysema and asthma	*4*

AGE: 45-64 YEARS (1,245 deaths)



Other Causes	Deaths
Bronchitis, emphysema and asthma	*19*
Diabetes mellitus	*14*
Other diseases of arteries, arterioles and capillaries	*14*
Nephritis and nephrosis	*9*
Pneumonia and influenza	*9*

AGE: 65+ YEARS (4,830 deaths)



Other Causes	Deaths
Diabetes mellitus	*92*
Atherosclerosis	*87*
Bronchitis, emphysema and asthma	*77*
Other diseases of arteries, arterioles and capillaries	*56*
Nephritis and nephrosis	*40*

IDAHO MALIGNANT NEOPLASM DEATHS

By Primary Site

1982

ICDA 8th Rev.	SITE OF MALIGNANT NEOPLASM	TOTAL	Sex	
			Male	Female
	TOTAL MALIGNANT NEOPLASM DEATHS	1370	764	606
140-149	LIP, ORAL CAVITY AND PHARYNX	15	9	6
140	Lip	-	-	-
141	Tongue	1	1	-
142	Major salivary gland	3	1	2
143	Gum	-	-	-
144	Floor of mouth	2	1	1
145	Other and unspecified parts of mouth	-	-	-
146	Oropharynx	2	1	1
147	Nasopharynx	1	1	-
148	Hypopharynx	1	1	-
149	Other and ill-defined sites within lip, oral cavity and pharynx	5	3	2
150-159	DIGESTIVE ORGANS AND PERITONEUM	317	191	126
150	Esophagus	23	19	4
151	Stomach	42	22	20
152	Small intestine, including duodenum	1	-	1
153	Colon	125	73	52
154	Rectum, rectosigmoid junction and anus	28	21	7
155	Liver and intrahepatic bile ducts	16	10	6
156	Gallbladder and extrahepatic bile ducts	11	2	9
157	Pancreas	62	39	23
158	Retroperitoneum and peritoneum	1	1	-
159	Other and ill-defined sites within the digestive organs and peritoneum	8	4	4
160-165	RESPIRATORY AND INTRATHORACIC ORGANS	335	236	99
160	Nasal cavities, middle ear and accessory sinuses	-	-	-
161	Larynx	4	3	1
162	Trachea, bronchus and lung	326	230	96
163	Pleura	-	-	-
164	Thymus, heart and mediastinum	5	3	2
165	Other and ill-defined sites within the respiratory system and intrathoracic organs	-	-	-
170-175	BONE, CONNECTIVE TISSUE, SKIN AND BREAST	152	28	124
170	Bone and articular cartilage	9	6	3
171	Connective and other soft tissue	6	4	2
172	Skin, melanoma	24	15	9
173	Other of skin	4	3	1
174	Female breast	109	-	109
175	Male breast	-	-	-
179-189	GENITOURINARY ORGANS	227	140	87
179	Uterus, part unspecified	8	-	8
180	Cervix uteri	4	-	4
181	Placenta	1	-	1
182	Body of uterus	14	-	14
183	Ovary and other uterine adnexa	44	-	44
184	Other and unspecified female genital organs	-	-	-
185	Prostate	91	91	-
186	Testis	2	2	-
187	Penis and other male genital organs	1	1	-
188	Bladder	35	28	7
189	Kidney and other and unspecified urinary organs	27	18	9
190-199	OTHER AND UNSPECIFIED SITES	178	96	82
190	Eye	-	-	-
191	Brain	39	24	15
192	Other and unspecified parts of nervous system	-	-	-
193	Thyroid gland	6	2	4
194	Other endocrine glands	1	-	1
195	Other and ill-defined sites	9	2	7
196	Secondary and unspecified malignant neoplasm of lymph nodes	-	-	-
197	Secondary malignant neoplasm of respiratory and digestive systems	-	-	-
198	Secondary malignant neoplasm of other specified sites	-	-	-
199	Malignant neoplasm without specification of site	123	68	55
200-208	LYMPHATIC AND HEMATOPOIETIC TISSUE	146	64	82
200	Lymphosarcoma and reticulosarcoma	18	7	11
201	Hodgkin's disease	8	3	5
202	Other malignant neoplasm of lymphoid and histiocytic tissue	31	18	13
203	Multiple myeloma and immunoproliferative neoplasm	20	9	11
204	Lymphoid leukemia	15	8	7
205	Myeloid leukemia	28	10	18
206	Monocytic leukemia	2	2	-
207	Other specified leukemia	2	-	2
208	Leukemia of unspecified cell type	22	7	15

IDAHO RESIDENT DEATHS FROM SELECTED CAUSES

By District and County of Residence

1982

RESIDENCE	TOTAL DEATHS	Diseases of the Heart	Malignant Neoplasms	Cerebro-vascular Disease	Accidents	Pneumonia and Influenza	Suicide	Diabetes Mellitus
U. S. Rates (Provisional)	857.8	326.9	188.6	68.8	40.8	21.2	11.7	14.3
IDAHO	6924	2405	1370	568	495	220	138	118
(Rates)	721.8	250.7	142.8	59.2	51.6	22.9	14.4	12.3
District 1	947	323	208	82	74	28	10	15
Rates 1	790.4	269.6	173.6	68.4	61.8	23.4	8.3	12.5
District 2	767	269	152	77	74	20	11	10
Rates 2	840.4	294.7	166.5	84.4	81.1	21.9	12.1	11.0
District 3	1109	402	238	101	46	50	22	20
Rates 3	837.4	303.5	179.7	76.3	34.7	37.8	16.6	15.1
District 4	1270	432	284	70	84	39	45	9
Rates 4	604.0	205.5	135.1	33.3	39.9	18.5	21.4	4.3
District 5	1069	392	190	87	68	42	17	18
Rates 5	793.2	290.9	141.0	64.6	50.5	31.2	12.6	13.4
District 6	967	326	160	79	78	26	19	28
Rates 6	679.9	229.2	112.5	55.5	54.8	18.3	13.4	19.7
District 7	795	261	138	72	71	15	14	18
Rates 7	618.5	203.1	107.4	56.0	55.2	11.7	10.9	14.0
Ada	1104	376	251	62	71	32	41	7
Adams	29	9	5	4	2	-	1	-
Bannock	439	144	74	35	31	14	10	9
Bear Lake	61	23	7	8	10	2	2	2
Benewah	67	16	18	7	7	3	1	1
Bingham	223	80	35	16	17	5	2	6
Blaine	63	23	13	4	5	2	4	1
Boise	15	6	4	1	1	-	-	-
Bonner	201	79	40	11	22	3	-	4
Bonneville	383	111	65	35	29	8	11	13
Boundary	47	15	9	4	5	5	-	1
Butte	32	17	4	1	2	-	-	1
Camas	7	3	1	-	2	-	-	-
Canyon	672	234	152	61	27	26	16	15
Caribou	46	12	6	4	6	2	1	2
Cassia	139	45	28	14	5	4	1	4
Clark	6	-	1	1	-	-	-	-
Clearwater	72	27	14	5	7	5	1	-
Custer	31	10	6	4	3	-	1	-
Elmore	122	43	20	6	9	6	3	1
Franklin	79	18	18	10	3	3	2	3
Fremont	74	25	8	7	11	1	-	2
Gem	97	39	18	12	1	6	1	2
Gooding	130	57	25	13	12	2	2	-
Idaho	134	32	29	15	21	3	3	2
Jefferson	109	42	23	8	13	3	-	1
Jerome	104	39	19	2	6	7	3	2
Kootenai	471	165	102	42	26	13	7	9
Latah	202	80	38	23	20	4	3	3
Lemhi	72	24	18	4	4	-	1	-
Lewis	43	21	4	1	2	1	-	-
Lincoln	30	9	8	3	1	1	-	-
Madison	97	41	13	9	7	3	1	2
Minidoka	142	49	27	11	14	5	1	1
Nez Perce	316	109	67	33	24	7	4	5
Oneida	39	14	8	1	3	-	-	1
Owyhee	67	20	12	4	6	4	2	1
Payette	156	59	32	16	4	10	2	2
Power	48	18	8	4	6	-	2	4
Shoshone	161	48	39	18	14	4	2	-
Teton	23	8	4	4	4	-	-	-
Twin Falls	454	167	69	40	23	21	6	10
Valley	29	7	9	1	3	1	1	1
Washington	88	41	19	4	6	4	-	-

IDAHO RESIDENT DEATHS FROM SELECTED CAUSES

(Continued)

RESIDENCE	Bronchitis, Emphysema, and Asthma	Athero-Sclerosis	Chronic Liver Disease and Cirrhosis	Certain Causes in Early Infancy	Other Diseases of Arteries	Congenital Anomalies	Nephritis and Nephrosis	Legal Inter-vention and Homicide
U. S. Rates (Provisional)	8.3	11.5	11.8	9.1	8.6	5.7	7.9	9.6
IDAHO	101	95	90	81	71	70	53	33
(Rates)	10.5	9.9	9.4	8.4	7.4	7.3	5.5	3.4
District 1	17	15	11	11	6	10	7	6
Rates 1	14.2	12.5	9.2	9.2	5.0	8.3	5.8	5.0
District 2	12	9	8	9	7	5	3	4
Rates 2	13.1	9.9	8.8	9.9	7.7	5.5	3.3	4.4
District 3	12	14	6	13	12	9	9	3
Rates 3	9.1	10.6	4.5	9.8	9.1	6.8	6.8	2.3
District 4	14	16	25	16	16	14	13	8
Rates 4	6.7	7.6	11.9	7.6	7.6	6.7	6.2	3.8
District 5	17	11	15	10	13	9	6	3
Rates 5	12.6	8.2	11.1	7.4	9.6	6.7	4.5	2.2
District 6	17	20	18	10	6	15	6	4
Rates 6	12.0	14.1	12.7	7.0	4.2	10.5	4.2	2.8
District 7	12	10	7	12	11	8	9	5
Rates 7	9.3	7.8	5.4	9.3	8.6	6.2	7.0	3.9
Ada	11	14	20	10	15	11	11	7
Adams	1	-	-	-	1	-	-	-
Bannock	7	7	10	4	4	6	3	3
Bear Lake	1	-	-	-	1	-	-	-
Benewah	1	-	2	2	-	1	-	1
Bingham	4	3	6	1	-	7	1	-
Blaine	1	-	1	-	-	1	1	1
Boise	-	1	1	-	-	-	1	-
Bonner	2	3	2	4	1	3	2	2
Bonneville	4	5	4	8	5	4	6	-
Boundary	1	1	-	-	-	-	1	-
Butte	1	-	1	1	-	1	1	-
Camas	-	-	-	-	-	-	-	-
Canyon	6	7	5	10	4	7	7	3
Caribou	1	2	-	2	-	-	-	-
Cassia	1	2	4	4	2	4	-	-
Clark	2	-	-	-	-	-	-	1
Clearwater	-	1	1	2	-	-	-	-
Custer	-	-	-	-	2	-	-	1
Elmore	3	1	4	6	1	3	1	1
Franklin	1	5	1	1	-	-	1	1
Fremont	1	1	2	1	3	-	1	-
Gem	1	3	1	1	2	-	-	-
Gooding	-	1	1	-	1	1	1	-
Idaho	2	1	-	-	-	-	-	2
Jefferson	2	3	-	2	-	1	-	-
Jerome	-	-	-	1	3	-	-	-
Kootenai	12	11	4	4	4	5	1	3
Latah	2	2	2	2	3	3	1	-
Lemhi	3	-	1	-	1	-	2	1
Lewis	1	-	-	2	-	-	1	1
Lincoln	-	-	-	-	-	-	1	-
Madison	-	1	-	1	-	3	-	2
Minidoka	5	1	3	2	1	2	2	1
Nez Perce	7	5	5	3	4	2	1	1
Oneida	-	3	-	1	-	1	-	-
Owyhee	-	3	-	-	2	1	-	-
Payette	4	1	-	2	3	1	1	-
Power	2	-	-	-	1	-	-	-
Shoshone	1	-	3	1	1	1	3	-
Teton	-	-	-	-	-	-	-	-
Twin Falls	10	7	6	3	6	1	1	1
Valley	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	1	-

AGE/SEX-ADJUSTED* DEATH RATES

IDAHO, 1970 - 1981

During the last decade (1970-1981), the rate of death in Idaho, adjusted for age and sex*, has declined from 850.0 deaths per 100,000 population to 716.1 deaths per 100,000 population. This is a rather substantial decrease of 15.8%. Of the ten leading causes of death in 1981, only two showed a higher death rate in 1981 than in 1970: malignant neoplasms (+9.9%) and suicide (+0.3%).

The causes of death showing the largest percentage decreases were diabetes mellitus (-63.0%); bronchitis, emphysema and asthma (-59.2%); and atherosclerosis (-56.0%). Diseases of the heart experienced a comparatively moderate decline of 16.7%, but since heart disease is the leading cause of death, that percentage represents a much larger numerical decrease than the lesser causes. It should again be noted that the manner of coding the underlying cause of death changed in 1979 to the ninth revision of the **International Classification of Diseases** (ICD-9). This change in all states to the ICD-9 has resulted in major discontinuities in the trends for some causes of death. Of the leading causes in the following chart, "Other diseases of arteries" showed the greatest change from the reclassification. (For the specific ratios (ICD-9/ICDA-8), see Appendix C.

More specific detail is shown in the chart and graphs on the following pages.

AGE/SEX-ADJUSTED* DEATH RATES BY SELECTED CAUSES

IDAHO, 1970 - 1981

	1981	1980	1979	1978	1977	1976	1975	1974	1973	1972	1971	1970
ALL CAUSES	716.1	710.3	681.4	706.1	726.9	757.9	766.7	782.9	809.3	806.3	842.6	850.0
1. Diseases of the heart	247.1	251.8	233.2	232.4	230.2	248.5	261.4	271.7	279.3	276.6	302.7	296.7
2. Malignant neoplasms	144.5	139.7	134.4	133.0	136.1	140.4	136.7	134.2	129.6	132.4	135.6	131.5
3. Cerebrovascular disease	63.0	58.1	60.4	64.5	70.1	78.0	82.6	83.1	93.5	81.5	90.0	88.1
4. Motor vehicle accidents	32.0	33.8	39.0	36.9	37.6	30.7	34.6	39.3	41.2	41.2	38.6	44.8
5. All other accidents	26.4	27.9	28.2	27.9	33.6	31.2	28.6	37.0	31.5	48.1	38.9	36.9
6. Influenza and pneumonia	22.2	21.5	16.3	20.9	17.0	21.4	22.8	20.3	22.3	23.7	23.1	23.8
7. Suicide	16.3	13.4	13.2	13.7	16.1	15.3	16.1	15.9	12.3	12.9	16.4	15.8
8. Atherosclerosis	12.3	10.4	13.0	11.9	14.8	15.0	16.3	15.4	13.7	15.7	14.8	17.9
9. Diabetes mellitus	12.4	12.0	7.7	10.8	12.6	14.5	12.5	15.6	15.9	18.0	16.3	18.7
10. Bronchitis, emphysema and asthma	9.5	9.8	7.6	9.8	10.5	13.5	15.7	13.6	18.1	17.9	21.4	23.3
11. Certain causes in early infancy	4.6	7.6	8.5	7.4	7.7	9.9	11.0	12.8	14.8	12.3	17.0	16.8
12. Other diseases of arteries	7.1	8.9	6.3	10.9	12.0	12.1	11.5	12.7	11.9	10.0	12.4	10.8
13. Congenital Anomalies	6.4	6.1	5.3	6.9	6.7	5.8	6.3	6.9	9.0	8.1	8.7	7.3
14. Cirrhosis of liver	6.7	9.0	7.9	9.0	10.8	9.6	8.9	10.8	10.3	7.9	8.9	10.3
15. Homicide and legal intervention	3.0	3.7	5.9	4.9	5.4	4.9	5.1	5.5	3.4	3.3	4.1	5.0

*Adjusted to 1970 U.S. Population.

IDAHO CRUDE AND AGE/SEX-ADJUSTED* DEATH RATES
U.S. CRUDE DEATH RATES
1970 - 1981



Idaho
AGE/SEX-ADJUSTED* DEATH RATES
Selected Causes, 1970 - 1981



*Adjusted to 1970 U.S. population

Idaho
AGE/SEX-ADJUSTED* DEATH RATES
Selected Causes, 1970 - 1981



Idaho
AGE/SEX-ADJUSTED* DEATH RATES
Selected Causes, 1970 - 1981



*Adjusted to 1970 U.S. population.

ACCIDENTAL DEATHS OCCURRING IN IDAHO

By Category and Age Group

1981 - 1982

TYPE OF ACCIDENT	1981 TOTAL	1982 TOTAL	1982 AGE GROUP <5	5-14	15-24	25-44	45-64	65+
TOTAL ACCIDENTAL DEATHS	549	494	25	46	117	130	90	86
OCCUPATIONAL DEATHS	42	31	-	2	4	10	12	3
Agriculture	15	13	-	2	1	2	6	2
Mining, quarrying, oil and gas wells	10	3	-	-	-	2	-	1
Construction	4	4	-	-	1	2	1	-
Manufacturing, logging and lumber	4	6	-	-	1	3	2	-
Transportation and public utilities	5	-	-	-	-	-	-	-
Trade	-	1	-	-	-	-	1	-
Service	1	1	-	-	1	-	-	-
Government	-	-	-	-	-	-	-	-
Other and unspecified industry	3	3	-	-	-	1	2	-
HOME DEATHS	79	87	12	11	5	12	17	30
Poisonings (except gas)	6	4	-	-	-	4	-	-
Poisonings by gases and vapors	6	5	-	-	1	3	1	-
Falls	21	23	-	-	-	-	5	18
Fires	12	22	4	5	1	2	4	6
Drowning	10	7	6	-	-	1	-	-
Suffocation, ingested food or object	5	8	2	-	-	-	3	3
Suffocation, mechanical	4	2	-	1	1	-	-	-
Firearms	5	6	-	3	2	1	-	-
Other and unspecified home accidents	10	10	-	2	-	1	4	3
MOTOR VEHICLE DEATHS	299	253	12	23	95	67	32	24
Injury to pedestrian	25	23	7	2	3	3	4	4
Injury to pedal cyclist	1	5	-	3	-	1	-	1
Injury to rider of animal or occupant of animal-drawn vehicle	-	-	-	-	-	-	-	-
Collision with railroad train	1	7	-	-	5	2	-	-
Collision with other motor vehicle	96	87	3	14	27	23	10	10
Collision with fixed object	12	8	-	-	4	-	4	-
Noncollision	91	80	2	3	39	24	8	4
Other and unspecified accidents	73	43	-	1	17	14	6	5
PUBLIC DEATHS (except motor vehicle)	124	119	1	9	13	40	28	28
Railroad (not with motor vehicle)	-	-	-	-	-	-	-	-
Other road vehicle (not with motor vehicle)	2	3	-	2	-	-	1	-
Water transportation	13	15	-	-	-	9	4	2
Air transportation	23	16	-	-	-	7	9	-
Falls	19	19	-	1	2	1	2	13
Fires	2	-	-	-	-	-	-	-
Drowning	20	31	1	5	9	8	5	3
Firearms	3	6	-	-	1	5	-	-
Other and unspecified public accidents	42	29	-	1	1	10	7	10
TYPE OF ACCIDENT UNSPECIFIED	5	4	0	1	0	1	1	1

1982 ACCIDENTAL DEATHS OCCURRING IN IDAHO

By Age and Category



(Actual numbers of deaths in parentheses)

REPORTED MORBIDITY IN IDAHO FROM SELECTED DISEASES

Reported Cases, 1978 - 1982

DISEASE	1982	1981	1980	1979	1978
Amebiasis	7	20	-	8	2
Anthrax	-	-	-	-	1
Botulism	-	2	-	-	-
Brucellosis	1	-	4	1	9
Cholera	-	-	-	-	-
Colorado tick fever	2	6	1	4	7
Congenital Rubella Syndrome	-	-	-	2	-
Diphtheria	-	-	-	-	-
Food poisoning	-	114	2	54	76
Gonorrhea	1551	1834	1771	1813	1658
Hepatitis A	63	265	147	141	229
Hepatitis B	18	21	12	14	12
Hepatitis, Non-A, Non-B	6	NA	NA	NA	NA
Hepatitis, unspecified	3	3	3	15	16
Herpes simplex, type I/II	553	353	220	170	154
Legionnaire's Disease	4	1	1	3	3
Leprosy	1	1	2	-	-
Leptospirosis	-	-	2	-	-
Measles	-	1	-	18	1
Meningitis, H. influenza	42	37	32	15	11
Meningitis, meningococcal	7	7	6	10	4
Meningitis, other	-	2	12	7	7
Meningococcemia	1	2	4	-	1
Mumps	5	8	17	12	8
Pertussis	12	4	10	3	4
Plague	-	-	-	-	-
Poliomyelitis	1	-	-	-	-
Psittacosis	3	-	1	-	-
Q fever	2	1	1	1	-
Relapsing fever	-	1	1	-	-
Reye Syndrome	3	3	2	2	1
Rocky Mountain spotted fever	4	5	2	3	3
Rubella	7	4	30	209	3
Salmonellosis	114	97	141	115	79
Shigellosis	106	149	155	70	4
Syphilis, Infectious	40	32	29	26	14
Tetanus	-	-	-	-	1
Trachoma	-	-	-	-	-
Trichinosis	4	-	-	-	-
Tuberculosis	31	13	37	23	38
Tularemia	1	4	1	3	3

REPORTED MORBIDITY IN IDAHO FROM SELECTED DISEASES

By District and County of Residence

1982

RESIDENCE	Giardiasis	Gonorrhea	Hepatitis A	Hepatitis B	Hepatitis Non-A,Non-B	Hepatitis Unspecified	Herpes Simplex, Type I/II
IDAHO	108	1551	63	18	9	3	553
District 1	8	198	4	3	-	-	74
District 2	15	111	-	2	-	-	15
District 3	11	251	13	2	-	2	52
District 4	32	580	6	5	3	-	296
District 5	11	130	23	3	3	1	19
District 6	30	179	7	2	-	-	43
District 7	1	151	10	1	3	-	54
Ada	29	528	6	4	3	-	286
Adams	-	-	-	-	-	-	-
Bannock	17	89	3	2	-	-	35
Bear Lake	-	1	-	-	-	-	-
Benewah	-	8	-	1	-	-	2
Bingham	11	30	1	-	-	-	8
Blaine	9	7	-	1	-	-	9
Boise	-	4	-	-	-	-	-
Bonner	4	17	-	-	-	-	2
Bonneville	-	122	7	1	2	-	53
Boundary	1	10	-	-	-	-	-
Butte	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-
Canyon	6	196	7	2	-	-	47
Caribou	-	4	2	-	-	-	-
Cassia	-	35	-	-	-	-	3
Clark	-	-	-	-	-	-	-
Clearwater	3	6	-	-	-	-	-
Custer	1	3	-	-	-	-	-
Elmore	3	46	-	-	-	-	9
Franklin	2	1	-	-	-	-	-
Fremont	-	11	-	-	-	-	-
Gem	-	19	1	-	-	-	-
Gooding	-	4	2	-	-	1	1
Idaho	5	2	-	-	-	-	-
Jefferson	-	12	1	-	1	-	-
Jerome	-	11	6	-	-	-	2
Kootenai	3	149	3	2	-	-	69
Latah	3	18	-	-	-	-	7
Lemhi	-	-	2	-	-	-	-
Lewis	1	4	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-
Madison	-	3	-	-	-	-	-
Minidoka	1	18	5	-	2	-	-
Nez Perce	5	81	-	2	-	-	8
Oneida	-	-	-	-	-	-	-
Owyhee	-	21	2	-	-	-	3
Payette	5	11	3	-	-	2	2
Power	-	4	1	-	-	-	-
Shoshone	-	15	1	-	-	-	1
Teton	-	-	-	-	-	-	1
Twin Falls	1	55	10	2	1	-	4
Valley	-	2	-	1	-	-	1
Washington	-	4	-	-	-	-	-

REPORTED MORBIDITY IN IDAHO FROM SELECTED DISEASES

(Continued)

RESIDENCE	Influenza	Rubella	Salmon-ellosis	Shigellosis	Syphilis, Infectious	Toxic Shock Syndrome	Tuberculosis New Active
IDAHO	12	7	114	106	40	4	31
District 1	-	-	16	3	1	1	3
District 2	-	2	12	-	-	-	9
District 3	6	-	17	56	2	-	5
District 4	1	-	21	6	11	-	9
District 5	1	-	8	6	22	-	3
District 6	1	-	13	29	3	1	1
District 7	3	5	27	6	1	2	1
Ada	1	-	16	6	8	-	7
Adams	-	-	-	-	-	-	-
Bannock	-	-	7	14	1	-	-
Bear Lake	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	1
Bingham	-	-	4	15	-	-	1
Blaine	-	-	1	1	-	-	-
Boise	-	-	-	-	-	-	-
Bonner	-	-	2	-	-	-	-
Bonneville	3	2	25	5	-	2	-
Boundary	-	-	-	-	-	-	-
Butte	1	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-
Canyon	4	-	17	44	2	-	2
Caribou	-	-	2	-	-	-	-
Cassia	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	1
Custer	-	-	-	1	-	-	-
Elmore	-	-	4	-	3	-	2
Franklin	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-
Gem	2	-	-	-	-	-	-
Gooding	-	-	-	-	16	-	1
Idaho	-	-	-	-	-	-	-
Jefferson	-	-	1	-	1	-	-
Jerome	-	-	3	-	2	-	-
Kootenai	-	-	14	3	-	1	1
Latah	-	-	2	-	-	-	1
Lemhi	-	3	-	-	-	-	1
Lewis	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-
Madison	-	-	1	-	-	-	-
Minidoka	-	-	-	2	2	-	2
Nez Perce	-	2	10	-	-	-	7
Oneida	-	-	-	-	2	1	-
Owyhee	-	-	-	3	-	-	1
Payette	-	-	-	6	-	-	1
Power	-	-	-	-	-	-	-
Shoshone	-	-	-	-	1	-	1
Teton	-	-	-	-	-	-	-
Twin Falls	1	-	4	3	2	-	-
Valley	-	-	1	-	-	-	-
Washington	-	-	-	3	-	-	1

INFANT, FETAL AND MATERNAL MORTALITY

The number of infant deaths in Idaho rose from 180 in 1981 to 195 in 1982. The number of births also increased in 1982, but at a much lower rate. The result was an increase in the infant death rate from 9.2 to 10.0 per 1,000 live births. Considering the size of the data base, such fluctuations are not unexpected. In such cases, trends must be viewed over a period of time, and the general trend of Idaho infant deaths is down (see chart on page 15).

Neonatal deaths accounted for all of the increase in the infant deaths, rising from 102 (5.2) in 1981 to 123 (6.3) in 1982; postneonatal deaths declined from 78 (4.0) to 72 (3.7).

Infant deaths in the U. S. dropped from 11.7 in 1981 to 11.2 in 1982. Neonatal and postneonatal rates both decreased, from 7.8 to 7.6 and from 3.9 to 3.7, respectively. The difference between Idaho and U. S. infant death rates lies in the neonatal deaths, since postneonatal deaths occur at the same rate. One factor is the population structure of Idaho--it is predominantly white, and whites normally experience lower rates of infant mortality.

In Idaho, District 6 recorded the lowest 1982 infant death rate of 8.0. Highest at 11.6 was District 3, which also reported the highest rate in 1981. Perinatal deaths occurred at the highest level in District 1 (20.2), and at the lowest level in District 4 (10.1).

Stillbirths declined slightly in 1982, with the rate dropping from 7.3 to 7.1 per 1,000 live births. District rates range from 4.9 in District 2 to 12.0 in District 1. Once again, the reader is cautioned to keep in mind the size of the data base.

There were no maternal deaths to Idaho residents in 1982.

U.S., IDAHO INFANT DEATH RATES
IDAHO STILLBIRTH RATIOS
1971 - 1982



IDAHO RESIDENT INFANT DEATHS AND RATES

By District and County of Residence

1978 - 1982

RESIDENCE	1982		1981		1980		1979		1978	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rate	-	11.2	-	11.7	-	12.5	-	13.0	-	13.6
IDAHO	195	10.0	180	9.2	220	10.9	202	10.1	225	11.6
District 1	23	11.1	16	7.5	25	11.2	28	13.9	34	17.1
District 2	16	11.1	15	10.6	19	12.3	18	12.6	11	7.3
District 3	29	11.6	31	12.8	28	11.2	31	11.9	41	16.3
District 4	42	10.3	41	10.5	45	11.3	32	8.2	40	11.0
District 5	27	9.3	19	6.6	25	8.4	25	8.6	30	10.8
District 6	27	8.0	27	7.6	40	11.0	36	10.0	34	9.4
District 7	31	9.6	31	9.8	38	11.5	32	9.3	35	10.7
Ada	32	9.7	35	10.9	35	10.9	29	9.0	36	12.3
Adams	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
Bannock	12	8.1	12	7.8	18	10.9	18	11.2	13	8.0
Bear Lake	-	0.0	1	4.8	4	21.3	1	5.1	3	17.9
Benewah	4	24.4	1	6.1	1	5.7	-	0.0	-	0.0
Bingham	7	7.5	7	7.0	10	10.0	10	9.9	10	9.5
Blaine	1	4.6	4	20.0	1	5.7	1	5.6	3	19.0
Boise	-	0.0	-	0.0	-	0.0	-	0.0	1	20.4
Bonner	7	15.5	6	13.5	9	18.5	7	17.5	8	19.3
Bonneville	18	10.8	15	9.8	24	14.5	16	9.1	17	10.3
Boundary	1	6.3	-	0.0	3	21.0	2	13.7	-	0.0
Butte	2	28.2	-	0.0	2	23.3	1	10.3	-	0.0
Camas	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
Canyon	24	14.7	23	14.3	16	10.0	21	12.4	29	17.3
Caribou	3	14.2	1	3.9	1	3.8	1	4.0	3	12.6
Cassia	11	21.7	3	5.8	6	11.7	7	12.5	10	19.1
Clark	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
Clearwater	2	11.4	1	6.5	3	16.4	2	11.1	2	10.6
Custer	-	0.0	-	0.0	-	0.0	2	34.5	-	0.0
Elmore	10	16.8	5	9.2	6	10.7	3	5.4	3	5.3
Franklin	1	3.7	4	16.7	1	4.1	3	11.8	4	16.0
Fremont	3	11.8	2	6.9	2	7.2	2	6.5	4	13.1
Gem	2	9.9	1	4.7	1	4.4	3	12.6	1	4.7
Gooding	1	4.3	2	8.6	3	13.3	3	13.2	-	0.0
Idaho	1	4.3	2	7.7	-	0.0	2	7.9	3	11.0
Jefferson	5	12.5	1	2.4	6	12.6	3	6.6	6	14.3
Jerome	4	13.1	2	6.1	2	6.3	2	5.9	1	3.2
Kootenai	9	8.9	6	5.8	10	9.3	14	14.3	16	16.7
Latah	5	10.2	4	8.6	4	8.0	5	11.2	2	4.4
Lemhi	-	0.0	1	6.6	-	0.0	-	0.0	3	20.7
Lewis	2	25.0	2	35.1	2	23.8	1	13.9	2	18.5
Lincoln	-	0.0	-	0.0	1	14.3	1	15.6	-	0.0
Madison	5	9.0	7	12.0	5	8.6	8	13.3	5	8.5
Minidoka	3	6.4	2	4.1	5	9.3	1	2.0	7	13.2
Nez Perce	6	13.1	6	12.3	10	19.2	8	16.8	2	4.1
Oneida	2	24.7	1	16.7	1	13.5	-	0.0	-	0.0
Owyhee	-	0.0	2	11.6	3	18.2	3	16.9	1	6.1
Payette	3	10.5	4	17.9	6	19.5	4	14.2	6	23.3
Power	-	0.0	1	6.5	3	22.4	2	15.4	1	6.8
Shoshone	2	7.0	3	8.5	2	5.6	5	15.2	10	32.6
Teton	-	0.0	5	50.5	1	12.5	1	12.3	-	0.0
Twin Falls	7	6.5	6	6.0	7	6.3	10	9.6	9	9.2
Valley	-	0.0	1	8.8	4	29.6	-	0.0	-	0.0
Washington	-	0.0	1	8.1	2	14.1	-	0.0	4	26.7

IDAHO RESIDENT INFANT DEATHS

By Sex and Race of Child

1982

RESIDENCE	TOTAL INFANT DEATHS	SEX		RACE					Spanish Surname*
		Male	Female	White	Black	American Indian	Japanese	Other Nonwhite	
IDAHO	195	124	71	193	1	1	-	-	12
District 1	23	12	11	23	-	-	-	-	-
District 2	16	11	5	16	-	-	-	-	-
District 3	29	15	14	28	-	1	-	-	3
District 4	42	27	15	41	1	-	-	-	1
District 5	27	15	12	27	-	-	-	-	6
District 6	27	21	6	27	-	-	-	-	1
District 7	31	23	8	31	-	-	-	-	1
Ada	32	21	11	32	-	-	-	-	-
Adams	-	-	-	-	-	-	-	-	-
Bannock	12	8	4	12	-	-	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-
Benewah	4	4	-	4	-	-	-	-	-
Bingham	7	7	-	7	-	-	-	-	-
Blaine	1	-	1	1	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-
Bonner	7	1	6	7	-	-	-	-	-
Bonneville	18	15	3	18	-	-	-	-	-
Boundary	1	-	1	1	-	-	-	-	-
Butte	2	2	-	2	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	24	13	11	24	-	-	-	-	3
Caribou	3	1	2	3	-	-	-	-	-
Cassia	11	6	5	11	-	-	-	-	2
Clark	-	-	-	-	-	-	-	-	-
Clearwater	2	2	-	2	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-
Elmore	10	6	4	9	1	-	-	-	1
Franklin	1	1	-	1	-	-	-	-	1
Fremont	3	2	1	3	-	-	-	-	-
Gem	2	2	-	1	-	1	-	-	-
Gooding	1	-	1	1	-	-	-	-	-
Idaho	1	-	1	1	-	-	-	-	-
Jefferson	5	2	3	5	-	-	-	-	1
Jerome	4	3	1	4	-	-	-	-	1
Kootenai	9	6	3	9	-	-	-	-	-
Latah	5	3	2	5	-	-	-	-	-
Lemhi	-	-	-	-	-	-	-	-	-
Lewis	2	1	1	2	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-
Madison	5	4	1	5	-	-	-	-	-
Minidoka	3	1	2	3	-	-	-	-	2
Nez Perce	6	5	1	6	-	-	-	-	-
Oneida	2	2	-	2	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-
Payette	3	-	3	3	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-
Shoshone	2	1	1	2	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-
Twin Falls	7	5	2	7	-	-	-	-	1
Valley	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-

*Included in white totals.

IDAHO RESIDENT INFANT DEATHS

Neonatal and Postneonatal

1982

RESIDENCE	TOTAL INFANT DEATHS		NEONATAL		POSTNEONATAL	
	Number	Rate	Number	Rate	Number	Rate
U. S. Rates (Provisional)	-	11.2	-	7.6	-	3.7
IDAHO	195	10.0	123	6.3	72	3.7
District 1	23	11.1	17	8.2	6	2.9
District 2	16	11.1	13	9.1	3	2.1
District 3	29	11.6	18	7.2	11	4.4
District 4	42	10.3	21	5.2	21	5.2
District 5	27	9.3	14	4.8	13	4.5
District 6	27	8.0	21	6.2	6	1.8
District 7	31	9.6	19	5.9	12	3.7
Ada	32	9.7	16	4.8	16	4.8
Adams	-	-	-	-	-	-
Bannock	12	8.1	10	6.8	2	1.4
Bear Lake	-	-	-	-	-	-
Benewah	4	24.4	3	18.3	1	6.1
Bingham	7	7.5	3	3.2	4	4.3
Blaine	1	4.6	-	-	1	4.6
Boise	-	-	-	-	-	-
Bonner	7	15.5	6	13.2	1	2.2
Bonneville	18	10.8	11	6.6	7	4.2
Boundary	1	6.3	-	-	1	6.3
Butte	2	28.2	2	28.2	-	-
Camas	-	-	-	-	-	-
Canyon	24	14.7	15	9.2	9	5.5
Caribou	3	14.2	3	14.2	-	-
Cassia	11	21.7	7	13.8	4	7.9
Clark	-	-	-	-	-	-
Clearwater	2	11.4	2	11.4	-	-
Custer	-	-	-	-	-	-
Elmore	10	16.8	5	8.4	5	8.4
Franklin	1	3.7	1	3.7	-	-
Fremont	3	11.8	2	7.9	1	3.9
Gem	2	9.9	1	4.9	1	4.9
Gooding	1	4.3	-	-	1	4.3
Idaho	1	4.3	-	-	1	4.3
Jefferson	5	12.5	3	7.5	2	5.0
Jerome	4	13.1	1	3.3	3	9.8
Kootenai	9	8.9	7	6.9	2	2.0
Latah	5	10.2	5	10.2	-	-
Lemhi	-	-	-	-	-	-
Lewis	2	25.0	2	25.0	-	-
Lincoln	-	-	-	-	-	-
Madison	5	9.0	3	5.4	2	3.6
Minidoka	3	6.4	3	6.4	-	-
Nez Perce	6	13.1	4	8.7	2	4.4
Oneida	2	24.7	2	24.7	-	-
Owyhee	-	-	-	-	-	-
Payette	3	10.5	2	7.0	1	3.5
Power	-	-	-	-	-	-
Shoshone	2	7.0	1	3.5	1	3.5
Teton	-	-	-	-	-	-
Twin Falls	7	6.5	3	2.8	4	3.7
Valley	-	-	-	-	-	-
Washington	-	-	-	-	-	-

CAUSES OF IDAHO INFANT DEATHS

By Neonatal and Postneonatal Periods

1982

ICD9 CODE	CAUSE OF DEATH	TOTAL		NEONATAL		POSTNEONATAL	
		Number	Rate	Number	Rate	Number	Rate
--	ALL CAUSES	195	10.0	123	6.3	72	3.7
008-009,535, 555-558	Certain gastrointestinal diseases	-	0.0	-	0.0	-	0.0
480-487	Pneumonia and influenza	6	0.3	1	0.1	5	0.3
740-759	Congenital anomalies	51	2.6	35	1.8	16	0.8
765	Disorders relating to short gestation and unspecified low birthweight	11	0.6	11	0.6	-	0.0
767	Birth trauma	1	0.1	1	0.1	-	0.0
768	Intrauterine hypoxia and birth asphyxia	4	0.2	4	0.2	-	0.0
769	Respiratory distress syndrome	24	1.2	23	1.2	1	0.1
760-764,766, 770-779	Other conditions originating in the perinatal period	41	2.1	40	2.0	1	0.1
798.0	Sudden Infant Death Syndrome	33	1.7	3	0.2	30	1.5
Residual	All other causes	24	1.2	5	0.3	19	1.0

Congenital anomalies account for more infant deaths than any other single cause in both Idaho and the U.S. The 1982 death rate in Idaho from congenital anomalies is 2.6 deaths per 1,000 live births, compared to the U.S. rate of 2.4. Both rates are unchanged from 1981. The second leading cause, both in Idaho and the U.S., is Sudden Infant Death Syndrome (SIDS). The rate of deaths from SIDS in Idaho declined in 1982 to 1.7, which compares to the U.S. rate of 1.3.

Although more neonatal deaths occurred in the general category, "Other conditions originating in the perinatal period" (which covers such conditions as complications of pregnancy and delivery, infections, etc), the leading single cause of neonatal deaths in Idaho is congenital amomalies (rate: 1.8 per 1,000 live births). The second-leading cause of neonatal deaths in Idaho is "Respiratory Distress Syndrome." The rate for this cause increased from 0.5 in 1981 to 1.2 in 1982. In the postneonatal period, Sudden Infant Death Syndrome (SIDS) accounted for 42% of the deaths (rate: 1.5). Congenital Anomalies is the second-leading cause of postneonatal mortality with a rate of 0.8.

CAUSES OF IDAHO INFANT DEATHS

By District of Residence

1982

CAUSE OF DEATH		DISTRICT 1	2	3	4	5	6	7
ALL CAUSES	Number	23	16	29	42	27	27	31
	Rate	11.1	11.1	11.6	10.3	9.3	8.0	9.6
Certain gastrointestinal diseases	Number	-	-	-	-	-	-	-
	Rate	-	-	-	-	-	-	-
Pneumonia and influenza	Number	-	-	-	-	4	1	1
	Rate	-	-	-	-	1.4	0.3	0.3
Congenital Anomalies	Number	6	5	6	11	7	10	6
	Rate	2.9	3.5	2.4	2.7	2.4	3.0	1.9
Disorders relating to short gestation and unspecified low birthweight	Number	2	1	5	1	-	1	1
	Rate	1.0	0.7	2.0	0.2	-	0.3	0.3
Birth trauma	Number	-	1	-	-	-	-	-
	Rate	-	0.7	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia	Number	1	-	-	1	-	-	2
	Rate	0.5	-	-	0.2	-	-	0.6
Respiratory distress syndrome	Number	4	4	3	3	2	4	4
	Rate	1.9	2.8	1.2	0.7	0.7	1.2	1.2
Other conditions originating in the perinatal period	Number	4	3	5	11	8	5	5
	Rate	1.9	2.1	2.0	2.7	2.8	1.5	1.5
Sudden Infant Death Syndrome (SIDS)	Number	3	1	8	9	4	2	6
	Rate	1.4	0.7	3.2	2.2	1.4	0.6	1.9
All other causes	Number	3	1	2	6	2	4	6
	Rate	1.4	0.7	0.8	1.5	0.7	1.2	1.9

Totals for Idaho and U.S.

1982

CAUSE OF DEATH	IDAHO Number	IDAHO Rate	U.S. Rate
ALL CAUSES	195	10.0	11.2
Certain gastrointestinal diseases	-	0.0	0.1
Pneumonia and influenza	6	0.3	0.2
Congenital anomalies	51	2.6	2.4
Disorders relating to short gestation and unspecified low birthweight	11	0.6	1.0
Birth trauma	1	0.1	0.1
Intrauterine hypoxia and birth asphyxia	4	0.2	0.4
Respiratory distress syndrome	24	1.2	1.1
Other conditions originating in the perinatal period	41	2.1	3.0
Sudden Infant Death Syndrome (SIDS)	33	1.7	1.3
All other causes	24	1.2	1.8

IDAHO RESIDENT STILLBIRTHS AND RATIOS

By District and County of Residence

1978 - 1982

RESIDENCE	1982		1981		1980		1979		1978	
	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio
IDAHO	139	7.1	143	7.3	148	7.3	133	6.7	146	7.5
District 1	25	12.0	14	6.6	16	7.1	6	3.0	10	5.0
District 2	7	4.9	7	4.9	8	5.2	10	7.0	9	6.0
District 3	14	5.6	23	9.5	21	8.4	13	5.0	16	6.3
District 4	23	5.7	18	4.6	28	7.1	25	6.4	29	8.0
District 5	28	9.7	21	7.3	23	7.8	22	7.5	27	9.7
District 6	23	6.8	31	8.7	35	9.6	35	9.7	31	8.5
District 7	19	5.9	29	9.1	17	5.2	22	6.4	24	7.3
Ada	21	6.4	13	4.1	21	6.5	17	5.3	24	8.2
Adams	-	0.0	-	0.0	-	0.0	1	16.1	-	0.0
Bannock	10	6.8	19	12.3	15	9.1	15	9.3	11	6.8
Bear Lake	2	10.8	2	9.5	1	5.3	2	10.1	4	23.8
Benewah	5	30.5	2	12.2	3	17.2	1	6.3	3	19.7
Bingham	5	5.3	6	6.0	10	10.0	9	8.9	13	12.3
Blaine	1	4.6	2	10.0	-	0.0	1	5.6	2	12.7
Boise	-	0.0	-	0.0	-	0.0	-	0.0	1	20.4
Bonner	9	19.9	5	11.3	4	8.2	3	7.5	2	4.8
Bonneville	9	5.4	16	10.4	10	6.1	12	6.8	9	5.4
Boundary	3	18.8	-	0.0	-	0.0	-	0.0	-	0.0
Butte	2	28.2	1	11.2	2	23.3	2	20.6	-	0.0
Camas	-	0.0	-	0.0	1	66.7	-	0.0	-	0.0
Canyon	7	4.3	15	9.3	12	7.5	10	5.9	9	5.4
Caribou	1	4.7	2	7.9	3	11.3	3	12.0	-	0.0
Cassia	7	13.8	4	7.7	6	11.7	1	1.8	7	13.4
Clark	-	0.0	-	0.0	-	0.0	-	0.0	1	50.0
Clearwater	2	11.4	-	0.0	1	5.5	4	22.2	2	10.6
Custer	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
Elmore	-	0.0	3	5.5	5	8.9	7	12.6	3	5.3
Franklin	1	3.7	1	4.2	2	8.3	2	7.9	2	8.0
Fremont	7	27.6	-	0.0	1	3.6	3	9.8	2	6.5
Gem	2	9.9	1	4.7	2	8.8	2	8.4	3	14.1
Gooding	4	17.2	-	0.0	3	13.3	2	8.8	3	15.3
Idaho	1	4.3	2	7.7	2	7.7	2	7.9	2	7.4
Jefferson	1	2.5	9	21.8	2	4.2	5	10.9	6	14.3
Jerome	1	3.3	2	6.1	2	6.3	2	5.9	2	6.5
Kootenai	6	5.9	6	5.8	4	3.7	-	0.0	3	3.1
Latah	3	6.1	1	2.2	1	2.0	1	2.2	3	6.7
Lemhi	-	0.0	1	6.6	-	0.0	-	0.0	-	0.0
Lewis	-	0.0	-	0.0	1	11.9	1	13.9	-	0.0
Lincoln	3	46.9	-	0.0	-	0.0	1	15.6	-	0.0
Madison	1	1.8	3	5.1	4	6.8	1	1.7	6	10.2
Minidoka	5	10.7	3	6.1	5	9.3	3	6.1	7	13.2
Nez Perce	1	2.2	4	8.2	3	5.8	2	4.2	2	4.1
Oneida	2	24.7	-	0.0	-	0.0	-	0.0	1	15.4
Owyhee	2	11.6	4	23.3	1	6.1	-	0.0	1	6.1
Payette	1	3.5	3	13.4	3	9.7	-	0.0	2	7.8
Power	-	0.0	-	0.0	2	14.9	2	15.4	-	0.0
Shoshone	2	7.0	1	2.8	5	13.9	2	6.1	2	6.5
Teton	1	10.9	-	0.0	-	0.0	1	12.3	-	0.0
Twin Falls	7	6.5	10	10.0	6	5.4	12	11.5	6	6.1
Valley	2	16.8	2	17.7	2	14.8	1	11.1	1	10.0
Washington	2	13.3	-	0.0	3	21.1	-	0.0	1	6.7

IDAHO RESIDENT PERINATAL DEATHS AND RATIOS

By District and County of Residence

1978 - 1982

RESIDENCE	1982		1981		1980		1979		1978	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
IDAHO	244	12.5	228	11.7	248	12.3	246	12.4	267	13.8
District 1	42	20.2	18	8.5	25	11.2	22	10.9	32	16.1
District 2	17	11.8	16	11.3	19	12.3	21	14.7	16	10.6
District 3	29	11.6	40	16.5	35	14.0	32	12.3	36	14.3
District 4	41	10.1	39	9.9	47	11.9	42	10.7	53	14.5
District 5	39	13.5	28	9.8	33	11.1	37	12.7	41	14.7
District 6	40	11.8	42	11.8	51	14.0	51	14.1	45	12.4
District 7	36	11.1	45	14.2	38	11.5	41	12.0	44	13.5
Ada	35	10.6	29	9.0	36	11.2	32	10.0	47	16.0
Adams	-	0.0	-	0.0	-	0.0	1	16.1	-	0.0
Bannock	19	12.9	25	16.1	24	14.6	26	16.2	16	9.8
Bear Lake	2	10.8	2	9.5	3	16.0	2	10.1	5	29.8
Benewah	8	48.8	2	12.2	3	17.2	1	6.3	3	19.7
Bingham	6	6.4	7	7.0	12	12.0	10	9.9	18	17.1
Blaine	1	4.6	3	15.0	-	0.0	2	11.1	3	19.0
Boise	-	0.0	-	0.0	-	0.0	-	0.0	1	20.4
Bonner	15	33.1	7	15.8	9	18.5	5	12.5	7	16.9
Bonneville	19	11.4	23	15.0	23	13.9	23	13.1	20	12.1
Boundary	3	18.8	-	0.0	1	7.0	1	6.8	-	0.0
Butte	4	56.3	1	11.2	3	34.9	3	30.9	-	0.0
Camas	-	0.0	-	0.0	1	66.7	-	0.0	-	0.0
Canyon	19	11.6	29	18.0	18	11.3	24	14.2	23	13.7
Caribou	4	18.9	2	7.9	4	15.0	3	12.0	1	4.2
Cassia	12	23.7	6	11.5	9	17.5	5	8.9	14	26.8
Clark	-	0.0	-	0.0	-	0.0	-	0.0	1	50.0
Clearwater	3	17.1	1	6.5	2	10.9	6	33.3	3	16.0
Custer	-	0.0	-	0.0	-	0.0	1	17.2	-	0.0
Elmore	4	6.7	7	12.8	8	14.3	9	16.2	4	7.1
Franklin	2	7.5	4	16.7	2	8.3	4	15.7	3	12.0
Fremont	8	31.5	1	3.5	1	3.6	4	13.1	4	13.1
Gem	3	14.8	2	9.4	3	13.2	4	16.8	4	18.8
Gooding	4	17.2	2	8.6	4	17.7	4	17.6	3	15.3
Idaho	1	4.3	4	15.3	2	7.7	3	11.8	4	14.7
Jefferson	4	10.0	9	21.8	5	10.5	6	13.1	8	19.0
Jerome	2	6.6	2	6.1	3	9.4	3	8.8	2	6.5
Kootenai	13	12.8	8	7.8	7	6.5	10	10.2	11	11.5
Latah	7	14.3	2	4.3	4	8.0	4	9.0	5	11.1
Lemhi	-	0.0	2	13.2	-	0.0	-	0.0	3	20.7
Lewis	2	25.0	1	17.5	2	23.8	1	13.9	2	18.5
Lincoln	3	46.9	-	0.0	1	14.3	2	31.3	-	0.0
Madison	4	7.2	8	13.7	8	13.7	6	10.0	8	13.6
Minidoka	7	14.9	4	8.2	7	13.0	4	8.2	9	17.0
Nez Perce	4	8.7	8	16.5	9	17.3	7	14.7	2	4.1
Oneida	3	37.0	1	16.7	1	13.5	-	0.0	1	15.4
Owyhee	2	11.6	5	29.1	3	18.2	3	16.9	2	12.2
Payette	3	10.5	3	13.4	6	19.5	-	0.0	2	7.8
Power	-	0.0	-	0.0	2	14.9	3	23.1	1	6.8
Shoshone	3	10.5	1	2.8	5	13.9	5	15.2	11	35.8
Teton	1	10.9	2	20.2	1	12.5	1	12.3	-	0.0
Twin Falls	10	9.3	11	11.0	8	7.2	17	16.4	10	10.2
Valley	2	16.8	3	26.5	3	22.2	1	11.1	1	10.0
Washington	2	13.3	1	6.1	5	35.2	-	0.0	5	33.3

INDUCED ABORTION

Photograph Courtesy Idaho Historical Society

Abortions were performed by some tribes to prevent the spread of disease in the unborn infant and to protect the infant from plague and starvation.

INDUCED ABORTIONS

It is estimated that about one in four pregnancies worldwide is terminated by induced abortion, which, translated to numbers means that about 40 million abortions occur each year. Approximately half are still obtained illegally, and the resulting maternal deaths are now a worldwide leading cause of death to women in the childbearing ages. In areas lacking good family planning services, the medical complications from illegal abortions are nearing epidemic proportions.*

The reporting of induced abortions in Idaho was not required until July 1, 1977. The reported numbers increased each year, from 708 during the last half of 1977 to 2,706 in 1981; however, the number of abortions reported declined 10% in 1982 to 2,431. The decreases occurred in each district throughout the state. It is interesting to note that the number of Blaine County residents obtaining abortions increased, while the total number of abortions performed in Blaine County declined substantially.

It should be noted that only those abortions done in Idaho are reported in this section--those Idaho women who traveled out-of-state for the procedure are not included in the data. In Idaho, 99.7% of all induced terminations performed in 1982 were done in Ada, Bannock, Blaine, Kootenai and Latah counties, in that order.

No deaths have yet been reported from Idaho induced terminations.

Comparative U.S. and Idaho abortion data are listed below. Both represent occurrence, not residence, data.

	INDUCED ABORTIONS	RATIO PER 1,000 LIVE BIRTHS	RATE PER 1,000 FEMALES, 15-44
U.S. (1980)*	1,251,921	358	24
Idaho (1982)	2,431	124	11

*Abortion Surveillance, Center for Disease Control, U.S. Department of Health and Human Services, May 1983.

INDUCED ABORTIONS REPORTED IN IDAHO

1981 - 1982

COUNTY	Number of Abortions Performed in this County		Number of Abortions in Idaho for Residents of this County	
	1982	1981	1982	1981
IDAHO	2431	2706	2257	2470
District 1	283	325	263	311
District 2	199	208	127	103
District 3	1	1	260	277
District 4	1130	1180	826	955
District 5	378	515	398	400
District 6	440	477	232	264
District 7	-	-	151	160
Ada	1125	1176	744	840
Adams	1	1	[illegible]	10
Bannock	440	477	171	189
Bear Lake	-	-	2	5
Benewah	1	4	18	17
Bingham	-	-	40	51
Blaine	378	515	152	130
Boise	-	-	10	13
Bonner	-	1	35	55
Bonneville	-	-	109	112
Boundary	-	-	11	13
Butte	-	-	3	4
Camas	-	-	4	4
Canyon	-	-	201	214
Caribou	-	-	4	5
Cassia	-	-	20	25
Clark	-	-	-	2
Clearwater	-	-	1	1
Custer	-	-	6	15
Elmore	1	-	42	71
Franklin	-	-	1	2
Fremont	-	-	7	2
Gem	-	-	22	22
Gooding	-	-	28	26
Idaho	-	-	6	2
Jefferson	-	-	11	12
Jerome	-	-	36	39
Kootenai	282	320	167	186
Latah	199	208	103	89
Lemhi	-	-	8	3
Lewis	-	-	-	-
Lincoln	-	-	6	5
Madison	-	-	9	7
Minidoka	-	-	27	34
Nez Perce	-	-	17	11
Oneida	-	-	-	-
Owyhee	-	-	6	11
Payette	-	-	18	17
Power	-	-	11	8
Shoshone	-	-	32	40
Teton	-	-	1	7
Twin Falls	-	-	125	137
Valley	4	4	30	31
Washington	-	-	5	3
Out-of-State Residents	NA	NA	174	236

INDUCED ABORTIONS REPORTED IN IDAHO

Age of Patient by Marital Status

1982

AGE OF PATIENT	TOTAL	MARITAL STATUS		
		Married	Not Married	Not Stated
TOTAL	2,431	561	1,833	37
10-14	20	2	18	-
15-19	684	37	636	11
20-24	866	187	666	13
25-29	455	151	300	4
30-34	276	124	149	3
35-39	92	43	45	4
40-44	29	14	14	1
45+	9	3	5	1

INDUCED ABORTIONS REPORTED IN IDAHO

Previous Induced Abortions and Number of Living Children

1982

	PREVIOUS INDUCED ABORTIONS	NUMBER LIVING CHILDREN
TOTAL	2431	2431
None	1791	1490
1	476	438
2	114	303
3+	23	181
Not Stated	27	19

INDUCED ABORTIONS REPORTED IN IDAHO

Termination Procedure by Length of Gestation

1982

TERMINATION PROCEDURE	TOTAL	WEEKS OF GESTATION					
		≤8	9-12	13-15	16-19	20+	Not Stated
TOTAL	2431	1133	1144	138	6	1	9
Suction curettage	2417	1126	1141	138	2	1	9
Sharp curettage	7	7	-	-	-	-	-
Intra-uterine saline instillation	3	-	-	-	3	-	-
Intra-uterine prostaglandin instillation	1	-	-	-	1	-	-
Hysterotomy	-	-	-	-	-	-	-
Hysterectomy	3	-	3	-	-	-	-
Other	-	-	-	-	-	-	-
Not Stated	-	-	-	-	-	-	-

INDUCED ABORTIONS REPORTED IN IDAHO

Reported Complications by Termination Procedure

1982

TERMINATION PROCEDURE	TOTAL	REPORTED COMPLICATIONS							
		No Complications	Hemorrhage	Infection	Uterine Perforation	Cervical Laceration	Retained Products	Other	Not Stated
TOTAL	2431	2408	5	-	-	-	2	2	14
Suction curettage	2417	2399	1	-	-	-	1	2	14
Sharp curettage	7	4	3	-	-	-	-	-	-
Intra-uterine saline instillation	3	3	-	-	-	-	-	-	-
Intra-uterine prostaglandin instillation	1	-	-	-	-	-	1	-	-
Hysterotomy	-	-	-	-	-	-	-	-	-
Hysterectomy	3	2	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-
Not Stated	-	-	-	-	-	-	-	-	-

INDUCED ABORTIONS REPORTED IN IDAHO

Age of Patient by District and County of Residence

1982

RESIDENCE	TOTAL	AGE OF PATIENT								
		10-14	15-19	20-24	25-29	30-34	35-39	40-44	45+	Not Stated
IDAHO	2257	20	650	782	425	259	86	28	1	6
District 1	263	4	89	70	46	38	13	3	-	-
District 2	127	2	36	42	30	10	4	1	-	2
District 3	260	1	92	92	34	24	13	4	-	-
District 4	826	6	213	303	168	103	22	9	-	2
District 5	398	2	105	136	74	57	18	4	-	2
District 6	232	3	68	88	44	15	9	5	-	-
District 7	151	2	47	51	29	12	7	2	1	-
Ada	744	5	196	274	149	91	19	9	-	1
Adams	8	-	3	2	1	1	1	-	-	-
Bannock	171	2	47	72	29	12	7	2	-	-
Bear Lake	2	-	1	-	1	-	-	-	-	-
Benewah	18	-	5	4	4	5	-	-	-	-
Bingham	40	1	13	12	9	2	2	1	-	-
Blaine	152	-	20	60	37	26	6	2	-	1
Boise	10	1	-	5	1	1	1	-	-	1
Bonner	35	-	6	13	6	5	5	-	-	-
Bonneville	109	2	35	37	18	8	6	2	1	-
Boundary	11	-	5	3	3	-	-	-	-	-
Butte	3	-	1	-	1	1	-	-	-	-
Camas	4	-	4	-	-	-	-	-	-	-
Canyon	201	1	73	69	30	13	12	3	-	-
Caribou	4	-	2	1	1	-	-	-	-	-
Cassia	20	-	5	9	3	2	1	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-
Clearwater	1	-	1	-	-	-	-	-	-	-
Custer	6	-	1	2	3	-	-	-	-	-
Elmore	42	-	14	12	11	3	2	-	-	-
Franklin	1	-	-	-	1	-	-	-	-	-
Fremont	7	-	2	2	2	1	-	-	-	-
Gem	22	-	7	9	1	5	-	-	-	-
Gooding	28	-	10	7	6	3	2	-	-	-
Idaho	6	-	1	3	1	1	-	-	-	-
Jefferson	11	-	4	3	2	1	1	-	-	-
Jerome	36	1	12	13	5	3	2	-	-	-
Kootenai	167	4	65	39	27	23	8	1	-	-
Latah	103	2	25	37	25	8	3	1	-	2
Lemhi	8	-	1	1	4	2	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-
Lincoln	6	-	3	-	2	-	-	1	-	-
Madison	9	-	4	5	-	-	-	-	-	-
Minidoka	27	-	9	9	3	5	1	-	-	-
Nez Perce	17	-	9	2	4	1	1	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-
Owyhee	6	-	-	3	1	1	-	1	-	-
Payette	18	-	6	8	-	4	-	-	-	-
Power	11	-	4	3	2	-	-	2	-	-
Shoshone	32	-	8	11	6	5	-	2	-	-
Teton	1	-	-	1	-	-	-	-	-	-
Twin Falls	125	1	42	38	18	18	6	1	-	1
Valley	30	-	3	12	7	8	-	-	-	-
Washington	5	-	3	1	1	-	-	-	-	-
Out-of-State Residents	174	-	34	84	30	17	6	1	-	2

INDUCED ABORTIONS REPORTED IN IDAHO

Race of Patient by District and County of Residence

1982

RESIDENCE	TOTAL	RACE OF PATIENT						
		White	Black	American Indian	Japanese	Other Nonwhite	Not Stated	Hispanic*
IDAHO	2257	2185	14	18	-	14	26	36
District 1	263	261	-	1	-	-	1	1
District 2	127	120	1	1	-	3	2	-
District 3	260	253	1	2	-	2	2	10
District 4	826	794	9	4	-	7	12	5
District 5	398	388	1	3	-	-	6	8
District 6	232	221	2	6	-	1	2	8
District 7	151	148	-	1	-	1	1	4
Ada	744	719	7	2	-	5	11	2
Adams	8	8	-	-	-	-	-	-
Bannock	171	162	2	5	-	1	1	4
Bear Lake	2	2	-	-	-	-	-	-
Benewah	18	16	-	1	-	-	1	-
Bingham	40	39	1	-	-	-	-	3
Blaine	152	151	-	-	-	-	1	-
Boise	10	9	-	-	-	-	1	-
Bonner	35	34	-	-	-	-	1	-
Bonneville	109	108	-	-	-	-	1	2
Boundary	11	11	-	-	-	-	-	-
Butte	3	3	-	-	-	-	-	-
Camas	4	4	-	-	-	-	-	-
Canyon	201	194	1	2	-	2	2	8
Caribou	4	4	-	-	-	-	-	-
Cassia	20	20	-	-	-	-	-	-
Clark	-							
Clearwater	1	11	-	-	-	-	-	-
Custer	6	5	-	-	-	1	-	-
Elmore	42	42	37	2	1	-	2	3
Franklin	1	1	-	-	-	-	-	-
Fremont	7	7	-	-	-	-	-	-
Gem	22	22	-	-	-	-	-	2
Gooding	28	27	-	1	-	-	-	1
Idaho	6	5	-	1	-	-	-	-
Jefferson	11	11	-	-	-	-	-	1
Jerome	36	34	1	-	-	-	1	-
Kootenai	167	167	-	-	-	-	-	-
Latah	103	97	1	-	-	3	2	-
Lemhi	8	7	-	1	-	-	-	1
Lewis	-	-	-	-	-	-	-	-
Lincoln	6	5	-	-	-	-	1	-
Madison	9	9	-	-	-	-	-	-
Minidoka	27	26	-	1	-	-	-	1
Nez Perce	17	17	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-
Owyhee	6	6	-	-	-	-	-	-
Payette	18	18	-	-	-	-	-	-
Power	11	10	-	-	-	-	1	1
Shoshone	32	32	-	-	-	-	-	-
Teton	1	1	-	-	-	-	-	-
Twin Falls	125	121	-	1	-	-	3	6
Valley	30	29	-	1	-	-	-	-
Washington	5	5	-	-	-	-	-	-
Out-of-State Residents	174	169	2	1	-	2	-	3

*Included in white totals.

MARRIAGE & DIVORCE

Photograph Courtesy Idaho Historical Society

Marriages were usually arranged and consummated after girls reached puberty. Though rare, divorces were obtained for reasons of incompatibility, barrenness and adultery.

MARRIAGES AND DIVORCES OCCURRING IN IDAHO

1971 - 1982



Both the number and rate of marriages decreased in Idaho in 1982, from 14,175 (14.8) in 1981 to 14,066 (14.7, provisional). This decline resumes the general downward trend of marriage rates in Idaho. Even so, marriages occur at a higher rate in Idaho than in the U. S. as a whole: the national marriage rate was 10.8 in 1982, which is up from 1981 (10.6).

Divorces in Idaho recorded the first numerical decrease in seventeen years, declining 8% in 1982 to 6,238. The rate of divorce declined to a provisional rate of 6.5, which is the lowest since the mid-seventies. Divorces occur more frequently in Idaho than in the remainder of the country: the U. S. divorce rate in 1982 was just 5.1 per 1,000 population, and is down slightly from the 5.3 rate of 1979-1981.

MARRIAGES OCCURRING IN IDAHO

By District and County of Occurrence

1973 - 1982

OCCURRENCE	1982	1981	1980	1979	1978	1977	1976	1975	1974	1973
IDAHO	14066*	14175	13428	13429	13570	13691	13104	12688	12489	12236
District 1	4585	4485	4046	4237	4718	4739	4481	4284	4277	4350
District 2	976	1084	1110	1040	1069	1087	1062	1065	1028	1116
District 3	1482	1516	1385	1390	1377	1379	1325	1229	1267	1384
District 4	2342	2311	2315	2176	2026	1977	1888	1828	1642	1791
District 5	1372	1484	1427	1323	1215	1222	1200	1219	1191	1212
District 6	1209	1237	1167	1207	1135	1190	1142	1114	1163	1097
District 7	2097	2056	1976	2052	2029	2094	2003	1944	1919	1279
Ada	1962	1881	1844	1788	1677	1607	1586	1493	1338	1477
Adams	38	46	34	43	42	35	28	27	27	38
Bannock	650	633	629	642	624	614	599	572	593	551
Bear Lake	67	66	57	57	36	57	61	56	59	48
Benewah	73	86	94	92	86	61	79	89	87	80
Bingham	260	268	273	274	257	281	248	253	253	249
Blaine	208	219	183	190	129	130	159	138	141	156
Boise	56	52	54	52	34	37	34	31	27	28
Bonner	345	309	306	307	273	290	295	233	253	257
Bonneville	1530	1475	1460	1508	1550	1578	1498	1445	1434	745
Boundary	112	128	99	110	139	121	139	134	123	137
Butte	19	28	18	29	28	20	32	29	31	37
Camas	11	12	14	10	5	7	3	7	5	6
Canyon	881	924	824	806	839	820	778	675	722	762
Caribou	60	72	69	81	63	75	60	63	70	57
Cassia	171	210	202	193	209	183	160	176	185	176
Clark	2	10	4	4	2	11	8	11	8	8
Clearwater	86	98	111	109	92	114	104	111	101	117
Custer	77	80	55	51	30	42	38	36	48	32
Elmore	203	259	292	240	210	226	194	215	199	203
Franklin	66	64	44	45	38	52	51	63	59	63
Fremont	118	99	100	108	114	100	125	122	107	132
Gem	126	119	119	135	129	125	99	107	114	122
Gooding	84	106	90	105	89	88	103	108	98	90
Idaho	104	132	157	145	162	149	160	141	151	144
Jefferson	111	108	108	130	115	114	102	100	91	123
Jerome	144	130	124	109	104	105	113	124	105	98
Kootenai	3896	3767	3342	3529	4046	4104	3771	3647	3584	3663
Latah	266	281	271	261	270	269	233	261	210	267
Lemhi	123	156	124	138	115	118	109	130	115	118
Lewis	55	40	41	40	50	43	53	33	57	51
Lincoln	37	30	36	22	23	21	22	23	24	32
Madison	108	100	93	92	91	102	92	83	96	100
Minidoka	173	180	184	169	166	161	152	186	161	156
Nez Perce	465	533	530	485	495	512	512	519	509	537
Oneida	32	41	26	20	23	23	20	24	39	45
Owyhee	67	61	60	50	67	48	74	43	63	56
Payette	246	238	236	188	174	207	193	204	168	223
Power	55	65	51	59	66	68	71	54	59	47
Shoshone	159	195	206	199	174	163	197	181	230	213
Teton	28	28	32	21	12	29	31	17	20	21
Twin Falls	544	597	594	525	490	527	488	457	472	498
Valley	121	119	125	96	105	107	74	89	78	83
Washington	124	128	112	168	126	144	153	173	173	183
Out-of-State*	3	2	2	4	1	3	3	5	2	7

*Marriage license issued in Idaho, ceremony performed out-of-state.

MARRIAGES OCCURRING IN IDAHO

Age of Bride by Age of Groom

1982

AGE OF GROOM	AGE OF BRIDE														
	TOTAL	<15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70+	Not Stated
Total	14066	14	3296	4173	2284	1504	1019	591	404	230	174	140	82	95	60
<15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19	1275	9	1074	168	15	4	3	-	2	-	-	-	-	-	-
20-24	4519	3	1798	2268	327	95	17	7	1	-	-	-	-	-	3
25-29	2813	2	310	1191	907	295	81	20	5	1	-	-	-	-	1
30-34	1721	-	87	360	586	476	172	47	10	3	-	-	-	-	-
35-39	1220	-	28	127	298	338	298	99	29	3	-	-	-	-	-
40-44	777	-	11	40	88	180	232	142	53	23	6	-	-	-	2
45-49	515	-	4	12	36	56	108	140	113	32	12	-	-	1	1
50-54	379	-	3	3	16	40	72	70	83	59	23	5	4	1	-
55-59	270	-	-	1	6	13	19	39	68	45	45	20	10	3	1
60-64	201	-	-	2	3	4	9	19	18	38	43	42	12	8	3
65-69	152	-	-	-	-	1	7	5	16	17	28	35	24	17	2
70+	189	-	-	-	2	1	1	1	5	8	16	38	32	85	-
Not Stated	55	-	1	1	-	1	-	2	1	1	1	-	-	-	47

Race of Bride by Race of Groom

1982

RACE OF GROOM	RACE OF BRIDE						
	Total	White	Black	American Indian	Chinese, Japanese	Other Nonwhite	Not Stated
Total	14066	13571	90	83	24	37	261
White	13592	13449	50	43	18	18	14
Black	40	6	33	1	-	-	-
American Indian	76	34	3	38	1	-	-
Chinese and Japanese	29	22	1	1	5	-	-
Other Nonwhite	58	35	3	-	-	19	1
Not Stated	271	25	-	-	-	-	246

MARRIAGES OCCURRING IN IDAHO

Bride: Age by Previous Marital Status

1982

AGE	MARITAL STATUS - BRIDE					
	TOTAL	Single	Widowed	Divorced	Marriage Annulled	Not Stated
TOTAL	14066	7680	603	5754	2	27
<15	14	14	-	-	-	-
15-19	3296	3181	1	108	-	6
20-24	4173	3289	18	859	-	7
25-29	2284	854	28	1396	-	6
30-34	1504	237	40	1225	1	1
35-39	1019	65	34	917	1	2
40-44	591	15	45	531	-	-
45-49	404	7	49	348	-	-
50-54	230	2	69	159	-	-
55-59	174	4	74	96	-	-
60-64	140	3	83	53	-	1
65-69	82	1	61	20	-	-
70-74	61	1	52	6	-	2
75+	34	-	33	1	-	-
Not Stated	60	7	16	35	-	2

MARRIAGES OCCURRING IN IDAHO

Groom: Age by Previous Marital Status

1982

AGE	MARITAL STATUS - GROOM					
	TOTAL	Single	Widowed	Divorced	Marriage Annulled	Not Stated
TOTAL	14066	7854	535	5651	4	22
<15	-	-	-	-	-	-
15-19	1275	1262	-	10	1	2
20-24	4519	4065	5	446	-	3
25-29	2813	1706	11	1089	-	7
30-34	1721	519	16	1184	1	1
35-39	1220	168	17	1032	1	2
40-44	777	56	23	698	-	-
45-49	515	28	32	453	-	2
50-54	379	13	44	322	-	-
55-59	270	13	74	182	-	1
60-64	201	8	78	114	-	1
65-69	152	5	89	57	-	1
70-74	97	2	72	21	1	1
75+	72	2	55	15	-	-
Not Stated	55	7	19	28	-	1

DIVORCES GRANTED IN IDAHO

By District and County of Occurrence

1973 - 1982

OCCURRENCE	1982	1981	1980	1979	1978	1977	1976	1975	1974	1973
IDAHO	6238	6770	6596	6449	6356	6013	5699	5203	4808	4341
District 1	944	1051	980	985	881	873	827	794	688	638
District 2	602	622	636	605	570	564	548	589	597	504
District 3	801	979	926	863	839	784	809	772	736	606
District 4	1741	1801	1887	1801	1852	1656	1534	1444	1266	1117
District 5	895	894	879	845	782	859	779	568	572	555
District 6	545	611	601	563	605	611	560	400	377	390
District 7	710	812	687	787	827	666	642	636	572	531
Ada	1457	1506	1579	1527	1503	1375	1285	1227	1042	910
Adams	19	27	20	24	8	10	18	8	13	10
Bannock	290	318	324	277	312	346	298	225	217	264
Bear Lake	15	19	8	12	9	11	6	16	3	10
Benewah	58	73	60	72	75	73	86	74	58	62
Bingham	138	157	164	177	186	150	141	125	109	87
Blaine	90	89	80	73	78	72	77	76	55	36
Boise	35	60	56	47	68	71	49	36	33	30
Bonner	188	209	199	188	163	153	125	145	118	112
Bonneville	467	531	485	521	597	449	438	405	387	313
Boundary	45	50	60	48	39	50	40	47	24	32
Butte	5	9	11	2	2	-	1	3	1	1
Camas	2	2	9	7	6	3	2	2	11	17
Canyon	509	650	619	532	555	509	530	499	493	423
Caribou	42	48	41	42	35	48	34	9	15	14
Cassia	114	120	127	112	124	151	124	98	117	99
Clark	-	-	3	-	-	1	-	-	-	-
Clearwater	79	69	68	79	74	59	66	61	69	57
Custer	23	19	5	13	11	8	16	-	-	4
Elmore	212	175	196	181	227	161	150	137	150	140
Franklin	12	11	3	11	11	12	20	11	15	11
Fremont	32	35	17	18	24	24	15	16	8	4
Gem	69	92	60	77	76	73	78	91	60	50
Gooding	58	65	63	71	89	101	91	54	66	89
Idaho	73	60	67	52	56	40	59	24	29	30
Jefferson	39	46	43	36	51	54	50	49	45	48
Jerome	84	81	91	67	65	61	52	29	10	25
Kootenai	557	579	516	527	485	449	428	400	365	329
Latah	152	188	168	188	149	165	115	137	150	97
Lemhi	60	78	54	50	66	48	51	51	40	50
Lewis	23	28	35	24	22	10	15	15	16	10
Lincoln	15	12	17	18	18	16	11	9	5	22
Madison	82	98	71	145	78	79	68	111	89	112
Minidoka	120	127	120	114	123	128	95	100	82	84
Nez Perce	275	277	278	262	269	290	293	352	333	310
Oneida	8	14	10	7	10	3	10	7	15	2
Owyhee	17	20	23	24	25	28	17	9	13	8
Payette	125	137	131	129	114	99	124	119	105	65
Power	35	35	40	35	40	41	50	4	2	1
Shoshone	96	140	145	150	119	148	148	128	123	103
Teton	7	5	9	4	-	3	4	4	3	-
Twin Falls	412	398	372	383	279	327	327	200	226	183
Valley	37	60	56	46	54	49	50	44	41	37
Washington	62	53	73	77	61	65	42	46	52	50

DIVORCES GRANTED IN IDAHO

Number of Children Affected

1982

Number of Children Affected	Divorces	Total Children
TOTAL	6238	5873
No Children Affected	2856	-
1 Child	1490	1490
2 Children	1224	2448
3 Children	389	1167
4 Children	133	532
5 Children	33	165
6 Children	6	36
7 Children	5	35
8 Children	-	-
9 Children	-	-
10+ Children	-	-
Not Stated	102	-

CHILDREN AFFECTED BY IDAHO DIVORCES

1973 - 1982



DIVORCES AND ANNULMENTS GRANTED IN IDAHO

Legal Grounds

1982

LEGAL GROUNDS	1982 Divorces and Annulments		
	Total	Divorces	Annulments
TOTAL	6238	6186	52
Adultery	21	21	-
Extreme cruelty	69	69	-
Conviction of a felony	1	1	-
Bigamy	-	-	-
Permanent insanity	-	-	-
Fraud	29	12	17
Drunkenness or habitual intemperance	1	1	-
Willful neglect or nonsupport	4	4	-
Willful desertion	15	15	-
5 year continuous separation without cohabitation	4	4	-
Underage	1	-	1
Incapacity	3	-	3
Irreconcilable differences	5989	5989	-
Other	11	-	11
Not Stated	90	70	20

DIVORCES GRANTED IN IDAHO

Duration of Marriage

1980 - 1982

DURATION OF MARRIAGE	1982		Percent	
	Number	Percent*	1981	1980
TOTAL	6238	-	(6770)	(6596)
<1 year	620	10.0	9.2	9.9
1 - 4 years	2495	40.1	40.1	39.1
5 - 9 years	1475	23.7	25.4	24.7
10 - 14 years	759	12.2	11.6	12.2
15 - 19 years	430	6.9	6.4	6.5
20 - 24 years	234	3.8	3.6	3.7
25 - 29 years	110	1.8	1.9	2.0
30 - 34 years	55	0.9	0.9	1.1
35 - 39 years	24	0.4	0.5	0.5
40+ years	20	0.3	0.3	0.3
Not Stated	16	-	(36)	(38)

*Percentage based on total divorces and annulments for which duration of marriage was stated.

APPENDIX

Photograph Courtesy Idaho Historical Society

One aspect of community life today. Shoshone-Paiute Duck Valley Reservation Recreation Hall.

Appendix A

1982 VITAL STATISTICS PROFILE OF IDAHO

By District and County

	IDAHO		District 1		District 2		District 3		District 4		District 5		District 6		District 7	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/81	959,311	-	119,811	-	91,271	-	132,434	-	210,266	-	134,774	-	142,225	-	128,530	-
LIVE BIRTHS	19,581	20.4	2,079	17.4	1,436	15.7	2,506	18.9	4,062	19.3	2,891	21.5	3,376	23.7	3,231	25.1
Sex: Male	10,019	-	1,084	-	727	-	1,297	-	2,028	-	1,449	-	1,758	-	1,676	-
Female	9,562	-	995	-	709	-	1,209	-	2,034	-	1,442	-	1,618	-	1,555	-
Out-of-wedlock	1,723	88.0	253	121.7	157	109.3	282	112.5	369	90.8	236	81.6	268	79.4	158	48.9
Immature	1,045	53.4	102	49.1	58	40.4	135	53.9	211	51.9	151	52.2	206	61.0	182	56.3
INFANT DEATHS	195	10.0	23	11.1	16	11.1	29	11.6	42	10.3	27	9.3	27	8.0	31	9.6
Neonatal	123	6.3	17	8.2	13	9.1	18	7.2	21	5.2	14	4.8	21	6.2	19	5.9
Postneonatal	72	3.7	6	2.9	3	2.1	11	4.4	21	5.2	13	4.5	6	1.8	12	3.7
PERINATAL DEATHS	244	12.5	42	20.2	17	11.8	29	11.6	41	10.1	39	13.5	40	11.8	36	11.1
Stillbirths	139	7.1	25	12.0	7	4.9	14	5.6	23	5.7	28	9.7	23	6.8	19	5.9
DEATHS	6,924	7.2	947	7.9	767	8.4	1,109	8.4	1,270	6.0	1,069	7.9	967	6.8	795	6.2
Sex: Male	3,939	-	548	-	451	-	618	-	697	-	627	-	549	-	449	-
Female	2,985	-	399	-	316	-	491	-	573	-	442	-	418	-	346	-
Heart disease	2,405	250.7	323	269.6	269	294.7	402	303.5	432	205.5	392	290.9	326	229.2	261	203.1
Cancer	1370	142.8	208	173.6	152	166.5	238	179.7	284	135.1	190	141.0	160	112.5	138	107.4
Cerebrovascular disease	569	59.3	82	68.4	77	84.4	101	76.3	70	33.3	88	65.3	79	55.5	72	56.0
Accidents	495	51.6	74	61.8	74	81.1	46	34.7	84	39.9	68	50.5	78	54.8	71	55.2
Influenza and pneumonia	220	22.9	28	23.4	20	21.9	50	37.8	39	18.5	42	31.2	26	18.3	15	11.7
Suicide	138	14.4	10	8.3	11	12.1	22	16.6	45	21.4	17	12.6	19	13.4	14	10.9
Diabetes mellitus	118	12.3	15	12.5	10	11.0	20	15.1	9	4.3	18	13.4	28	19.7	18	14.0
Bronchitis, emphysema and asthma	101	10.5	17	4.2	12	13.1	12	9.1	14	6.7	17	12.6	17	12.0	12	9.3
Atherosclerosis	95	9.9	15	12.5	9	9.9	14	10.6	16	7.6	11	8.2	20	14.1	10	7.8
Chronic liver disease and cirrhosis	90	9.4	11	9.2	8	8.8	6	4.5	25	11.9	15	11.1	18	12.7	7	5.4
MARRIAGES	14,066	14.7	4,585	38.3	976	10.7	1,482	11.2	2,342	11.1	1,372	10.2	1,209	8.5	2,097	16.3
DIVORCES	6,238	6.5	944	7.9	602	6.6	801	6.0	1,741	8.3	895	6.6	545	3.8	710	5.5

	Ada		Adams		Bannock		Bear Lake		Benewah		Bingham		Blaine		Boise	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/81	179,648	-	3,128	-	36,842	-	7,204	-	8,324	-	36,847	-	10,121	-	5,148	-
LIVE BIRTHS	3,304	18.4	61	19.5	1,477	22.2	186	25.8	164	19.7	939	25.5	218	21.5	43	13.7
Sex: Male	1,646	-	33	-	781	-	90	-	82	-	486	-	108	-	23	-
Female	1,658	-	28	-	696	-	96	-	82	-	453	-	110	-	20	-
Out-of-wedlock	334	101.1	5	82.0	149	100.9	11	59.1	21	128.0	71	75.6	15	68.8	3	69.8
Immature	168	50.8	5	82.0	94	63.6	16	86.0	9	54.9	54	57.5	10	45.9	1	23.2
INFANT DEATHS	32	9.7	-	0.0	12	8.1	-	0.0	4	24.4	7	7.5	1	4.6	-	0.0
Neonatal	16	4.8	-	0.0	10	6.8	-	0.0	3	18.3	3	3.2	-	0.0	-	0.0
Postneonatal	16	4.8	-	0.0	2	1.4	-	0.0	1	6.1	4	4.3	1	4.6	-	0.0
PERINATAL DEATHS	35	10.6	-	0.0	19	12.9	2	10.8	8	48.8	6	6.4	1	4.6	-	0.0
Stillbirths	21	6.4	-	0.0	10	6.8	2	10.8	5	30.5	5	5.3	1	4.6	-	0.0
DEATHS	1,104	6.2	29	9.3	439	5.6	61	8.5	67	8.0	223	6.1	63	6.2	15	4.8
Sex: Male	599	-	19	-	254	-	39	-	39	-	128	-	40	-	11	-
Female	505	-	10	-	185	-	22	-	28	-	95	-	23	-	4	-
Heart disease	376	209.5	9	287.7	144	216.1	23	319.3	16	192.2	80	217.1	23	227.3	6	190.6
Cancer	251	139.9	5	159.8	74	111.0	7	97.2	18	216.2	35	95.0	13	128.4	4	127.1
Cerebrovascular disease	62	34.6	4	127.9	35	52.5	8	111.0	7	84.1	16	43.4	4	39.5	1	31.8
Accidents	71	39.6	2	63.9	31	46.5	10	138.8	7	84.1	17	46.1	5	49.4	1	31.8
Influenza and pneumonia	32	17.8	-	0.0	14	21.0	2	27.8	3	36.0	5	13.6	2	19.8	-	0.0
Suicide	41	22.8	1	32.0	10	15.0	2	27.8	1	12.0	2	5.4	4	39.5	-	0.0
Diabetes mellitus	7	3.9	-	0.0	9	13.5	2	27.8	1	12.0	6	16.3	1	9.9	-	0.0
Bronchitis, emphysema and asthma	11	6.1	1	32.0	7	10.5	1	13.9	1	12.0	4	10.9	1	9.9	-	0.0
Atherosclerosis	14	7.8	-	0.0	7	10.5	-	0.0	-	0.0	3	8.1	-	0.0	1	31.8
Chronic liver disease and cirrhosis	20	11.1	-	0.0	10	15.0	-	0.0	2	24.0	6	16.3	1	9.9	1	31.8
MARRIAGES	1,952	10.9	38	12.1	650	9.8	67	9.3	73	8.8	260	7.1	208	20.6	56	17.8
DIVORCES	1,457	8.1	19	6.1	290	4.4	15	2.1	58	7.0	138	3.7	90	8.9	35	11.1

	Bonner		Bonneville		Boundary		Butte		Camas		Canyon		Caribou		Cassia	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/81	24,878	-	66,838	-	7,276	-	3,357	-	790	-	83,862	-	8,844	-	19,481	-
LIVE BIRTHS	453	18.2	1,660	24.8	160	22.0	71	21.1	22	27.8	1,634	19.5	212	24.0	507	26.0
Sex: Male	239	-	862	-	82	-	39	-	13	-	860	-	109	-	255	-
Female	214	-	798	-	78	-	32	-	9	-	774	-	103	-	252	-
Out-of-wedlock	55	121.4	101	60.8	13	81.3	4	56.3	-	0.0	193	118.1	3	14.2	43	84.8
Immature	22	48.6	97	58.4	9	56.3	5	70.4	1	45.5	92	56.3	11	51.9	30	59.2
INFANT DEATHS	7	15.5	18	10.8	1	6.3	2	28.2	-	0.0	24	14.7	3	14.2	11	21.7
Neonatal	6	13.2	11	6.6	-	0.0	2	28.2	-	0.0	15	9.2	3	14.2	7	13.8
Postneonatal	1	2.2	7	4.2	1	6.3	-	0.0	-	0.0	9	5.5	-	0.0	4	7.9
PERINATAL DEATHS	15	33.1	19	11.4	3	18.8	4	56.3	-	0.0	19	11.6	4	18.9	12	23.7
Stillbirths	9	19.9	9	5.4	3	18.8	2	28.2	-	0.0	7	4.3	1	4.7	7	13.8
DEATHS	201	8.1	383	5.7	47	6.5	32	9.5	7	8.9	672	8.0	46	5.2	139	7.1
Sex: Male	114	-	216	-	23	-	21	-	5	-	365	-	17	-	78	-
Female	87	-	167	-	24	-	11	-	2	-	307	-	29	-	61	-
Heart disease	79	317.5	111	166.1	15	206.2	17	506.4	3	379.7	234	279.0	12	135.7	45	231.0
Cancer	40	160.8	65	97.3	9	123.7	4	119.2	1	126.6	152	181.3	6	67.8	28	143.7
Cerebrovascular disease	11	44.2	35	52.4	4	55.0	1	29.8	-	0.0	61	72.7	4	45.2	14	71.9
Accidents	22	88.4	29	43.4	5	68.7	2	59.5	2	253.2	27	32.2	6	67.8	5	25.7
Influenza and pneumonia	3	12.1	8	12.0	5	68.7	-	0.0	-	0.0	26	31.0	2	22.6	4	20.5
Suicide	-	0.0	11	16.5	-	0.0	-	0.0	-	0.0	16	19.1	1	11.3	1	5.1
Diabetes mellitus	4	16.1	13	19.5	1	13.7	1	29.8	-	0.	15	17.9	2	22.6	4	20.5
Bronchitis, emphysema and asthma	2	8.0	4	6.0	1	13.7	1	29.8	-	0.0	6	7.2	1	11.3	1	5.1
Atherosclerosis	3	12.1	5	7.5	1	13.7	-	0.0	-	0.0	7	8.3	2	22.6	2	10.3
Chronic liver disease and cirrhosis	2	8.0	4	6.0	-	0.0	1	29.8	-	0.0	5	6.0	-	0.0	4	20.5
MARRIAGES	345	13.9	1,530	22.9	112	15.4	19	5.7	11	13.9	881	10.5	60	6.8	171	8.8
DIVORCES	188	7.6	467	7.0	45	6.2	5	1.5	2	2.5	509	6.1	42	4.7	114	5.9

	Clark		Clearwater		Custer		Elmore		Franklin		Fremont		Gem		Gooding	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/81	795	-	10,297	-	3,799	-	21,840	-	9,293	-	10,932	-	11,910	-	12,241	-
LIVE BIRTHS	14	17.6	175	17.0	110	29.0	596	27.3	268	28.8	254	23.2	203	17.0	233	19.0
Sex: Male	11	-	91	-	54	-	302	-	131	-	125	-	106	-	113	-
Female	3	-	84	-	56	-	294	-	137	-	129	-	97	-	120	-
Out-of-wedlock	-	0.0	19	108.6	5	45.5	22	36.9	8	29.9	12	47.2	25	123.2	16	68.7
Immature	-	0.0	11	62.9	9	81.8	36	60.4	11	41.0	14	55.1	13	64.0	11	47.2
INFANT DEATHS	-	0.0	2	11.4	-	0.0	10	16.8	1	3.7	3	11.8	2	9.9	1	4.3
Neonatal	-	0.0	2	11.4	-	0.0	5	8.4	1	3.7	2	7.9	1	4.9	-	0.0
Postneonatal	-	0.0	-	0.0	-	0.0	5	8.4	-	0.0	1	3.9	1	4.9	1	4.3
PERINATAL DEATHS	-	0.0	3	17.1	-	0.0	4	6.7	2	7.5	8	31.5	3	14.8	4	17.2
Stillbirths	-	0.0	2	11.4	-	0.0	-	0.0	1	3.7	7	27.6	2	9.9	4	17.2
DEATHS	6	7.5	72	7.0	31	8.2	122	5.6	79	8.5	74	6.8	97	8.1	130	10.6
Sex: Male	4	-	44	-	19	-	70	-	47	-	40	-	59	-	84	-
Female	2	-	28	-	12	-	52	-	32	-	34	-	38	-	46	-
Heart disease	-	0.0	27	262.2	10	263.2	43	196.9	18	193.7	25	228.7	39	327.5	57	465.6
Cancer	1	125.8	14	136.0	6	157.9	20	91.6	18	193.7	8	73.2	18	151.1	25	204.2
Cerebrovascular disease	1	125.8	5	48.6	4	105.3	6	27.5	10	107.6	7	64.0	12	100.8	13	106.2
Accidents	-	0.0	7	68.0	3	79.0	9	41.2	3	32.3	11	100.6	1	8.4	12	98.0
Influenza and pneumonia	-	0.0	5	48.6	-	0.0	6	27.5	3	32.3	1	9.1	6	50.4	2	16.3
Suicide	-	0.0	1	9.7	1	26.3	3	13.7	2	21.5	-	0.0	1	8.4	2	16.3
Diabetes mellitus	-	0.0	-	0.0	-	0.0	1	4.6	3	32.3	2	18.3	2	16.8	-	0.0
Bronchitis, emphysema and asthma	2	251.6	-	0.0	-	0.0	3	13.7	1	10.8	1	9.1	1	8.4	-	0.0
Atherosclerosis	-	0.0	1	9.7	-	0.0	1	4.6	5	53.8	1	9.1	3	25.2	1	8.2
Chronic liver disease and cirrhosis	-	0.0	1	9.7	-	0.0	4	18.3	1	10.8	2	18.3	1	8.4	1	8.2
MARRIAGES	2	2.5	86	8.4	77	20.3	203	9.3	66	7.1	118	10.8	126	10.6	84	6.9
DIVORCES	-	0.0	79	7.7	23	6.1	212	9.7	12	1.3	32	2.9	69	5.8	58	4.7

	Idaho		Jefferson		Jerome		Kootenai		Latah		Lemhi		Lewis		Lincoln	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/81	14,856	-	15,588	-	14,929	-	80,177	-	29,209	-	7,709	-	3,976	-	3,607	-
LIVE BIRTHS	231	15.9	400	25.7	305	20.4	1,015	16.9	491	16.8	148	19.2	80	20.1	64	17.7
Sex: Male	125	-	212	-	153	-	536	-	254	-	78	-	39	-	40	-
Female	106	-	188	-	152	-	479	-	237	-	70	-	41	-	24	-
Out-of-wedlock	24	103.9	13	32.5	28	91.8	125	123.2	27	55.0	14	94.6	11	137.5	3	46.9
Immature	6	26.0	24	60.0	16	52.5	45	44.3	19	38.7	6	40.5	4	50.0	2	31.3
INFANT DEATHS	1	4.3	5	12.5	4	13.1	9	8.9	5	10.2	-	0.0	2	25.0	-	0.0
Neonatal	-	0.0	3	7.5	1	3.3	7	6.9	5	10.2	-	0.0	2	25.0	-	0.0
Postneonatal	1	4.3	2	5.0	3	9.8	2	2.0	-	0.0	-	0.0	-	0.0	-	0.0
PERINATAL DEATHS	1	4.3	4	10.0	2	6.6	13	12.8	7	14.3	-	0.0	2	25.0	3	46.9
Stillbirths	1	4.3	1	2.5	1	3.3	6	5.9	3	6.1	-	0.0	-	0.0	3	46.9
DEATHS	134	9.1	109	7.0	104	7.0	471	7.8	202	6.9	72	9.3	43	10.8	30	8.3
Sex: Male	87	-	64	-	63	-	271	-	111	-	47	-	27	-	20	-
Female	47	-	45	-	41	-	200	-	91	-	25	-	16	-	10	-
Heart disease	32	218.3	42	269.4	39	261.2	165	274.2	80	273.9	24	311.3	21	528.2	9	249.5
Cancer	29	197.9	23	147.5	19	127.3	102	169.5	38	130.1	18	233.5	4	100.6	8	221.8
Cerebrovascular disease	15	102.3	8	51.3	2	13.4	42	69.8	23	78.7	4	51.9	1	25.2	3	83.2
Accidents	21	143.3	13	83.4	6	40.2	26	43.2	20	68.5	4	51.9	2	50.3	1	27.7
Influenza and pneumonia	3	20.5	3	19.2	7	46.9	13	21.6	4	13.7	-	0.0	1	25.2	1	27.7
Suicide	3	20.5	-	0.0	3	20.1	7	11.6	3	10.3	1	13.0	-	0.0	-	0.0
Diabetes mellitus	2	13.6	1	6.4	2	13.4	9	15.0	3	10.3	-	0.0	-	0.0	-	0.0
Bronchitis, emphysema and asthma	2	13.6	2	12.8	-	0.0	12	19.9	2	6.8	3	38.9	1	25.2	-	0.0
Atherosclerosis	1	6.8	3	19.2	-	0.0	11	18.3	2	6.8	-	0.0	-	0.0	-	0.0
Chronic liver disease and cirrhosis	-	0.0	-	0.0	-	0.0	4	6.6	2	6.8	1	13.0	-	0.0	-	0.0
MARRIAGES	104	7.1	111	7.1	144	9.6	3,896	64.7	266	9.1	123	16.0	55	13.8	37	10.3
DIVORCES	73	5.0	39	2.5	84	5.6	557	9.3	152	5.2	60	7.8	23	5.8	15	4.2

	Madison		Minidoka		Nez Perce		Oneida		Owyhee		Payette		Power		Shoshone	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/81	19,823	-	19,609	-	33,133	-	3,268	-	8,919	.-	15,833	-	6,770	-	19,156	-
LIVE BIRTHS	553	27.9	469	23.9	459	13.9	81	24.8	172	19.3	286	18.1	142	21.0	287	15.0
Sex: Male	285	-	235	-	218	-	43	-	71	-	146	.-	79	-	145	-
Female	268	-	234	-	241	-	38	-	101	-	140	.-	63	-	142	-
Out-of-wedlock	11	19.9	44	93.8	76	165.6	4	49.4	16	93.0	30	104.9	18	126.8	39	135.9
Immature	26	47.0	23	49.0	18	39.2	8	98.8	8	46.5	10	35.0	7	49.3	17	59.2
INFANT DEATHS	5	9.0	3	6.4	6	13.1	2	24.7	-	0.0	3	10.5	-	0.0	2	7.0
Neonatal	3	5.4	3	6.4	4	8.7	2	24.7	-	0.0	2	7.0	-	0.0	1	3.5
Postneonatal	2	3.6	-	0.0	2	4.4	-	0.0	-	0.0	1	3.5	-	0.0	1	3.5
PERINATAL DEATHS	4	7.2	7	14.9	4	8.7	3	37.0	2	11.6	3	10.5	-	0.0	3	10.5
Stillbirths	1	1.8	5	10.7	1	2.2	2	24.7	2	11.6	1	3.5	-	0.0	2	7.0
DEATHS	97	4.9	142	7.2	316	9.5	39	11.9	67	7.5	156	9.9	48	7.1	161	8.4
Sex: Male	46	-	90	-	182	-	15	-	44	-	80	.-	28	-	101	-
Female	51	-	52	-	134	-	24	-	23	-	76	.-	20	-	60	-
Heart disease	41	206.8	49	249.9	109	329.0	14	428.4	20	224.2	59	372.6	18	265.9	48	250.6
Cancer	13	65.6	27	137.7	67	202.2	8	244.8	12	134.5	32	202.1	8	118.2	39	203.6
Cerebrovascular disease	9	45.4	12	61.2	33	99.5	1	30.6	4	44.8	16	101.1	4	59.1	18	94.0
Accidents	7	35.3	14	71.4	24	72.4	3	91.8	6	67.3	4	25.3	6	88.6	14	73.1
Influenza and pneumonia	3	15.1	5	25.5	7	21.1	-	0.0	4	44.8	10	63.2	-	0.0	4	20.9
Suicide	1	5.0	1	5.1	4	12.1	-	0.0	2	22.4	2	12.6	2	29.5	2	10.4
Diabetes mellitus	2	10.1	1	5.1	5	15.1	1	30.6	1	11.2	2	12.6	4	59.1	-	0.0
Bronchitis, emphysema and asthma	-	0.0	5	25.5	7	21.1	-	0.0	-	0.0	4	25.3	2	29.5	1	5.2
Atherosclerosis	1	5.0	1	5.1	5	15.1	3	91.8	3	33.6	1	6.3	-	0.0	-	0.0
Chronic liver disease and cirrhosis	-	0.0	3	15.3	5	15.1	-	0.0	-	0.0	-	0.0	-	0.0	3	15.7
MARRIAGES	108	5.4	173	8.8	465	14.0	32	9.8	67	7.5	246	15.5	55	8.1	159	8.3
DIVORCES	82	4.1	120	6.1	275	8.3	8	2.4	17	1.9	125	7.9	35	5.2	96	5.0

	Teton		Twin Falls		Valley		Washington	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
POPULATION 7/1/81	3,048	-	53,996	-	5,830	-	8,782	-
LIVE BIRTHS	92	30.2	1,073	19.9	119	20.4	150	17.1
Sex: Male	49	-	532	-	57	-	81	-
Female	43	-	541	-	62	-	69	-
Out-of-wedlock	2	21.7	87	81.1	10	84.0	13	86.7
Immature	6	65.2	58	54.1	6	50.4	7	46.7
INFANT DEATHS	-	0.0	7	6.5	-	0.0	-	0.0
Neonatal	-	0.0	3	2.8	-	0.0	-	0.0
Postneonatal	-	0.0	4	3.7	-	0.0	-	0.0
PERINATAL DEATHS	1	10.9	10	9.3	2	16.8	2	13.3
Stillbirths	1	10.9	7	6.5	2	16.8	2	13.3
DEATHS	23	7.6	454	8.4	29	5.0	88	10.0
Sex: Male	13	-	247	-	17	-	51	-
Female	10	-	207	-	12	-	37	-
Heart disease	8	262.6	167	309.3	7	120.1	41	466.9
Cancer	4	131.3	69	127.8	9	154.4	19	216.4
Cerebrovascular disease	4	131.3	40	74.1	1	17.2	4	45.5
Accidents	4	131.3	23	42.6	3	51.5	6	68.3
Influenza and pneumonia	-	0.0	21	38.9	1	17.2	4	45.5
Suicide	-	0.0	6	11.1	1	17.2	-	0.0
Diabetes mellitus	-	0.0	10	18.5	1	17.2	-	0.0
Bronchitis, emphysema and asthma	-	0.0	10	18.5	-	0.0	-	0.0
Atherosclerosis	-	0.0	7	13.0	-	0.0	-	0.0
Chronic liver disease and cirrhosis	-	0.0	6	11.1	-	0.0	-	0.0
MARRIAGES	28	9.2	544	10.1	121	20.8	124	14.1
DIVORCES	7	2.3	412	7.6	37	6.3	62	7.1

Appendix B

IDAHO DETAILED CAUSES OF DEATH BY AGE

1982

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
-	TOTAL, ALL CAUSES	6924*	195	44	30	121	164	183	271	534	1294	1828	2259
001-139	TOTAL, INFECTIVE AND PARASITIC DISEASES	50	6	-	-	-	2	2	4	2	9	12	13
001-009	INTESTINAL INFECTIOUS DISEASES	4	-	-	-	-	-	-	-	-	-	-	4
003	Other salmonella infections	1	-	-	-	-	-	-	-	-	-	-	1
008	Intestinal infections due to other organisms	2	-	-	-	-	-	-	-	-	-	-	2
009	Ill-defined intestinal infections	1	-	-	-	-	-	-	-	-	-	-	1
010-018	TUBERCULOSIS	1	-	-	-	-	-	1	-	-	-	-	-
017	Tuberculosis of other organs	1	-	-	-	-	-	1	-	-	-	-	-
030-041	OTHER BACTERIAL DISEASES	37	5	-	-	-	1	1	2	1	7	12	8
038	Septicemia	35	5	-	-	-	1	1	2	1	7	11	7
041	Bacterial infection in conditions classified elsewhere and of unspecified site	2	-	-	-	-	-	-	-	-	-	1	1
045-049	POLIOMYELITIS AND OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES OF CENTRAL NERVOUS SYSTEM	1	-	-	-	-	-	-	-	-	1	-	-
046	Slow virus infection of the central nervous system	1	-	-	-	-	-	-	-	-	1	-	-
050-057	VIRAL DISEASES ACCOMPANIED BY EXANTHEM	2	1	-	-	-	-	-	-	-	-	-	1
053	Herpes zoster	1	-	-	-	-	-	-	-	-	-	-	1
054	Herpes simplex	1	1	-	-	-	-	-	-	-	-	-	-
070-079	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	1	-	-	-	-	1	-	-	-	-	-	-
075	Infectious mononucleosis	1	-	-	-	-	1	-	-	-	-	-	-
110-118	MYCOSES	2	-	-	-	-	-	-	-	1	1	-	-
117	Other mycoses	2	-	-	-	-	-	-	-	1	1	-	-
130-136	OTHER INFECTIOUS AND PARASITIC DISEASES	2	-	-	-	-	-	-	2	-	-	-	-
135	Sarcoidosis	2	-	-	-	-	-	-	2		-	-	-

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	79-79	80+
140-239	**TOTAL, NEOPLASMS**	**1401**	-	1	1	8	9	26	71	167	424	402	292
140-149	MALIGNANT NEOPLASM OF LIP, ORAL CAVITY AND PHARYNX	15	-	-	-	-	-	1	1	3	3	4	3
141	Tongue	1	-	-	-	-	-	-	-	-	1	-	-
142	Major salivary glands	3	-	-	-	-	-	-	-	-	-	1	2
144	Floor of mouth	2	-	-	-	-	-	-	-	1	1	-	-
146	Oropharynx	2	-	-	-	-	-	-	1	1	-	-	-
147	Nasopharynx	1	-	-	-	-	-	-	-	-	1	-	-
148	Hypopharynx	1	-	-	-	-	-	-	-	-	-	-	1
149	Other and ill-defined sites within the lip, oral cavity and pharynx	5	-	-	-	-	-	1	-	1	-	3	-
150-159	MALIGNANT NEOPLASM OF DIGESTIVE ORGANS AND PERITONEUM	317	-	-	-	-	-	2	13	43	83	90	86
150	Esophagus	23	-	-	-	-	-	-	-	5	10	5	3
151	Stomach	42	-	-	-	-	-	-	1	6	13	16	6
152	Small intestine, including duodenum	1	-	-	-	-	-	-	-	-	1	-	-
153	Colon	125	-	-	-	-	-	-	4	14	29	32	46
154	Rectum, rectosigmoid junction and anus	28	-	-	-	-	-	-	2	4	11	7	4
155	Liver and intrahepatic bile ducts	16	-	-	-	-	-	2	-	3	2	7	2
156	Gallbladder and extrahepatic bile ducts	11	-	-	-	-	-	-	1	1	2	4	3
157	Pancreas	62	-	-	-	-	-	-	3	9	13	17	20
158	Retroperitoneum and peritoneum	1	-	-	-	-	-	-	1	-	-	-	-
159	Other and ill-defined sites within the digestive organs and peritoneum	8	-	-	-	-	-	-	1	1	2	2	2
160-165	MALIGNANT NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS	335	-	-	-	1	-	4	16	48	121	103	42
161	Larynx	4	-	-	-	-	-	-	1	1	2	-	-
162	Trachea, bronchus and lung	326	-	-	-	-	-	3	15	47	118	102	41
164	Thymus, heart and mediastinum	5	-	-	-	1	-	1	-	-	1	1	1
170-175	MALIGNANT NEOPLASM OF BONE, CONNECTIVE TISSUE, SKIN AND BREAST	152	-	-	-	1	2	7	17	22	48	31	24
170	Bone and articular cartilage	9	-	-	-	1	1	1	2	-	3	-	1
171	Connective and other soft tissue	6	-	-	-	-	1	-	-	-	3	1	1
172	Malignant melanoma of skin	24	-	-	-	-	-	3	2	3	6	6	4
173	Other malignant neoplasm of skin	4	-	-	-	-	-	-	-	-	1	2	1
174	Female breast	109	-	-	-	-	-	3	13	19	35	22	17

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
179-189	MALIGNANT NEOPLASM OF GENITOURINARY ORGANS	227	-	-	-	-	2	3	9	16	52	78	67
179	Uterus, part unspecified	8	-	-	-	-	-	-	-	1	2	3	2
180	Cervix uteri	4	-	-	-	-	-	-	-	1	1	1	1
181	Malignant neoplasm of placenta	1	-	-	-	-	-	-	1	-	-	-	-
182	Body of uterus	14	-	-	-	-	-	-	-	1	8	2	3
183	Ovary and other uterine adnexa	44	-	-	-	-	2	1	3	9	8	16	5
185	Prostate	91	-	-	-	-	-	-	1	1	17	31	41
186	Testis	2	-	-	-	-	-	2	-	-	-	-	-
187	Penis and other male genital organs	1	-	-	-	-	-	-	-	-	1	-	-
188	Bladder	35	-	-	-	-	-	-	1	1	4	17	12
189	Kidney and other and unspecified urinary organs	27	-	-	-	-	-	-	3	2	11	8	3
190-199	MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED SITES	178	-	1	-	2	1	1	9	23	68	44	29
191	Brain	39	-	1	-	2	1	-	5	3	15	8	4
193	Thyroid gland	6	-	-	-	-	-	-	-	-	2	4	-
194	Other endocrine glands and related structures	1	-	-	-	-	-	-	-	-	1	-	-
195	Other and ill-defined sites	9	-	-	-	-	-	-	-	1	5	2	1
199	Without specification of site	123	-	-	-	-	-	1	4	19	45	30	24
200-208	MALIGNANT NEOPLASM OF LYMPHATIC AND HEMATOPOIETIC TISSUES	146	-	-	1	4	2	5	6	11	41	41	35
200	Lymphosarcoma and reticulosarcoma	18	-	-	-	1	-	-	-	4	6	4	3
201	Hodgkin's disease	8	-	-	-	-	-	1	-	-	4	2	1
202	Other malignant neoplasm of lymphoid and histiocytic tissue	31	-	-	-	-	-	3	1	2	8	10	7
203	Multiple myeloma and immunoproliferative neoplasms	20	-	-	-	-	-	-	1	2	6	5	6
204	Lymphoid leukemia	15	-	-	-	2	2	-	-	-	2	6	3
205	Myeloid leukemia	28	-	-	-	-	-	1	4	3	4	5	11
206	Monocytic leukemia	2	-	-	-	-	-	-	-	-	1	1	-
207	Other specified leukemia	2	-	-	-	-	-	-	-	-	-	2	-
208	Leukemia of unspecified cell type	22	-	-	1	1	-	-	-	-	10	6	4
210-229	BENIGN NEOPLASMS	10	-	-	-	-	-	1	-	-	3	5	1
215	Other benign neoplasm of connective and other soft tissue	1	-	-	-	-	-	-	-	-	-	1	-
225	Brain and other parts of nervous system	6	-	-	-	-	-	-	-	-	2	4	-
227	Other endocrine glands and related structures	2	-	-	-	-	-	1	-	-	1	-	-
228	Hemangioma and lymphangioma, any site	1	-	-	-	-	-	-	-	-	-	-	1
235-238	NEOPLASMS OF UNCERTAIN BEHAVIOR	5	-	-	-	-	-	-	-	-	-	4	1
238	Other and unspecified sites and tissues	5	-	-	-	-	-	-	-	-	-	4	1
239	NEOPLASMS OF UNSPECIFIED BEHAVIOR	16	-	-	-	-	2	2	-	1	5	2	4

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
240-279	**TOTAL, ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS**	**161**	-	**3**	**1**	**2**	**5**	**7**	**9**	**7**	**31**	**47**	**49**
240-246	DISEASES OF THYROID GLAND	2	-	-	-	-	-	-	-	-	-	2	-
242	Thyrotoxicosis with or without goitre	1	-	-	-	-	-	-	-	-	-	1	-
244	Acquired hypothyroidism	1	-	-	-	-	-	-	-	-	-	1	-
250-259	DISEASES OF OTHER ENDOCRINE GLANDS	124	-	2	-	2	3	6	6	4	22	38	41
250	Diabetes mellitus	118	-	-	-	2	3	6	6	3	21	36	41
251	Other disorders of pancreatic internal secretions	1	-	-	-	-	-	-	-	-	1	-	-
252	Disorders of parathyroid gland	1	-	-	-	-	-	-	-	-	-	1	-
253	Disorders of the pituitary gland and its hypothalamic control	1	-	-	-	-	-	-	-	-	-	1	-
254	Diseases of thymus gland	1	-	1	-	-	-	-	-	-	-	-	-
255	Disorders of the adrenal gland	2	-	1	-	-	-	-	-	1	-	-	-
260-269	NUTRITIONAL DEFICIENCIES	8	-	-	-	-	-	-	1	-	1	2	4
261	Nutritional marasmus	1	-	-	-	-	-	-	1	-	-	-	-
263	Other and unspecified protein-calorie malnutrition	7	-	-	-	-	-	-	-	-	1	2	4
270-279	OTHER METABOLIC DISORDERS AND IMMUNITY DISORDERS	27	-	1	1	-	2	1	2	3	8	5	4
270	Disorders of amino-acid transport and metabolism	1	-	-	-	-	-	-	-	1	-	-	-
273	Disorders of plasma protein metabolism	2	-	-	-	-	-	-	-	-	1	1	-
275	Disorders of mineral metabolism	1	-	-	-	-	-	-	-	-	-	-	1
276	Disorders of fluid, electolyte, and acid-base balance	8	-	-	-	-	-	-	-	-	2	3	3
277	Other and unspecified disorders of metabolism	6	-	1	1	-	2	-	1	-	1	-	-
278	Obesity and other hyperalimentation	8	-	-	-	-	-	1	1	1	4	1	-
279	Disorders involving the immune mechanism	1	-	-	-	-	-	-	-	1	-	-	-
280-289	**TOTAL, DISEASES OF BLOOD AND BLOOD-FORMING ORGANS**	**18**	-	-	-	-	**1**	**1**	-	-	**5**	**5**	**6**
282	Hereditary hemolytic anemias	1	-	-	-	-	-	-	-	-	1	-	-
283	Acquired hemolytic anemias	1	-	-	-	-	-	-	-	-	-	1	-
284	Aplastic anemia	3	-	-	-	-	-	-	-	-	1	2	-
285	Other and unspecified anemias	2	-	-	-	-	-	-	-	-	-	1	1
286	Coagulation defects	2	-	-	-	-	-	1	-	-	1	-	-
287	Purpura and other hemorrhagic conditions	1	-	-	-	-	-	-	-	-	-	-	1
288	Diseases of white blood cells	3	-	-	-	-	1	-	-	-	1	-	1
289	Other diseases of blood and blood-forming organs	5	-	-	-	-	-	-	-	-	1	1	3

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	40-59	60-69	70-79	80+
290-319	**TOTAL, MENTAL DISORDERS**	**73**	-	**1**	-	-	-	**1**	**9**	**6**	**8**	**13**	**35**
290-294	ORGANIC PSYCHOTIC CONDITIONS	14	-	-	-	-	-	-	-	-	1	1	12
290	Senile and presenile organic psychotic conditions	13	-	-	-	-	-	-	-	-	-	1	12
291	Alcoholic psychoses	1	-	-	-	-	-	-	-	-	1	-	-
295-299	OTHER PSYCHOSES	4	-	-	-	-	-	-	-	-	-	-	4
298	Other nonorganic psychoses	4	-	-	-	-	-	-	-	-	-	-	4
300-316	NEUROTIC DISORDERS, PERSONALITY DISORDERS AND OTHER NONPSYCHOTIC MENTAL DISORDERS	54	-	-	-	-	-	1	9	6	7	12	19
303	Alcoholic dependence syndrome	24	-	-	-	-	-	1	7	6	5	5	-
304	Drug dependence	1	-	-	-	-	-	-	1	-	-	-	-
305	Nondependent use of drugs	2	-	-	-	-	-	-	1	-	1	-	-
310	Specific nonpsychotic mental disorders following organic brain damage	23	-	-	-	-	-	-	-	-	1	5	17
311	Depressive disorder, not elsewhere classified	4	-	-	-	-	-	-	-	-	-	2	2
317-319	MENTAL RETARDATION	1	-	1	-	-	-	-	-	-	-	-	-
319	Unspecified mental retardation	1	-	1	-	-	-	-	-	-	-	-	-
320-389	**TOTAL DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS**	**101**	**2**	**2**	**1**	**4**	**0**	**3**	**0**	**14**	**14**	**28**	**17**
320-326	INFLAMMATORY DISEASES OF THE CENTRAL NERVOUS SYSTEM	6	-	1	-	-	1	1	-	-	1	1	1
320	Bacterial meningitis	1	-	-	-	-	-	-	-	-	-	1	-
322	Meningitis of unspecified cause	2	-	1	-	-	-	-	-	-	-	-	1
324	Intracranial and intraspinal abscess	3	-	-	-	-	1	1	-	-	1	-	-
330-337	HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM	52	1	1	-	1	1	-	2	3	6	22	15
330	Cerebral degenerations usually manifest in childhood	1	-	-	-	1	-	-	-	-	-	-	-
331	Other cerebral degenerations	21	1	1	-	-	-	-	-	-	2	9	8
332	Parkinson's disease	17	-	-	-	-	-	-	-	-	2	9	6
333	Other extrapyramidal disease and abnormal movement disorders	1	-	-	-	-	-	-	-	1	-	-	-
334	Spinocerebellar disease	1	-	-	-	-	1	-	-	-	-	-	-
335	Anterior horn cell disease	11	-	-	-	-	-	-	2	2	2	4	1

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
340-349	OTHER DISORDERS OF THE CENTRAL NERVOUS SYSTEM	38	1	-	1	2	4	2	6	11	7	4	-
340	Multiple sclerosis	11	-	-	-	-	-	-	3	5	3	-	-
343	Infantile cerebral palsy	2	1	-	-	-	-	-	-	-	-	-	-
344	Other paralytic syndromes	3	-	-	-	-	-	1	-	1	1	-	-
345	Epilepsy	10	-	-	-	-	4	1	1	4	-	-	-
348	Other conditions of brain	9	-	-	-	1	-	-	2	1	2	3	-
349	Other and unspecified disorders of the nervous system	3	-	-	1	1	-	-	-	-	-	1	-
350-359	DISORDERS OF THE PERIPHERAL NERVOUS SYSTEM	4	-	-	-	1	2	-	-	-	-	1	-
358	Myoneural disorders	1	-	-	-	-	-	-	-	-	-	1	-
359	Muscular dystrophies and other myopathies	3	-	-	-	1	2	-	-	-	-	-	-
380-389	DISEASES OF THE EAR AND MASTOID PROCESS	1	-	-	-	-	-	-	-	-	-	-	1
382	Suppurative and unspecified otitis media	1	-	-	-	-	-	-	-	-	-	-	1
390-459	**TOTAL, DISEASES OF THE CIRCULATORY SYSTEM**	**3178**	**5**	**3**	**-**	**2**	**7**	**23**	**68**	**195**	**536**	**958**	**1381**
390-392	ACUTE RHEUMATIC FEVER	1	-	-	-	-	-	-	-	-	-	1	-
391	Rheumatic fever with heart involvment	1	-	-	-	-	-	-	-	-	-	1	-
393-398	CHRONIC RHEUMATIC HEART DISEASE	32	-	-	-	-	-	1	1	1	4	14	11
394	Diseases of the mitral valve	9	-	-	-	-	-	1	-	-	2	5	1
395	Diseases of the aortic valve	1	-	-	-	-	-	-	-	-	-	-	1
396	Diseases of the mitral and aortic valves	5	-	-	-	-	-	-	-	-	1	2	2
397	Diseases of other endocardial structures	1	-	-	-	-	-	-	-	-	-	-	1
398	Other rheumatic heart disease	16	-	-	-	-	-	-	1	1	1	7	6
401-405	HYPERTENSIVE DISEASE	63	-	-	-	-	-	1	-	2	6	20	34
401	Essential hypertension	8	-	-	-	-	-	-	-	-	-	2	6
402	Hypertensive heart disease	27	-	-	-	-	-	1	-	-	2	9	15
403	Hypertensive renal disease	12	-	-	-	-	-	-	-	1	3	5	3
404	Hypertensive heart and renal disease	16	-	-	-	-	-	-	-	1	1	4	10
410-414	ISCHEMIC HEART DISEASE	1663	-	-	-	-	2	10	37	127	350	521	616
410	Acute myocardial infarction	1036	-	-	-	-	2	6	30	99	269	360	270
411	Other acute and subacute form of ischemic heart disease	1	-	-	-	-	-	1	-	-	-	-	-
412	Old myocardial infarction	2	-	-	-	-	-	1	-	-	-	1	-
413	Angina pectoris	1	-	-	-	-	-	-	-	-	-	1	-
414	Other forms of chronic ischemic heart disease	623	-	-	-	-	-	2	7	28	81	159	346

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
415-417	DISEASES OF PULMONARY CIRCULATION	45	-	-	-	-	1	-	2	3	15	16	8
415	Acute pulmonary heart disease	32	-	-	-	-	-	-	2	2	11	12	5
416	Chronic pulmonary heart disease	12	-	-	-	-	1	-	-	-	4	4	3
417	Other diseases of pulmonary circulation	1	-	-	-	-	-	-	-	1	-	-	-
420-429	OTHER FORMS OF HEART DISEASE	622	3	3	-	-	2	7	17	33	75	188	294
420	Acute pericarditis	3	-	1	-	-	-	-	-	1	-	1	-
421	Acute and subacute endocarditis	1	-	-	-	-	-	-	-	-	1	-	-
423	Other diseases of pericardium	2	-	-	-	-	-	-	-	-	2	-	-
424	Other diseases of endocardium	35	-	-	-	-	1	1	-	1	5	7	20
425	Cardiomyopathy	53	-	-	-	-	-	-	5	9	11	20	8
426	Conduction disorders	2	-	-	-	-	-	-	-	-	-	-	2
427	Cardiac Dysrhythmias	160	3	2	-	-	1	2	7	16	21	52	56
428	Heart failure	201	-	-	-	-	-	3	4	3	19	64	108
429	Ill-defined descriptions and complications of heart disease	165	-	-	-	-	-	1	1	3	16	44	100
430-438	CEREBROVASCULAR DISEASE	570	2	-	-	2	2	3	10	20	57	158	316
430	Subarachnoid hemorrhage	22	-	-	-	-	1	2	5	5	4	4	1
431	Intracerebral hemorrhage	48	1	-	-	1	1	-	3	8	11	13	10
432	Other and unspecified intracranial hemorrhage	8	1	-	-	-	-	-	-	-	2	2	3
433	Occlusion and stenosis of precerebral arteries	5	-	-	-	1	-	-	-	-	2	1	1
434	Occlusion of cerebral arteries	79	-	-	-	-	-	-	-	2	4	23	50
436	Acute, but ill-defined cerebrovascular disease	344	-	-	-	-	-	1	2	5	31	105	200
437	Other and ill-defined cerebrovascular disease	53	-	-	-	-	-	-	-	-	2	8	43
438	Late effects of cerebrovascular disease	11	-	-	-	-	-	-	-	-	1	2	8
440-448	DISEASES OF ARTERIES, ARTERIOLES AND CAPILLARIES	166	-	-	-	-	-	1	1	6	22	37	99
440	Atherosclerosis	95	-	-	-	-	-	-	-	3	5	15	72
441	Aortic aneurysm	64	-	-	-	-	-	-	1	3	15	22	23
442	Other aneurysm	1	-	-	-	-	-	-	-	-	-	-	1
444	Arterial embolism and thrombosis	1	-	-	-	-	-	-	-	-	1	-	-
446	Polyarteritis nodosa and allied conditions	2	-	-	-	-	-	-	-	-	-	-	2
447	Other disorders of arteries and arterioles	3	-	-	-	-	-	1	-	-	1	-	1
451-459	DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM	16	-	-	-	-	-	-	-	3	7	3	3
451	Phlebitis and thrombophlebitis	9	-	-	-	-	-	-	-	2	3	1	3
455	Hemorrhoids	1	-	-	-	-	-	-	-	-	1	-	-
456	Varicose veins of other sites	2	-	-	-	-	-	-	-	-	1	1	-
458	Hypotension	1	-	-	-	-	-	-	-	-	1	-	-
459	Other disorders of circulatory system	3	-	-	-	-	-	-	-	1	1	1	-

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
460-519	**TOTAL, DISEASES OF THE RESPIRATORY SYSTEM**	**588**	**7**	**5**	**3**	**7**	**2**	**5**	**6**	**22**	**108**	**198**	**225**
460-466	ACUTE RESPIRATORY INFECTIONS	3	-	1	-	-	-	1	-	-	-	-	1
463	Acute tonsillitis	1	-	1	-	-	-	-	-	-	-	-	-
465	Acute respiratory infections of multiple or unspecified sites	2	-	-	-	-	-	1	-	-	-	-	1
470-478	OTHER DISEASES OF UPPER RESPIRATORY TRACT	1	-	-	-	-	-	-	-	-	-	-	1
478	Other diseases of upper respiratory tract	1	-	-	-	-	-	-	-	-	-	-	1
480-487	PNEUMONIA AND INFLUENZA	220	6	3	1	2	-	-	4	4	14	57	129
480	Viral pneumonia	3	2	1	-	-	-	-	-	-	-	-	-
481	Pneumococcal pneumonia	5	-	-	-	-	-	-	-	-	-	1	4
482	Other bacterial pneumonia	11	1	-	-	-	-	-	-	1	2	1	6
485	Bronchopneumonia, organism unspecified	29	2	1	-	1	-	-	-	-	4	7	14
486	Pneumonia, organism unspecified	160	1	1	1	-	-	-	4	3	8	43	99
487	Influenza	12	-	-	-	1	-	-	-	-	-	5	6
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	298	1	1	1	2	-	3	2	13	85	125	65
490	Bronchitis, not specified as acute or chronic	1	-	1	-	-	-	-	-	-	-	-	-
491	Chronic bronchitis	8	-	-	-	-	-	-	-	-	1	5	2
492	Emphysema	79	-	-	-	-	-	1	-	8	22	38	10
493	Asthma	13	-	-	-	-	-	2	1	-	5	2	3
494	Bronchiectasis	4	-	-	-	-	-	-	-	-	2	1	1
495	Extrinsic allergic alveolitis	1	-	-	-	1	-	-	-	-	-	-	-
496	Chronic airways obstruction, not elsewhere classified	192	1	-	1	1	-	-	1	5	55	79	49
500-508	PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS	23	-	-	1	-	2	-	-	2	3	5	10
501	Asbestosis	1	-	-	-	-	-	-	-	1	-	-	-
502	Pneumoconiosis due to other silica and silicates	2	-	-	-	-	-	-	-	-	1	-	1
507	Pneumonitis due to solids and liquids	19	-	-	1	-	2	-	-	1	1	5	9
508	Respiratory conditions due to other and unspecified external agents	1	-	-	-	-	-	-	-	-	1	-	-

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
510-519	OTHER DISEASES OF RESPIRATORY SYSTEM	43	-	-	-	3	-	1	-	3	6	11	19
511	Pleurisy	1	-	-	-	-	-	-	-	-	-	-	1
512	Pneumothorax	1	-	-	-	1	-	-	-	-	-	-	-
513	Abscess of lung and mediastinum	1	-	-	-	-	-	-	-	-	-	1	-
514	Pulmonary congestion and hypostasis	2	-	-	-	-	-	-	-	-	1	-	1
515	Postinflammatory pulmonary fibrosis	15	-	-	-	1	-	-	-	-	3	5	6
516	Other alveolar and parietoalveolar pneumopathy	1	-	-	-	-	-	-	-	1	-	-	-
518	Other diseases of lung	16	-	-	-	1	-	-	-	2	2	4	7
519	Other diseases of respiratory system	6	-	-	-	-	-	1	-	-	-	1	4
520-579	TOTAL DISEASES OF THE DIGESTIVE SYSTEM	277	3	-	-	-	1	6	17	38	64	72	76
530-537	DISEASES OF ESOPHAGUS, STOMACH AND DUODENUM	44	1	-	-	-	-	-	3	1	8	14	17
530	Diseases of esophagus	6	-	-	-	-	-	-	-	-	2	3	1
531	Gastric ulcer	8	-	-	-	-	-	-	-	1	1	3	3
532	Duodenal ulcer	7	1	-	-	-	-	-	1	-	1	3	1
533	Peptic ulcer, site unspecified	14	-	-	-	-	-	-	1	-	1	4	8
535	Gastritis and duodenitis	2	-	-	-	-	-	-	-	-	2	-	-
536	Disorders of function of stomach	1	-	-	-	-	-	-	1	-	-	-	-
537	Other disorders of stomach and duodenum	6	-	-	-	-	-	-	-	-	1	1	4
550-553	HERNIA OF ABDOMINAL CAVITY	10	-	-	-	-	-	-	-	-	3	2	5
550	Inguinal hernia	3	-	-	-	-	-	-	-	-	2	-	1
552	Other hernia of abdominal cavity with obstruction, without mention of gangrene	1	-	-	-	-	-	-	-	-	-	-	1
553	Other hernia of abdominal cavity without mention of obstruction or gangrene	6	-	-	-	-	-	-	-	-	1	2	3
555-558	NONINFECTIVE ENTERITIS AND COLITIS	30	-	-	-	-	-	-	1	2	4	8	15
555	Regional enteritis	1	-	-	-	-	-	-	1	-	-	-	-
556	Idiopathic proctocolitis	3	-	-	-	-	-	-	-	-	2	1	-
557	Vascular insufficiency of intestine	22	-	-	-	-	-	-	-	2	2	6	12
558	Other noninfective gastroenteritis and colitis	4	-	-	-	-	-	-	-	-	-	1	3
560-569	OTHER DISEASES OF INTESTINES AND PERITONEUM	45	1	-	-	-	-	1	-	-	11	14	18
560	Intestinal obstruction without mention of hernia	18	1	-	-	-	-	-	-	-	4	4	9
562	Diverticula of intestine	12	-	-	-	-	-	-	-	-	2	4	6
564	Functional digestive disorders, not elsewhere classified	1	-	-	-	-	-	-	-	-	-	-	1
567	Peritonitis	8	-	-	-	-	-	-	-	-	4	3	1
568	Other disorders of peritoneum	2	-	-	-	-	-	1	-	-	-	1	-
569	Other disorders of intestine	4	-	-	-	-	-	-	-	-	1	2	1

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
570-579	OTHER DISEASES OF DIGESTIVE SYSTEM	148	1	-	-	-	1	5	13	35	38	34	21
570	Acute and subacute necrosis of liver	1	-	-	-	-	-	-	-	1	-	-	-
571	Chronic liver disease and cirrhosis	90	-	-	-	-	1	4	12	28	28	16	1
572	Liver abscess and sequelae of chronic liver disease	8	1	-	-	-	-	1	-	2	1	3	-
573	Other disorders of liver	5	-	-	-	-	-	-	1	-	3	-	1
574	Cholelithiasis	2	-	-	-	-	-	-	-	-	1	-	1
575	Other disorders of gallbladder	8	-	-	-	-	-	-	-	1	3	3	1
576	Other diseases of biliary tract	4	-	-	-	-	-	-	-	-	-	3	1
577	Diseases of pancreas	3	-	-	-	-	-	-	-	-	-	3	-
578	Gastrointestinal hemorrhage	27	-	-	-	-	-	-	-	3	2	6	16
580-629	TOTAL, DISEASES OF THE GENITOURINARY SYSTEM	85	1	-	-	-	-	2	1	4	12	19	46
580-589	NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS	53	1	-	-	-	-	2	1	4	10	14	21
581	Nephrotic syndrome	2	-	-	-	-	-	-	-	1	-	-	1
582	Chronic glomerulonephritis	1	-	-	-	-	-	-	-	-	-	1	-
584	Acute renal failure	5	-	-	-	-	-	-	-	-	2	1	2
585	Chronic renal failure	23	-	-	-	-	-	1	1	2	4	6	9
586	Renal failure, unspecified	22	1	-	-	-	-	1	-	1	4	6	9
590-599	OTHER DISEASES OF URINARY SYSTEM	24	-	-	-	-	-	-	-	-	1	3	20
590	Infections of kidney	7	-	-	-	-	-	-	-	-	1	2	4
592	Calculus of kidney and ureter	1	-	-	-	-	-	-	-	-	-	-	1
593	Other disorders of kidney and ureter	4	-	-	-	-	-	-	-	-	-	-	4
595	Cystitis	1	-	-	-	-	-	-	-	-	-	-	1
599	Other disorders of urethra and urinary tract	11	-	-	-	-	-	-	-	-	-	1	10
600-608	DISEASES OF THE MALE GENITAL ORGANS	6	-	-	-	-	-	-	-	-	-	1	5
600	Hyperplasia of prostate	5	-	-	-	-	-	-	-	-	-	1	4
602	Other disorders of prostate	1	-	-	-	-	-	-	-	-	-	-	1
617-629	OTHER DISORDERS OF FEMALE GENITAL TRACT	2	-	-	-	-	-	-	-	-	1	1	-
619	Fistula involving female genital tract	1	-	-	-	-	-	-	-	-	1	-	-
629	Other disorders of female genital organs	1	-	-	-	-	-	-	-	-	-	1	-
680-709	TOTAL DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	9	-	-	-	-	-	-	1	2	1	2	3
680-686	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	2	-	-	-	-	-	-	-	1	-	-	1
682	Other cellulitis and abscess	2	-	-	-	-	-	-	-	1	-	-	1

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
690-698	OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE	2	-	-	-	-	-	-	-	1	-	1	-
692	Contact dermatitis and other eczema	1	-	-	-	-	-	-	-	-	-	1	-
695	Erythematous conditions	1	-	-	-	-	-	-	-	1	-	-	-
700-709	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE	5	-	-	-	-	-	-	1	-	1	1	2
707	Chronic ulcer of skin	5	-	-	-	-	-	-	1	-	1	1	2
710-739	TOTAL, DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	34	-	-	-	-	1	-	1	2	8	6	16
710-719	ARTHOPATHIES AND RELATED DISORDERS	27	-	-	-	-	1	-	1	1	8	4	12
710	Diffuse diseases of connective tissue	3	-	-	-	-	1	-	-	1	1	-	-
714	Rheumatoid arthritis and other inflammatory polyarthropathies	16	-	-	-	-	-	-	1	-	5	4	6
715	Osteoarthritis and allied conditions	7	-	-	-	-	-	-	-	-	1	-	6
719	Other and unspecified disorder of joint	1	-	-	-	-	-	-	-	-	1	-	-
725-729	RHEUMATISM, EXCLUDING THE BACK	1	-	-	-	-	-	-	-	-	-	-	1
725	Polymylagia rheumatica	1	-	-	-	-	-	-	-	-	-	-	1
730-739	OSTEOPATHIES, CHONDROPATHIES AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	6	-	-	-	-	-	-	-	1	-	2	3
730	Osteomyelitis, periostitis and other infections involving bone	1	-	-	-	-	-	-	-	-	-	1	-
733	Other disorders of bone and cartilage	5	-	-	-	-	-	-	-	1	-	1	3
740-759	TOTAL, CONGENITAL ANOMALIES	69	51	5	1	5	-	1	-	2	2	2	-
740	Anencephalus and similar anomalies	2	2	-	-	-	-	-	-	-	-	-	-
742	Other congenital anomalies of nervous system	6	5	1	-	-	-	-	-	-	-	-	-
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	9	6	1	-	-	-	-	-	-	-	2	-
746	Other congenital amomalies of heart	19	13	1	1	4	-	-	-	-	-	-	-
747	Other congenital anomalies of circulatory system	9	6	1	-	-	-	1	-	1	-	-	-
748	Congenital anomalies of respiratory system	6	5	-	-	-	-	-	-	1	-	-	-
751	Other congenital anomalies of digestive system	2	1	-	-	-	-	-	-	-	1	-	-
753	Congenital anomalies of urinary system	3	3	-	-	-	-	-	-	-	-	-	-
756	Other congenital musculoskeletal anomalies	6	4	1	-	-	-	-	-	-	1	-	-
758	Chromosomal anomalies	4	3	-	-	1	-	-	-	-	-	-	-
759	Other and unspecified congenital anomalies	3	3	-	-	-	-	-	-	-	-	-	-

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
760-779	TOTAL, CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	81	81	-	-	-	-	-	-	-	-	-	-
760	Newborn affected by maternal conditions which may be unrelated to present pregnancy	2	2	-	-	-	-	-	-	-	-	-	-
761	Newborn affected by maternal complications of pregnancy	6	6	-	-	-	-	-	-	-	-	-	-
762	Newborn affected by complications of placenta, cord and membranes	8	8	-	-	-	-	-	-	-	-	-	-
763	Newborn affected by other complications of labor and delivery	1	1	-	-	-	-	-	-	-	-	-	-
765	Disorders relating to short gestation and unspecified low birthweight	11	11	-	-	-	-	-	-	-	-	-	-
767	Birth trauma	1	1	-	-	-	-	-	-	-	-	-	-
768	Intrauterine hypoxia and birth asphyxia	4	4	-	-	-	-	-	-	-	-	-	-
769	Respiratory distress syndrome	24	24	-	-	-	-	-	-	-	-	-	1
770	Other respiratory conditions of newborn	9	9	-	-	-	-	-	-	-	-	-	-
771	Infections specific to the perinatal period	3	3	-	-	-	-	-	-	-	-	-	-
772	Neonatal hemorrhage	4	4	-	-	-	-	-	-	-	-	-	-
777	Perinatal disorders of digestive system	2	2	-	-	-	-	-	-	-	-	-	-
778	Conditions involving the integument and temperature regulation of newborn	1	1	-	-	-	-	-	-	-	-	-	-
779	Other and ill-defined conditions originating in the perinatal period	5	5	-	-	-	-	-	-	-	-	-	-
780-799	TOTAL, SYMPTOMS, SIGNS AND ILL-DEFINED CONDITIONS	111	33	1	-	-	1	-	1	6	8	12	49
780-789	SYMPTOMS	2	-	-	-	-	-	-	-	-	-	-	2
785	Symptoms involving cardiovascular system	2	-	-	-	-	-	-	-	-	-	-	2
797-799	ILL-DEFINED AND UNKNOWN CAUSES OF MORTALITY	109	33	1	-	-	1	-	1	6	8	12	47
797	Senility without mention of psychosis	22	-	-	-	-	-	-	-	-	-	-	22
798	Sudden death, cause unknown	34	33	1	-	-	-	-	-	-	-	-	-
799	Other ill-defined and unknown causes of morbidity and mortality	53	-	-	-	-	1	-	1	6	8	12	25

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
800-999	**TOTAL, ACCIDENTS, POISONINGS AND VIOLENCE**	**687***	**6**	**23**	**23**	**93**	**127**	**106**	**75**	**67**	**64**	**51**	**51**
810-819	MOTOR VEHICLE TRAFFIC ACCIDENTS	228	2	9	8	59	57	38	17	10	13	10	5
810	Involving collision with train	7	-	-	-	4	3	-	-	-	-	-	-
812	Involving collision with another motor vehicle	75	2	1	4	19	17	13	6	5	3	3	2
813	Involving collision with other vehicle	3	-	-	1	2	-	-	-	-	-	-	-
814	Involving collision with pedestrian	22	-	5	3	1	-	4	1	2	2	3	1
815	Other involving collision on highway	8	-	-	-	3	3	-	2	-	-	-	-
816	Due to loss of control, without collision on the highway	53	-	3	-	15	17	9	3	1	2	1	2
818	Other noncollision motor vehicle traffic accident	9	-	-	-	-	5	2	1	-	1	-	-
819	Motor vehicle traffic accident of unspecified nature	51	-	-	-	15	12	10	4	2	5	3	-
820-825	MOTOR VEHICLE NONTRAFFIC ACCIDENTS	10	-	3	1	2	1	-	1	-	1	1	-
820	Involving motor-driven snow vehicle	2	-	-	-	2	-	-	-	-	-	-	-
821	Involving other off-road vehicle	1	-	-	-	-	-	-	1	-	-	-	-
822	Other involving collision with moving object	5	-	3	-	-	1	-	-	-	1	-	-
824	Other motor vehicle nontraffic accident while boarding and alighting	1	-	-	1	-	-	-	-	-	-	-	-
825	Other motor vehicle nontraffic accident of other and unspecified nature	1	-	-	-	-	-	-	-	-	-	1	-
826-829	OTHER ROAD VEHICLE ACCIDENTS	2	-	-	-	1	-	1	-	-	-	-	-
826	Pedal cycle accident	1	-	-	-	-	-	1	-	-	-	-	-
828	Accident involving animal being ridden	1	-	-	-	1	-	-	-	-	-	-	-
830-838	WATER TRANSPORT ACCIDENTS	13	-	-	-	2	3	3	1	1	2	1	-
830	Accident to watercraft causing submersion	10	-	-	-	1	3	3	1	-	1	1	-
832	Other accidental submersion or drowning in water transport accident	3	-	-	-	1	-	-	-	1	1	-	-
840-845	AIR AND SPACE TRANSPORT ACCIDENTS	13	-	-	-	-	1	1	5	6	-	-	-
840	Accident to powered aircraft at takeoff or landing	1	-	-	-	-	1	-	-	-	-	-	-
841	Accident to powered aircraft, other and unspecified	11	-	-	-	-	-	1	5	5	-	-	-
842	Accident to unpowered aircraft	1	-	-	-	-	-	-	-	1	-	-	-
846-848	VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE	2	-	-	-	-	-	-	1	-	-	-	1
846	Accidents involving powered vehicles used solely within the buildings and premises of an industrial or commercial establishment	2	-	-	-	-	-	-	1	-	-	-	1

ICD9 COD	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
850-858	ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS AND BIOLOGICALS	4	-	-	-	-	2	1	1	-	-	-	-
850	By analgesics, antipyretics, antirheumatics	1	-	-	-	-	-	-	1	-	-	-	-
858	By other drugs	3	-	-	-	-	2	1	-	-	-	-	-
860-869	ACCIDENTAL POISONING BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPORS	10	-	-	-	1	3	2	1	2	1	-	-
860	By alcohol, not elsewhere classified	1	-	-	-	-	-	1	-	-	-	-	-
862	By petroleum products, other solvents and their vapors, not elsewhere classified	1	-	-	-	1	-	-	-	-	-	-	-
864	By corrosives and caustics, not elsewhere classified	1	-	-	-	-	-	-	-	1	-	-	-
868	By other utility gas and other carbon monoxide	6	-	-	-	-	2	1	1	1	1	-	-
869	By other gases and vapors	1	-	-	-	-	1	-	-	-	-	-	-
870-876	MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE	1	-	-	-	-	-	-	-	-	-	1	-
870	Accidental cut, puncture, perforation or hemorrhage during medical care	1	-	-	-	-	-	-	-	-	-	1	-
878-879	SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURE AT THE TIME OF PROCEDURE	11	-	-	-	-	1	-	-	-	4	3	3
878	Surgical operation and other surgical procedures as the cause of abnormal reaction of patient, or of later complication, without mention of misadventure at the time of operation	11	-	-	-	-	1	-	-	-	4	3	3
880-888	ACCIDENTAL FALLS	51	-	-	-	-	5	2	2	2	5	11	24
880	On or from stairs or steps	5	-	-	-	-	-	-	-	-	-	2	3
881	On or from ladders or scaffolding	1	-	-	-	-	-	-	-	-	-	1	-
882	From or out of building or other structure	2	-	-	-	-	1	1	-	-	-	-	-
883	Into hole or other opening in surface	2	-	-	-	-	2	-	-	-	-	-	-
884	Other fall from one level to another	7	-	-	-	-	2	1	1	-	1	-	2
885	On same level from slipping, tripping or stumbling	4	-	-	-	-	-	-	-	-	1	1	2
887	Fracture, cause unspecified	4	-	-	-	-	-	-	-	-	-	-	4
888	Other and unspecified fall	26	-	-	-	-	-	-	1	2	3	7	13

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
890-899	ACCIDENTS CAUSED BY FIRE AND FLAMES	24	1	4	5	1	1	1	-	5	3	-	3
890	Conflagration in private dwelling	21	1	4	5	1	1	1	-	3	2	-	3
891	Conflagration in other and unspecified building or structure	1	-	-	-	-	-	-	-	1	-	-	-
898	Accident caused by other specified fire and flames	1	-	-	-	-	-	-	-	-	1	-	-
899	Accident caused by unspecified fire	1	-	-	-	-	-	-	-	1	-	-	-
900-909	ACCIDENTS DUE TO NATURAL AND ENVIRONMENTAL FACTORS	13	-	-	-	-	-	2	2	3	2	3	1
901	Excessive cold	7	-	-	-	-	-	-	2	1	2	1	1
904	Hunger, thirst, exposure, neglect	2	-	-	-	-	-	-	-	-	-	2	-
906	Other injury caused by animals	3	-	-	-	-	-	1	-	2	-	-	-
909	Cataclysmic earth surface movements and eruptions	1	-	-	-	-	-	1	-	-	-	-	-
910-915	ACCIDENTS CAUSED BY SUBMERSION, SUFFOCATION AND FOREIGN BODIES	44	2	5	4	5	3	7	2	6	3	3	4
910	Accidental drownings and submersion	28	2	4	3	4	2	6	-	4	1	2	-
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	13	-	1	-	-	-	1	2	2	2	1	4
913	Accidental mechanical suffocation	3	-	-	1	1	1	-	-	-	-	-	-
916-928	OTHER ACCIDENTS	64	-	-	3	7	14	13	10	6	5	4	2
916	Struck accidentally by falling object	12	-	-	-	1	4	2	1	2	1	1	-
917	Striking against or struck accidentally by objects or persons	4	-	-	-	-	2	-	2	-	-	-	-
919	Accidents caused by machinery	19	-	-	-	2	3	2	5	2	3	2	-
920	Accidents caused by cutting and piercing instruments or objects	2	-	-	-	1	-	-	-	-	-	-	1
922	Accident caused by firearm missile	13	-	-	1	2	4	4	1	-	1	-	-
925	Accident caused by electric current	8	-	-	1	1	-	5	1	-	-	-	-
928	Other and unspecified environmental and accidental causes	6	-	-	1	-	1	-	-	2	-	1	1
929	LATE EFFECTS OF ACCIDENTAL INJURY	2	-	1	1	-	-	-	-	-	-	-	-

ICD9 CODE	CAUSE OF DEATH	TOTAL	<1	1-4	5-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80+
930-949	DRUGS, MEDICAMENTS AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	3	-	-	-	-	-	-	-	-	-	2	1
932	Hormone and synthetic substitutes	2	-	-	-	-	-	-	-	-	-	1	1
947	Other and unspecified drugs and medicaments	1	-	-	-	-	-	-	-	-	-	1	-
950-959	SUICIDE	138*	-	-	-	10	23	23	24	21	22	10	4
950	By poisoning by solid or liquid substances	11*	-	-	-	-	-	4	3	2	1	-	-
952	By poisoning by other gases and vapors	12	-	-	-	2	1	5	1	3	-	-	-
953	By hanging, strangulation and suffocation	12	-	-	-	1	1	4	2	1	1	1	1
955	By firearms and explosives	101	-	-	-	7	21	10	18	14	20	8	3
957	By jumping from high place	1	-	-	-	-	-	-	-	1	-	-	-
958	By other and unspecified means	1	-	-	-	-	-	-	-	-	-	1	-
960-969	HOMICIDE	32	1	1	1	3	8	10	3	2	1	1	1
960	Fight, brawl, rape	1	-	-	-	1	-	-	-	-	-	-	-
963	Assault by hanging and strangulation	1	-	-	-	-	-	-	-	-	-	-	1
964	Assault by submersion (drowning)	2	-	-	1	1	-	-	-	-	-	-	-
965	Assault by firearms and explosives	16	-	-	-	-	3	9	2	1	-	1	-
966	Assault by cutting and piercing instruments	6	-	-	-	-	4	-	1	1	-	-	-
967	Child battering and other maltreatment	2	1	1	-	-	-	-	-	-	-	-	-
968	Assault by other and unspecified means	4	-	-	-	1	1	1	-	-	1	-	-
970-979	LEGAL INTERVENTION	1	-	-	-	-	1	-	-	-	-	-	-
970	By firearms	1	-	-	-	-	1	-	-	-	-	-	-
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PUPOSELY INFLICTED	21	-	-	-	2	4	2	5	3	2	1	2
980	Poisoning by solid or liquid substances	5	-	-	-	1	2	-	1	1	-	-	-
982	Poisoning by other gases	2	-	-	-	-	-	-	1	-	1	-	-
983	Hanging, strangulation or suffocation	1	-	-	-	-	-	1	-	-	-	-	-
985	Firearms and explosives	8	-	-	-	1	2	-	1	2	-	1	1
986	Cutting and piercing instruments	1	-	-	-	-	-	-	1	-	-	-	-
988	Other and unspecified means	3	-	-	-	-	-	-	1	-	1	-	1
989	Late effects of injury	1	-	-	-	-	-	1	-	-	-	-	-

*Includes one (1) whose age was not stated (950.9).

Appendix C
TABLE 1
COMPARABLE CATEGORY NUMBERS AND ESTIMATED COMPARABILITY RATIOS FOR 72 SELECTED CAUSES OF DEATH ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to:		Estimated comparability ratio[1]	Standard Error of the Estimate in Column (3)	95 percent confidence limits[2]	
	ICD-9 Revision (1)	ICDA-8 Revision (2)	(3)	(4)	Upper (5)	Lower (6)
Shigellosis and amebiasis	004,006	004,006	0.9818	0.0378	1.0559	0.9077
Certain other intestinal infections	007-009	008,009	0.1821	0.0207	0.2227	0.1415
Tuberculosis	010-018	010-019	0.7868	0.0119	0.7901	0.7435
Tuberculosis of respiratory system	010-012	010-012	0.8429	0.0146	0.8715	0.8143
Other tuberculosis	013-018	013-019	0.5077	0.0167	0.5404	0.4750
Whooping cough	033	033	0.8571	0.0000	0.8571	0.8571
Streptococcal sore throat, scarlatina, and erysipelas	034-035	034	1.4286	0.0000	1.4286	1.4286
Meningococcal infection	036	036	0.9788	0.0124	1.0030	0.9546
Septicemia	038	038	0.8500	0.0180	0.8853	0.8147
Acute poliomyelitis	045	040-043	0.5000	0.0000	0.5000	0.5000
Measles	055	055	0.9167	0.0000	0.9167	0.9167
Viral hepatitis	070	070	1.3986	0.0620	1.5593	1.2379
Syphilis	090-097	090-097	1.0089	0.0259	1.0596	0.9582
All other infectious and parasitic diseases	001-003,005,020-032, 037,039-041,046-054, 056-066,071-088,098-139	Remainder of 000-136	1.0321	0.0634	1.1563	0.9079
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues	140-208	140-209	1.0026	0.0017	1.0059	0.9993
Malignant neoplasms of lip, oral cavity, and pharynx	140-149	140-149	1.0117	0.0087	1.0286	0.9948
Malignant neoplasms of digestive organs and peritoneum	150-159	150-159	1.0330	0.0035	1.0398	1.0262
Malignant neoplasms of respiratory and intrathoracic organs	160-165	160-163	1.0007	0.0033	1.0071	0.9943
Malignant neoplasm of breast	174-175	174	1.0089	0.0022	1.0131	1.0047
Malignant neoplasms of genital organs	179-187	180-187	1.0111	0.0031	1.0171	1.0051
Malignant neoplasms of urinary organs	188-189	188,189	0.9924	0.0045	1.0011	0.9837
Malignant neoplasms of all other and unspecified sites	170-173,190-199	170-173,190-199	0.9557	0.0082	0.9718	0.9398
Leukemia	204-208	204-207	1.0070	0.0056	1.0180	0.9960
Other malignant neoplasms of lymphatic and hematopoietic tissues	200-203	200-203,206,209	0.9385	0.0069	0.9519	0.9251
Benign neoplasms, carcinoma in situ, and neoplasms of uncertain behavior and of unspecified nature	210-239	210-239	1.2085	0.0261	1.2595	1.1575
Diabetes mellitus	250	250	0.9991	0.0087	1.0162	0.9820
Nutritional deficiencies	260-269	260-269	0.7167	0.0262	0.7680	0.6654
Anemias	280-285	280-285	0.9296	0.0124	0.9538	0.9054
Meningitis	320-322	320	0.9459	0.0163	0.9777	0.9141
Major cardiovascular diseases	390-448	390-448	1.0069	0.0004	1.0076	1.0062
Diseases of heart	390-398,402,404-429	390-398,402,404 410-429	1.0126	0.0039	1.0202	1.0050
Rheumatic fever and rheumatic heart disease	390-398	390-398	0.6648	0.0080	0.6804	0.6492
Hypertensive heart disease	402	402	3.3022	0.0557	3.4114	3.1930
Hypertensive heart and renal disease	404	404	1.2119	0.0438	1.2978	1.1260
Ischemic heart disease	410-414	410-413	0.8784	0.0038	0.8859	0.8709
Acute myocardial infarction	410	410	1.0003	0.0054	1.0108	0.9898
Other acute and subacute forms of ischemic heart disease	411	411	1.2224	0.0661	1.3519	1.0929
Angina pectoris	413	413	1.0484	0.0666	1.1789	0.9179
Old myocardial infarction and other forms of chronic ischemic heart disease	412,414	412	0.7533	0.0055	0.7640	0.7426
Other diseases of endocardium	424	424,428	1.2286	0.0227	1.2731	1.1841
All other forms of heart disease	415-423,425-429	420-423,425-427,429	2.5035	0.0257	2.5539	2.4531
Hypertension with or without renal disease	401,403	400,401,403	1.2703	0.0294	1.3280	1.2126
Cerebrovascular diseases	430-438	430-438	1.0049	0.0066	1.0178	0.9920
Intracerebral and other intracranial hemorrhage	431-432	431	0.9989	0.0068	1.0102	0.9836
Cerebral thrombosis and unspecified occlusion of cerebral arteries	434.0,434.9	433	1.0340	0.0222	1.0774	0.9906
Cerebral embolism	434.1	434	1.1211	0.0924	1.3022	0.9400
All other and late effects of cerebrovascular diseases	430,433,435-438	430,432,435-438	0.9948	0.0061	1.0067	0.9829
Atherosclerosis	440	440	1.0649	0.0246	1.1130	1.0168
Other diseases of arteries, arterioles, and capillaries	441-448	441-448	0.7409	0.0098	0.7600	0.7218

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to:		Estimated comparability ratio[1]	Standard Error of the Estimate in Column (3)	95 percent confidence limits[2]	
	ICD-9 Revision	ICDA-8 Revision			Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)
Acute bronchitis and bronchiolitis	466	466	0.8686	0.0274	0.9425	0.8351
Pneumonia and influenza	480-487	470-474,480-486	0.9264	0.0067	0.9394	0.9134
Pneumonia	480-486	480-486	0.9199	0.0076	0.9347	0.9051
Influenza	487	470-474	0.9714	0.0078	0.9866	0.9562
Chronic obstructive pulmonary diseases and allied conditions	490-496	490-493	1.8646	0.0150	1.9141	1.8551
Bronchitis, chronic and unspecified	490-491	490-491	0.9383	0.0134	0.9646	0.9120
Emphysema	492	492	0.9770	0.0127	1.0018	0.9522
Asthma	493	493	1.3544	0.0636	1.4790	1.2298
Other chronic obstructive pulmonary diseases and allied conditions	494-496	...[2]	3...	3...	3...	3...
Ulcer of stomach and duodenum	531-533	531-533	1.1192	0.0247	1.1675	1.0709
Appendicitis	540-543	540-543	1.0080	0.0264	1.0597	0.9563
Hernia of abdominal cavity and intestinal obstruction without mention of hernia	550-553,560	550-553,560	0.9432	0.0169	0.9762	0.9102
Chronic liver disease and cirrhosis	571	571	1.0110	0.0069	1.0245	0.9975
Cholelithiasis and other disorders of gallbladder	574-575	574,575	1.0494	0.0445	1.1366	0.9622
Nephritis, nephrotic syndrome, and nephrosis	580-589	580-584	1.7397	0.0777	1.8920	1.5874
Acute glomerulonephritis and nephrotic syndrome	580-581	580,581	0.2422	0.0185	0.2783	0.2061
Chronic glomerulonephritis, nephritis and nephropathy, not specified as acute or chronic, and renal sclerosis, unspecified	582-583,587	582-584	0.4954	0.0195	0.5335	0.4573
Renal failure, disorders resulting from impaired renal function, and small kidney of unknown cause	584-586,588-589	582-584	1.6327	0.0958	1.8205	1.4449
Infections of kidney	590	590	0.9878	0.0091	1.0056	0.9700
Hyperplasia of prostate	600	600	1.0232	0.0228	1.0674	0.9790
Complications of pregnancy, childbirth, and the puerperium	630-676	630-678	1.1000	0.0435	1.1853	1.0147
Pregnancy with abortive outcome	630-638	640-645	3.8125	0.0000	3.8125	3.8125
Other complications of pregnancy, childbirth and the puerperium	640-676	630-639,650-678	0.9840	0.0454	1.0729	0.8951
Congenital anomalies	740-759	740-759	0.9984	0.0100	1.0179	0.9789
Certain conditions originating in the perinatal period	760-779	760-769.2,769.4-772, 774-778	1.0765	0.0238	1.1230	1.0300
Birth trauma, intrauterine hypoxia, birth asphyxia, and respiratory distress syndrome	767-769	764-768,772,776	0.7483	0.0306	0.8083	0.6883
Other conditions originating in the perinatal period	760-766,770-779	Remainder of 760-778	1.4639	0.0371	1.5367	1.3911
Symptoms, signs, and ill-defined conditions	780-799	780-796	0.9102	0.0121	0.9338	0.8866
All other diseases	Residual	Residual	0.7786	0.0082	0.7947	0.7625
Accidents and adverse effects	E800-E949	E800-E949	0.9970	0.0030	1.0029	0.9911
Motor vehicle accidents	E810-E825	E810-E823	1.0117	0.0027	1.0169	1.0065
All other accidents and adverse effects	E800-E807,E826-E949	E800-E807,E825-E949	0.9841	0.0051	0.9941	0.9741
Suicide	E950-E959	E950-E959	1.0032	0.0042	1.0114	0.9950
Homicide and legal intervention	E960-E978	E960-E978	1.0057	0.0030	1.0115	0.9999
All other external causes	E980-E999	E980-E999	0.9675	0.0144	0.9957	0.9393

TABLE 2
COMPARABLE CATEGORY NUMBERS AND ESTIMATED COMPARABILITY RATIOS FOR 10 SELECTED CAUSES OF INFANT DEATHS ACCORDING TO THE NINTH AND EIGHTH REVISIONS

Cause of death according to the Ninth Revision of the International Classification of Diseases, 1975	Category Numbers According to:		Estimated comparability ratio[1]	Standard Error of The Estimate in Column (3)	95 percent confidence limits[2]	
	ICD-9 Revision	ICD-8 Revision			Upper	Lower
	(1)	(2)	(3)	(4)	(5)	(6)
All causes	...	...	1.0000	...	...	...
Certain gastrointestinal diseases	008-009,535,556-558	004,006-009,535, 561,563	0.4678	0.0228	0.5125	0.4231
Pneumonia and influenza	480-487	470-474,480-486	0.7471	0.0200	0.7862	0.7078
Congenital anomalies	740-759	740-759	1.0071	0.0062	1.0191	0.9949
Disorders relating to short gestation and unspecified low birthweight	765	777	0.9630	0.0107	0.9839	0.9421
Birth trauma	767	764-768(.0-.3),772	0.7154	0.0337	0.7813	0.6493
Intrauterine hypoxia and birth asphyxia	768	776.9	0.3270	0.0212	0.3684	0.2856
Respiratory distress syndrome	769	...	...	...	...	...
Other conditions originating in the perinatal period	760-764,766,770-779	Remainder of 760-778	0.8492	0.0098	0.8683	0.8301
Sudden infant death syndrome	798.0	...	...	...	...	...
All other causes	Residual	Residual	0.5455	0.0061	0.5573	0.5336

[1]Ratio of deaths assigned according to the Ninth Revision to deaths assigned according to the Eighth Revision.

[2]The probability is 95 percent that the true comparability ratio will have a value between the upper and lower limits shown. These limits were computed before the standard error was rounded to the fourth decimal.

[3]Chronic obstructive lung disease without mention of asthma, bronchitis, or emphysema (No. *519.3), introduced by NCHS to be used with the Eighth Revision, is comparable to Other chronic obstructive pulmonary diseases and allied conditions (ICD Nos. 434-496) of the Ninth Revision. The comparability ratio for this set of titles is 1.0054, with a standard error of 0.0118, a relative error of 1.2 percent, and 95 percent confidence limits of 1.0285 and 0.9823. These data are not shown in this table because there are no sample data for *519.3.

Source: *MONTHLY VITAL STATISTICS REPORT*, National Center for Health Statistics, DHEW Publication No. (PHS) 80-1120, Vol. 28, No. 11 Supplement, February 29, 1980, pp. 3-4, 12-13.